



PRODUCT CATALOGUE

2021/22

AKVA GROUP TM
EGERSUND TRADING

BASIC OFFSHORE COVERALL

Prod.no 938-857754924 (Incentra)
Prod.no 940-87855-156 (Wenaas)



Coverall antifiame, fl. yellow/red. 50mm grey antifiame reflex on arms and legs and 20mm over the shoulders. With knee pockets.

ISO EN 11612
Weight: 350 g/m²
Size: 44 - 70

LIGHT OFFSHORE COVERALL

Prod.no 953-2182557



Light coverall antifiame. Fl. yellow/red with 50mm reflex on shoulders, legs and arms. Knee pockets.

ISO EN 11612
Weight: 220g/m²
Size: S - XXL

OFFSHORE QUILTED COVERALL

Prod.no 938-9353 (Incentra)
Prod.no 940-88355 (Wenaas)



938-9353: Antifiame and water repellent quilted coverall.
940-88355: The same type coverall, but w/zipper on legs, and belt in waist.

ISO EN 14116 index1 EN 343, 1149
Weight: 300 g/m²
Size: XS - XXXL
40° vask

OFFSHORE COVERALL

Prod.no 938-858754624



Coverall antifiame red or orange. Two chest pockets, two back pockets, two front pockets and ruler pocket. 50 mm reflex on arms, legs and shouldres.

ISO EN 11612
Weight: 350 g/m²
Sizes: 46 - 64

OFFSHORE COVERALL (LIGHT)

Prod.no 938-US-6303



Offshore coverall, light model. Antifiame, orange or red, With 50 mm reflex on arms, legs and shouldres. 2 chest pockets with Velcro on flaps.

ISO EN 11642, 11612
Weight: 220 g/m²
Sizes: 46 - 64

ANTIFIAME RED / YELLOW HV

Prod.no 938-777754924 (jacket)
Prod.no 938-202754924 (trousers)



Jacket antifiame with 5 cm reflex around sleeves and over shoulders.

Trousers antifiame with 5cm reflex around legs.

ISO EN 1149-5
IEC 61482-2
Weight: 350 grams / m²
Sizes: 44 - 64

BASIC COVERALL (RED)

Prod.no 940-89870-125



Basic coverall with zipper in front. Chest pocket, mobile- and sleeve pocket, back-, and folding rule pocket. Pleat in back. Not antifiame. Material: 65% poly / 35% cotton.

Weight: 245 g/m²
Size: 46 - 64

QUILTED LONG JACKET

Prod.no 938-37125



100% polyester, 280 g/m²
Detachable lining.
EN ISO 20471, kl 3

Sizes: S - XXL

QUILTED RAIN JACKET OFFSHORE

Prod.no 938-FR-LR3456-53 (yellow)
Prod.no 938-FR-LR3456-05 (orange)



Collar with fleece on the inside.
Reflex on arm and over shoulders.
Flamme retardert.
Temperature resistant material.
Elastomer-coated polyester 255g/m².
Standard ISO 14116 index 1 and EN 343

Sizes: S - XXL

RAIN JACKET OFFSHORE

Prod.no 938-FR-LR255-53 (yellow)
Prod.no 938-FR-LR255-03 (orange)



Microflex flame retardant jacket,
Quality: 50% polyester,
50% polyurethane,
Waterproof: 8000 mm water column,
Weight: 170 g / m², Wash: 40 ° C
Standard ISO 14116 kl.3 and
EN 343, 471

Sizes: S - XXXL

RAIN TROUSERS OFFSHORE

Prod.no 938-161646 (orange)
Prod.no 938-161647 (yellow)



Microflex flame retardant harness pants, elastic braces, Quality: 50% polyester, 50% polyurethane, Waterproof: 8000 mm water column, Weight: 170 g / m², Wash: 40 ° C
Standard ISO 14116 kl.3 and
EN 343, 471

Sizes: S - XXXL

CHALLENGER REGATTA OFFSHORE VEST 150N

Prod.no 957-206500

RECHARGE KIT

Prod.no 957-19017



Solas approved. Comfortable lifejacket to wear in work situations and provides good buoyancy in an emergency situation.

Recharge kit for Regatta Offshore vest, 33 gram (necessary 2 kit pr. vest).

TROUSERS WENAAS

Prod.no 940-25000-133

SHORTS

Prod.no 930-BPC 254 90
(black)



Pants and shorts with side pockets. Black

Fabric: 65% polyester, 35% cotton
Trousers weight: 310 g/m²

Trousers sizes: 46 - 64
Shorts sizes: 46 - 62

UNIFORM



We offer complete uniform in cooperation with Uniformspartner.
Hat, jacket and trousers.
Socks and ties.
Custom made and tailored according to measurements and carriers rank.

UNIFORM SHIRT LONG SLEEVE

Prod.no 71205 (white)
Prod.no 71201 (khaki)



Poly/cotton. Shoulder pads.

Sizes: S - XXXL

UNIFORM SHIRT SHORT SLEEVE

Prod.no 71200 (khaki)
Prod.no 71204 (white)



Poly/cotton. Shoulder pads.

Sizes: S - XXXL

DISTINCTIONS

Prod.no 71209-3 (Captain)
Prod.no 71209-4 (Chief Officer)
Prod.no 71209-5 (1st Officer)
Prod.no 71209-6 (2nd Officer)



CAPTAIN



CHIEF OFFICER



1ST OFFICER



2ND OFFICER

DISTINCTIONS

Prod.no 71209-7 (Chief Engineer)
Prod.no 71209-8 (1st Engineer)
Prod.no 71209-9 (2nd Engineer)
Prod.no 71209-13 (3rd Engineer)



CHIEF ENGINEER



1ST ENGINEER



2ND ENGINEER



3RD ENGINEER

DISTINCTIONS

Prod.no 71209-11 (Chief Electrician)
Prod.no 71209-10 (Electrician)
Prod.no 71209-12 (Steward)



CHIEF ELECTRICIAN



ELECTRICIAN



STEWARD

PROTECTIVE SHOE

Prod.no 938-UE10013



For general use, indoors and outdoors. Sliding protection, Nailing trunk, toe cap, Water repellent. Shoe certificate: EN ISO 20345

Sizes: 35 - 48

FORMA SPIDER 2 SAFETY SHOES, S3

Prod.no 940-72-820



Shoes with simple tightening mechanism. TPU / PU sole. Aluminum toe cap for better protection. Soft nail protection. ESD approved.

Sizes: 37 - 48

FORMA SECOR BEAT SAFETY SHOES S3 ESD

Prod.no 940-14234



Lowshoe Secor Beat - waterproof, with protective toe and nail protection.

Sizes: 36 - 48

SANDAL ECCO OFFROAD

Prod.no 940-1110-5499



Lightweight sandal. Nubuck upper and rubber / PU sole with very good slip resistance, cushioning and comfort. 2 Velcro tighteners on the ankle, and one on the ankle.

Sizes: 36 - 48

HAIX FIRE BOOT

Prod.no 940-2000-1190-10



Full gain and waterproof/breathable fire boot. EN 15090: 2012, F2A HI3 CI AN SRC

Size: 41-48

DUNLOP PROTOMASTER RAINBOOTS S5 SRA

Prod.no 940-53400



PVC rain boots with steel toe and nail protection. Antistatic.

Sizes: 36 - 48

BOOTS WITH NO LINING

Prod.no 940-6101-122 (with lining)
940-6102-122 (no linina)



Upper of leather. Comfortable PU / PU sole. Light, spacious, metal-free and antistatic. Composite toe cap. Soft nail protection. Removable insole. EN ISO 20345: 2011, S3 SRC

Sizes: 36 - 48

FILT SOLES

Prod.no 938-B115



Sizes: 36 - 48

KNEEPADS PAIR

Prod.no 938- 972292



MOLDEX SPARK PLUG EAR PROTECTION

Prod.no 938-7800



Foam plugs. Comfortable for long time use. Box of 200 pairs. SNR 35 EN 352-2

PELTOR 3 EAR MUFFS

Prod.no 938-H540A-411 with headband
Prod.no 938-H540P3E-413 ear muffs for helmet
Prod.no 938-HY54 Spare set



Ear muffs with head bail developed for extremely noisy environments. Double shield reduces the resonance. Maximum muting of high and low frequency sounds. EN 352-1.

OFFSHORE BAG

Prod.no 940-10160



Carrying straps, shoulder strap, ID card pocket on inside of bag. Black PVC. 60X30X30 cm

CENTURION COOLCAP S28

Prod.no 940-28-100



Cap with short shadow and protection. Breathable. EN 812

V-GARD MSA HELMET

Prod.no 940-912-520-30 (yellow)
Prod.no 940-912-520-40 (white)



Light safety helmet produced in ABS plastic weighing 350g. Drain for rain, fitting for earmuffs, short brim and low in the neck. Comfortable perspiration absorbtion band in front and back. Certified according to EN 397.

HEAD LIGHT FOR HELMET

Prod.no 25764-3



Model: iH5R
Light: 400 LM
Battery: Rechargeable
Light lenght: 180 meter
Burn time: 35 hours

HALF GAS MASK

Prod.no 938-7000



Half gas mask EasyLock filter system.

Sizes: S, M, L

WHOLE GAS MASK

Prod.no 938-9000



Whole gas mask Easylock filter system.

Sizes: S, M, L

STORAGE BOX FOR WHOLE GAS MASK

Prod.no 938-999501



FILTER

can be used on both, Half gas and Whole gas masks, and are sold pr. pair:

- Prod.no 938-9020 – EasyLock Particle filter P2 RD
- Prod.no 938-9100 – EasyLock Gas filter A1
- Prod.no 938-9200 – EasyLock Gas filter A2
- Prod.no 938-9400 – EasyLock Gas filter A1B1E1K1
- Prod.no 938-9230-12 – EasyLock Combi filter A2P3 RD
- Prod.no 938-799501 – Storage box for one half mask



SHORT TERM MASK P2

Prod.no 938-8006180

Prod.no 938-8006181 w/ valve



- An affordable option from the Italian quality manufacturer BLS
- Optimized fit
 - Noseclip for better fit
 - Double strap in synthetic rubber, founded
 - Protects against solid and liquid particles
 - For single use

Packed: 20 pcs pr. box

SAFETY GLASSES SGI GROLLS

Prod.no
940-20110-15003
(Clear lens)
940-20111-15003
(Grey lens)



Protective goggles for general use. Highest mechanical protection (F). Highest optical class (1) Adjustable nose pads. Antiripe / Antidugg /Anti UV / Antistatic Polycarbonate Lenses.

EN 166 F / EN 170

SAFETY GLASSES SGI GROLLS

Prod.no
38-1230518 clear lens anti
dew
938-30519 Grey lens anti
dew



Brass setting. Soft pvc nose pads. Anti scratch, anti dew, Anti UV polycarbonated lens. Is delivered with storage bag

EN 166, 170, 172
Weight: 34 g.

PROTECTIVE GOGGLES

Prod.no 938-IRIPSI



Protective goggles for general use - fits virtually everyone. Highest mechanical protection (F) - even at high temperatures. Highest optical class (1) - for all-day use. Soft, adjustable anti-glide bridge that adjusts in height, depth and width.

UVEX GOGGLE

Prod.no 938-1230500



Comprehensive spectacle in soft PVC
• Highest mechanical protection (B)
• Highest optical class (1)
• Anti scratch / anti-fog polycarbonate lenses

EN 166 B

EYEGLOSS POLISH STATION

Prod.no 938-B410



Eyeglass polish station with 400 pcs polishing cloth + 250 ml spray bottle.

DISPOSABLE COVERALL TYVEK 500 XPRT

Prod.no 938-7010



Protective suit for Industrial cleaning and maintenance, pharmaceutical industry, chemical industry, automotive industry, spray-painting, food industry, agriculture

Sizes: S - 3XL

SHOE COVER

Prod.no 955-210.0060S



Disposable shoe cover. 33MY. 2000 pr. box.

BULLSKIN GLOVES

Prod.no 955-103.4190



Gloves for dry work and light mechanical industry. EN 420, 388, 3134 cat. 2.

Sizes: 9 - 12

GOATSKIN GLOVES

Prod.no 938-442110



Powerful goatskin work glove for work in dry environments. Construction industry, Indoor, Forestry, Roofing, Outdoor, Workshop Reinforced fingers, Reflex, Silicone-free. EN 388

Sizes: 7 - 12

GLOVES

Prod.no 955-115.9001



Produced for extreme working conditions within the oil and gas industry, the mining industry and related industries. Shock absorbing very high cut protection ACC. A 388 Cut level 5. Good, breathable properties. Can be washed in the machine. EN 420, 388

Sizes: 9 - 11

GLOVE GOATSKIN UNLINED

Prod.no 938-OF-2100



Smooth goatskin glove for precision work in dry environments.

Certificate: EN 388

Sizes: 8 - 11

ODIN® PERFORMANCE PIG LEATHER GLOVE

Prod.no 940-10100-1230-640



Microfiber glove. Nylon and spandex in the upper hand. Ergonomic thumb grip. Reinforced cuff in TPR.

Sizes: 6 - 11

SEMI QUILTED WATER REPELLENT GLOVES

Prod.no 938-442306



MicroSkin Shield® with Spandex® handrail, Velcro, unlined

Flexible and good fit. Good grip and high sensitivity. Machine washable. Drip Dry. Suitable for: Mounting work and other tasks with extremely high requirements for finger sensitivity, flexibility and grip.

Sizes: 8 - 11

GLOVE NITILECOATED NYLON, BLACK

Prod.no 938-UNI400



For handling of small objects in the dirty environment. Nitrile coating withstands oil and grease. Knitted nylon. Flexible and durable. Half Dipped micro-porous nitrile.

EN 388 - 4121 Mechanical Protection

Sizes: 7 - 11

NITRILE GLOVES (FOR CHEMICAL)

Prod.no 938-RNF16



Resistant to grease, oil, detergents and certain solvents. EN 388, 374 cat. 3.

Sizes: S - XXL

**JANUS PRO LONGS
ANTIFL/ANTISTAT**
Prod.no 947-4451-888



EN ISO 11612

Sizes: S - XXL

**JANUS PRO SWEATER
ANTIFL/ANTISTAT**
Prod.no 947-4451-890



EN ISO 11612

Sizes: S - XXL

**THERMO JACKET
ANTIFLAME**
Prod.no 940-34300-206



EN ISO 14116

Sizes: S-XXL

WOOL SOCK - 2 PACK
Prod.no 938-966-15



Extra warm and comfortable
sock.
2 pairs per pack.

Sizes: 35-38, 39-42, 43-46,
47-50

T-SHIRT WITH LOGO
Prod.no 71206-1 (navy)



Profile T-shirt in combed
cotton. Pre shrunk. Logo
in front

Quality: 100% combed
cotton.
Single jersey knitted.
30 thread.

Sizes: S - XXL

**POLO STANDARD WITH
EMBRODED LOGO**
Prod.no 71207 Navy
(standard)



Pique with embroidered
logo.

Quality: 100% combed
cotton, 200 gsm.

Sizes: S - XXXL

**JANUS PRO HOOD ANTIFL/
ANTISTAT**
Prod.no 947-4451-875



EN ISO 11612

Sizes: One size

THINSULATE HAT
Prod.no 938-310000099



Knitted hat in acryl. Quilted
with Thinsula.

Sizes: One size

CEDERROTH EYE RINS 2X0,5LTR

Prod.no 938-725200



Contains: 2 x 500ml Eye rinse.

PLUM EYE WASH BOTTLE

Prod.no 938-91025



- Specially developed eye cup as head flushing liquid directly into the eye
- For single use
- Suitable for mobile workplaces, where there is no access to eye irrigation
- Durability 3.5 years

SNÖGG COMBI MEDICINE CASE

Prod.no 946-021040



Contains everything you need on the site.

PLASTER ROLL REFILL SOFT 1 GLUEFREE

Prod.no 946-012343



SOFT1 is a blood absorbent, skin-friendly, cross-elastic and glueless patch that provides great flexibility in ledd.SOFT1 glueless patch is abrasive and does not attach to the skin, hair or wounds. SOFT1 glueless patch notes even if the skin is dirty or wet.

Height: 500 cm
Width: 6 cm

SNÖGG COMBI REFILL FOR MEDICINE CASE

Prod.no 946-024505



Complete content for Combi medicine case.

ELASTIC HARNESS W/ EKSTRA PADDING

Prod.no
S/M: 966-100409900002
L/XXL: 966-100409900001



Attachement point in the back and chest. Separate regulation for bones and shoulder. Padding on leg and shoulders for extra comfort. Quick links. EN361 standard.

Size guide Harness w/extra padding

Measure A:
S- M: 55-60cm
L-XL: 55-70cm

Measure B:
S- M: N/A
L-XL: N/A

Measure C:
S- M: 45-80cm
L-XL: 45-100cm

INSULATED HARNESS 9KV FOR ELECTRICAL WORK

Prod.no
S/M: 966-100410600005
L/XXL: 966-100410600004



Attachement point in the back and chest. Insulated metallparts for up to 9kV. Integrated supportbelt. EN358 and fallarrest EN361 standard.

Size guide Insulated harness

Measure A:
S- M: 55-60cm
L-XL: 55-70cm

Measure B:
S- M: 90-130cm
L-XL: 100-155cm

Measure C:
S- M: 45-80cm
L-XL: 45-100cm

HARNESS WITH PROTECTIVE COATING

Prod.no 966-100411200001



Attachement points in back and chest. Harness with protective coating against chemicals and oil. Metall parts in INOX and aluminium.

EN361 Standard

Size: One size

Size guide protective coating harness

Measure A:
S- M: 55-60cm
L-XL: 55-70cm

Measure B:
S- M: N/A
L-XL: N/A

Measure C:
S- M: 45-80cm
L-XL: 45-100cm

TECHNICAL HARNESS FOR CLIMBING/RESCUE

Prod.no
S/M: 966-100411400003
L/XXL: 966-100411400004



Fall arrest attachment point in back and chest. Fixing point for rescue/evacuation at mid. Integrated support belt. Padding for better support and comfort. EN361, EN358, EN813

Size guide technical harness

Measure A:
S- M: 50-60cm
L-XL: 55-80cm

Measure B:
S- M: 90-145cm
L-XL: 100-160cm

Measure C:
S- M: 55-75cm
L-XL: 55-85cm

FALLARREST BLOCK 2M SHARP EDGE

Prod.no
966-100307700027



Small fallarrest block 2m sharp edge. Can be used over 0,5mm sharp edge at 90° angle.

EN360, VG11.060:2014

FALLARREST BLOCK 3,5M SHARP EDGE

Prod.no
966-100307700084



Small fallarrest block 3,5m sharp edge. Can be used over 0,5mm sharp edge at 90° angle.

EN360, VG11.060:2014

FALLARREST BLOCK 6M SHARP EDGE

Prod.no
966-100307700069



Fallarrest block 6m sharp edge. Can be used over 0,5mm sharp edge at 90° angle.

EN360, VG11.060:2014

FALLARREST BLOCK 10M SHARP EDGE

Prod.no
966-100307700033



Fallarrest block 10m sharp edge. Can be used over 0,5mm sharp edge at 90° angle.

EN360, VG11.060:2014

SHOCK ABSORBER

Prod.no
966-100102200030



Shock absorber sharp edge 180cm Y-shaped. Can be used over 0,5mm sharp edge at 90° angle. 1 pcs 18mm karabiner and 2pcs 50mm karabiner. EN362, EN355, VG11.074

WORK POSITIONING LANYARD 2M

Prod.no
966-101007100001



Work positioning rope 2m. Use as addition to fall arrest to support the user in work position. Can be used together with harness with integrated positioning belt or similar. Ø12mm rope. 1 pcs screw karabin and 1 pcs automatic karabin. EN358, EN362

TRIPODKIT WITH 15M COMBINED WINCH AND FALLARREST BLOCK

Prod.no
966-100301900002



Tripod kit with TR1 tripod, R15 winchblock and bracket. 15m wire 1,15-2,15 adjustable tripod 1,80m diameter EN795B, EN360, EN1496

R15 WINCHBLOCK

Prod.no
R15: 966-100301900003
Bracket:
966-100300300004



R15 winchblock 15m length. Practical solution with fallarrest block and rescue winch integrated in one solution. Needs bracket to connect to tripod. EN360, EN1496

RESCUE DEVICE FOR 1 PERSON

Prod.no
966-101102300007



Descend/rescue device for 1 person, example crane operators. Fits easily to harness with included carry bag. Anti-panic system to prevent situations.

Lengths up to 120m on request

ATTACHEMENT SLING, WEBBING

Prod.no
966-100201700003



Attachment sling 120cm
EN795B

TOOL HOLDER CLC

Prod.no
966-CL1001020



Made of 12mm mesh with internal bungee, up to 110cm in length fully extended. For tools up to 2,5kg

SUPPORT BELT

Prod.no
966-FA1040100



Support belt with D-rings, attachment for tools.

RESCUE KIT WITH PULLEY

Prod.no
30m: 966-102404300001
50m: 966-102404300002



Easy to use rescue kit with pulley, minimize the need to self-descend during rescue operations. Requires training. EN567, EN795B, EB1891A, EN12841-C, EN12278, EN362

STEEL SLING AND CARABINE HOOK

Prod.no
966-100211600001



Steel sling 150cm, 22kN
breaking strength.
EN795B

STEEL CARABIN HOOK, TWISTLOCK

Prod.no
966-102300900005



40kN breaking strength
22mm opening
EN362

ATTACHEMENT POINT H BEAM

Prod.no
966-100206200001



PRO11 attachment point for H beam, adjustable 84-265mm. Breaking strength 15kN and 2,2kg weight. Made of aluminum, polyester and a steelring. EN795B – 1 person

STANDARD BACK-PACK 40L

Prod.no
966-103500300004



Back-pack for storing equipment, standard type with 40L space.

RPB Z-LINK PROTECTIVE MASK FOR SUPPLIED AIR.

Prod.no
966-16-020-12



Protective mask with integrated EN397 helmet and eye-protection EN166. Tychem 2000 face seal for protection. SAR hose is included. Light weight and gives the user comfort and ease of use.
EN14594, EN166, EN397, APF40

RPB C40 SAR REGULATOR

Prod.no
966-03-502



Professional SAR regulator with climate control, adjust temperature and airflow easily. Airflow temperature can be cooled with 29°C or heated with 18°C for user comfort.

RPB CEJN SAR HOSES

Prod.no
7,5m: 966-04-322-25
15m: 966-04-322-50
30m: 966-04-322-100



RPB CEJN SAR hoses in various lengths, CEJN connectors integrated.
EN14594

RPB RADEX SAR AIRFILTER UNIT

Prod.no
Main unit:
Radex 2 person 966-04-900
Radex 6 person 966-04-906



RPB Radex SAR airline filter, with 6 stages of filters it removes moisture, smells and particles down to 0,5um from supplied air.

EN14594

PRE-FILTER

Prod.no 966-04-927



Connect to remove bigger particles before air entering main filter.

MICRO MIST FILTER 0,01UM

Prod.no 966-04-925



If the user requires a higher grade of filtration, connect this filter to remove oil-fumes and particles down to 0,01um.

AUTO-DRAIN

Prod.no 966-04-924



Connect to automatic drain the unit for moisture that gathers during use, without auto-drain unit this has to be done every day manually.

Add-on filters mandatory to meet 0,01um requirement:
1 pcs Radex Pre-filter: 04-927
1 pcs Radex Auto-drain: 04-924
1 pcs Radex Microfilter: 04-925

To connect add-on filters:
1 pcs Reducing nipple: 04-926
2 pcs Male NPT nipple: 04-952
1 pcs Brass elbow: 04-928

RADEX MAIN FILTER

Prod.no 966-APF3100



Complete main filter unit to replace when needed, easy service.

RADEX PRE-FILTER ELEMENT

Prod.no 966-04-929



Exchange filter element when needed:

RADEX MICRO MIST FILTER ELEMENT

Prod.no 966-04-930



Exchange filter element when needed:

RADEX AUTO-DRAIN ASSEMBLY


Prod.no 966-04-931



Exchange when needed.

NEIL ROBERTSON STRETCHER FERNO 6090040

Prod.no 70894



Neil Robertson stretcher designed for use in difficult or unconventional rescue circumstances where a patient needs to be lowered or lifted to safety.

Length 150cm - Width 100cm - max capacity 136 kg

[See user manual HERE](#)

CLIMBING HELMET WITH HEADBAND

Prod.no 940-9773-50



Light helmet approved for industry use, rescue, climbing etc. EN 12492

Color: white

KNIFE STAINLESS BLADE

Prod.no 20131




Knife - 95mm blade length - 205mm total length - Stainless

HARNESS SIZE GUIDE

To find the correct harness size for your team we recommend to do body measuring according to the drawing.

- A: Upper body height from waist to upper shoulder.
- B: Waist size, applicable on harness with support belt integrated.
- C: Thigh size, measure around your thigh.

Choose the harness size that is within your measurements.



AKVAGROUP™
EGERSUND TRADING

Egersund Trading AS

Tlf.: 55 08 85 00

ordre.trading@akvagroup.com

www.egersundtrading.no