wenaas®

PROTECTING PEOPLE AT WORK SINCE 1931

Wenaas Footwear

2018





TAKING NEW STEPS TOGETHER

Choose footwear from someone who knows how it is to be in your shoes.

The requirements for protective footwear are as complex as the qualities they should have. They need to be shock-absorbing, ensure good grip on the surface, and provide good stability and support for the rest of the body. At least they need to protect you against the external risk factors which make safety shoes a must.

In addition, the shoes must keep their qualities through rough use over long time.

As a direct supplier we are in regular contact with professional customers, HSE personnel, and users of our safety shoes. The feedback we receive is channeled back into product development of our safety footwear, where the goal consistently is to obtain optimal protection.

We are not satisfied with simply meeting norm requirements, we surpass them in terms of shock-absorption and slip resistance. That is why we are making lasts designed for Nordic sized feet, using light weight safety toes providing optimal safety and room for toe movement We want all our users to wear footwear that fits perfectly.

We offer Workpro insoles certified for use in our footwear, providing 100% contact between foot and footwear.

Choose between a broad range of footwear from our Wenaas brand and from suppliers supplying quality we can vouch for: Because we know how it is to be in your shoes.

TECHNOLOGY AND PROPERTIES

FIT
Memory foam around ankle gives superior fit and comfort, preventing blisters.

ADAPTED
Anyone can find footwear that fits. Our footwear collection offers a number of different fits, and Workpro insole gives opportunity for individual adjustment.

GOOD FOOT GRIP
Stable heel cap keeps feet in their place and ensures a long lifetime of footwear

W-TEX
Ensures dry feet. Water stays on the outside while moisture/seat is released from the inside.

STABLE HEEL STAY
Ensures footwear stability, giving feet sufficient support and greater comfort during the workday.

LASTING QUALITY
High quality leather and technical lining provide good temperature control and attractive lifetime costs of Wenaas products.



SAFETY TOE
Light weight safety toe provides optimal protection, at the same time as allowing enough room for toe movement.

THE LAST
Designed for Nordic sized feet

PERSONAL ADJUSTMENT
Workpro insoles are individually adapted and certified for use in our safety footwear.

STABLE AND STEADY
Shank – provides footwear stability and gives sufficient support.

GOOD GRIP ON THE SURFACE
Our SRC soles exceed normal slip resistance standards. Users get a good grip on the surface both summer and winter, preventing slipping.

TRIPLE SHOCK ABSORBTION
Insole provides good comfort. Gel cushion provides for shock absorption in heel area, preventing muscular and skeletal diseases. Light weight moulded PU in midsole.

DRY AND COMFORTABLE
Sweat-absorbent insole makes feet feel dry and gives comfort through a long workday.

W-TEX

W-TEX by Wenaas offers superior water tightness and optimal safety. Our safety shoes and boots with W-TEX membrane are developed to keep your feet dry no matter the state of the weather. The W-TEX membrane makes sure that water stays on the outside while moisture/sweat is released from the inside.



W-SOLE

Wenaas has developed an entirely new sole, to be used on Wenaas' future footwear collection. The sole has a contemporary and sporty design, and properties that makes it suitable for tough environments. It is made in hard-wearing rubber, with a polyurethane midsole. It tolerates heat up to 300°, is oil-resistant and functions eminently in cold environments. The pattern has a structure that offers superior grip both sideways and in linear movements. Its unique draining channels release water, snow, oil and dirt. Our shock absorption system, combined with in-built support in the arch of foot, provides high comfort and safety throughout the workday. W-Sole is now being launched in our newly developed collections, Voltmaster and Prowork.

ELECTRICALLY INSULATING

EH ASTM F2413-11 is electrically insulating up to 18,000 V. When footwear is electrically insulating it does not conduct electricity. In case of an accident the footwear will insulate towards the ground so that the current does not pass through the body, but goes into the ground/surface. The footwear is suited for work on power lines. Electrically insulating is the opposite of ESD and antistatic: It is therefore not suited for activities where there is a risk of sparks from static electricity igniting inflammable gases and liquids.

ESD

ESD stands for electrostatic discharge. Electrically conductive footwear must be used whenever it is necessary to minimize electrostatic discharges in the shortest possible time, e.g. if there is a risk of destroying electronic equipment. An ESD shoe is antistatic. If you get an electric shock while wearing an ESD shoe, the current will go straight through your body. ESD shoes are primarily made to preserve fine pitch electronics, not to protect the worker. Electrically conductive footwear must not be worn if there is the slightest risk of getting an electric shock from the live parts of electrical appliances. Products marked ESD fulfill current requirements and standards for ESD. In order for ESD shoes to work in a satisfactory manner, both the personal protective equipment and the workplace must divert static electricity.

ANTISTATIC

Antistatic footwear is slightly conductive and discharges the static electricity gathered in the body, using it when necessary to minimize electrostatic charges. This way the risk of sparking ignition from e.g. inflammable substances and vapors is prevented. At the same time it is electrically insulating, providing protection against dangerous electrical shocks in the case of defective electrical devices powered by voltage levels up to 230 V. Resistance limit values are 100 kΩ - 1000 MΩ.

WASHABLE FOOTWEAR UP TO 40 DEGREES

Shoes can be washed in the machine in temperatures up to 40 degrees.

CARING FOR FOOTWEAR

Dirt and moisture have little effect on footwear that is well cared for, which is why proper care is important to maintain the level of comfort. To prolong the lifespan of your footwear it should be kept clean, dry and nice-looking. Below you find our recommendations for proper care of your footwear.

CLEANING

The upper part is cleaned simply by using a shoe brush, or a light damp cloth. Very dirty footwear is washed in lukewarm, mild soapy soapy water, and then rinsed.

DRYING

Never dry footwear too close to a heat source, such as stoves and heating cabinets. This will make the leather dry up and become hard, so that it may crack. To get a better airing during drying, we recommend that the shoe tongue be opened, and the insole taken out.

CARE OF LEATHER

Leather footwear should be treated with shoe polish, preferably followed by spray impregnation.

CARE OF TEXTILES

Textile footwear should be impregnated using spray impregnation. Do not use products containing fats or oils, as this diminishes leather breathability. If breathability is reduced feet may become clammy, and comfort is compromised.

SIZE GUIDE – WENAAS SHOES



Put a piece of paper on the floor, from the wall and outwards.



Place one of your feet on the piece of paper with the heel against the wall and mark the longest part of your foot. Do the same with the other foot. If they differ, use the longest measurement.



By using a ruler, measure the length from the edge of the piece of paper to the line. The length of the foot + extra length = length in mm as referenced in the table. I.e. if the foot is 282 mm long + 10 mm you should order a size 45.

EU	UK	US Man	US Women	mm
35	2,5	3	4	225
36	3	4	5	232
37	4	4,5	5,5	239
38	5	5	6	245
39	6	6	7	252
40	6,5	7	8	260
41	7	8	9	267
42	8	8,5	9,5	271
43	9	9	10	279
44	10	10	11	286
45	10,5	11	12	292
46	11	11,5	12,5	298
47	12	12	13	305
48	13	13	14	312

SAFETY SHOES IN LARGE SIZES

As a special production we offer a range of safety shoes in large sizes, from size 49 and all sizes up to size 54. The range has a spacious fit in the S3 classification, and includes low shoes, ankle boots, and lace-up boots. They all have an upper part of full-grain leather, with a TPU/PU sole that is antistatic and oil-resistant. They are fitted with toe protection and puncture resistance. Delivery time is approximately four weeks. Please contact our customer service for ordering.



Model 1498



Model 1460



Model 1474



Wenaas Footwear – Symbol

WENAAS SYMBOL	EN-SYMBOL	DEFINITION	REQUIREMENTS
		Protective toe cap	200 Joule
		Closed heel	
	FO	Oil resistance outersole	
	E	Shock absorption in heel	≤ 20 Joule
	A	Antistatic footwear	Resistance 100 kΩ -1000 MΩ
	WRU	Water resistance of upper	≥ 60 min - Absorb ≤ 30% H_2O ≤ 0,2 gr
	P	Perforation resistance	≥ 1100 Newton
	C	Electrically conductive outersole *	Resistance 0,1 MΩ
	HI	Heat insulated footwear *	Test 150°C
	CI	Cold insulated footwear *	Test -20°C
	WR	Water proofed footwear *	≤ 15 min no water penetration - 15 cycles ≥ 3 cm^2
	M	Metatarsal protection *	≤ 40 mm
	AN	Ankle protection *	≤ 20 Kn
	CR	Cut resistant upper *	Factor ≥ 2,5
	HRO	Heat resistant outersole *	Test 300°C
	SRA	Slip resistance tested on ceramic floor tile with NLS (Special sope) **	Coeffisient heel/flat, ≥ 0,28 / ≥ 0,32
	SRB	Slip resistance tested on steel floor with glycerol **	Coeffisient heel/flat, ≥ 0,13 / ≥ 0,18
	SRC	SRA + SRB **	SRA + SRB

* = Additional requirements for special applications with appropriate symbols for marking
** = The values indicated in the table, correspond to the minimum coefficient of friction requirement for slip resistance

STD	Safety footwear - EN-ISO 20345:2011							Work shoes - EN-ISO 20347:2012					
CATEGORY	SB	S1	S1P	S2	S3	S4	S5	OB	01	02	03	04	05
CLASS	I - II	I	I	I	I	II	II	I - II	I	I	I	II	II
WENAAS-SYMBOL													

Shoes and boots protecting against electrical hazards

Voltmaster safety shoes insulate up to 18.000 volts and provide comfort and a steady grip all year long.

Most safety shoes pass on the electricity to the soil to prevent static electricity from building up and discharging in the body. For personell working on high-voltage power lines this involves a risk.

Wenaas' new Voltmaster collection insulates all the way up to 18.000 volts and comes in four models providing optimal protection and comfort summer and winter. From low shoes through ankle boots to lined winter boots and lace-up boots, the shoes provide a steady grip for electricians, electrical engineers, and electrical fitters, who often work under demanding conditions.

The feet are protected through three layers of shock-absorbing soles, where the innersole can be removed for drying.

While the low shoes come in both textile or leather, ankle boots and winter boots are equipped with the W-Tex membrane. Features of all Voltmaster shoes are:

- Light and metal-free toe cap
- Soft penetration protection
- Shock-absorbing outer sole with superior slip-resistance
- Atop lacing system
- Contemporary and uniform design with fluorescent contrast color



SHOE VOLTMASTER TXT SB 0-1210-3101-1032

Light shoe in modern design with upper of fluorescent and breathable Moron textile. ATOP lacing system with nylon coated steel wire. Lightweight and sporty Rubber/PU outsole, very good slip resistance, shank, heat and oil resistant. Sole isolated up to 18.000 V. Composite toe cap. Soft penetration protection. Removable insole.

COLOR	1032 Black/Fluorine Yellow
SIZE	35-47
STANDARD	EN ISO 20345:2011, SB FO E P HRO SRC, tested to EH ASTM F2413-11
MATERIAL	Upper: Breathable Moron textile. Lining: Textile. Outsole: Rubber/PU. Safety Toe Cap: Composite. Penetration Protection: Soft







SHOE VOLTMASTER SB 0-1211-1101-10

Shoe in modern design with upper of full grain leather and fluorescent contrast colors. ATOP lacing system with nylon coated steel wire. Lightweight and sporty Rubber/PU outsole, very good slip resistance, shank, heat and oil resistant. Sole isolated up to 18.000 V. Composite toe cap. Soft penetration protection. Removeable insole.

COLOR	10 Black
SIZE	35-47
STANDARD	EN ISO 20345:2011, SB FO E WRU P CI HRO SRC, tested to EH ASTM F2413-11
MATERIAL	Upper: Full grain leather. Lining: Textile. Outsole: Rubber/PU. Safety Toe Cap: Composite. Penetration Protection: Soft





ANKLE BOOT VOLTMASTER SB 0-1310-1101-10

Ankle boot in modern design with upper of full grain leather and fluorescent contrast colors. ATOP lacing system with nylon coated steel wire. W-TEX membrane makes it waterproof and breathable. Lightweight and sporty Rubber/PU outsole, very good slip resistance, shank, heat and oil resistant. Sole isolated up to 18.000 V. Composite toe cap. Soft penetration protection. Removeable insole.

COLOR	10 Black
SIZE	35-47
STANDARD	EN ISO 20345:2011, SB FO E P WR CI HRO SRC; tested to EH ASTM F2413-11
MATERIAL	Upper: Full grain leather. Lining: W-TEX. Outsole: Rubber/PU. Safety Toe Cap: Composite. Penetration Protection: Soft.





WINTER BOOT VOLTMASTER SB 0-1410-1101-10

Winter boot in modern design with upper of full grain leather and fluorescent contrast colors. ATOP lacing system with nylon coated steel wire. W-TEX membrane makes it waterproof and breathable. Lightweight and sporty Rubber/PU outsole, very good slip resistance, shank, heat and oil resistant. Sole isolated up to 18.000 V. Composite toe cap. Soft penetration protection. Removeable insole.

COLOR	10 Black
SIZE	35-47
STANDARD	EN ISO 20345:2011, SB FO E P CI WR HRO SRC, tested to EH ASTM F2413-11
MATERIAL	Upper: Full grain leather. Lining: W-TEX. Outsole: Rubber/PU. Safety Toe Cap: Composite. Penetration Protection: Soft





LACE BOOT MULTINORM SB 0-75-435-10

Lace Boot with upper of full grain leather and flame-retardant textile, 3M ™ Thinsulate ™ lining. Rubber/PU outsole with shank, and Active Grip. Sole insulated up to 14,000 V. Composite toe cap. Soft penetration protection. Removeable insole.

COLOR	10 Black
SIZE	38-48
STANDARD	EN ISO 20345:2011, SB E P AN CI HRO WRU FO SRC, ASTM F2412-05:2005
MATERIAL	Upper: Full grain leather, textile. Lining: Thinsulate 3M+. Outsole: Rubber/PU. Safety toe cap: Composite. Penetration protection: Soft.





SHOE PROWORK S1P 0-1200-3103-10

Light shoe in modern design with upper of breathable Lenzi Egisto® Perspair. Lightweight and sporty Rubber/PU outsole, very good slip resistance, shank, antistatic, heat and oil resistant. Aluminum toe cap for better protection and slimmer shape. Soft penetration protection. Removeable and antistatic insole. Delivered with two pair of laces with different colors.

COLOR	10 Black
SIZE	36-48
STANDARD	EN ISO 20345:2011, S1P HRO SRC
MATERIAL	Upper: Breathable Lenzi Egisto® Perspair. Lining: Textile. Outsole: Rubber/PU. Safety Toe Cap: Aluminium. Penetration Protection: Soft.





SHOE PROWORK S3 0-1201-1105-10

Shoe with upper of full grain leather and fluorescent contrast colors. Lightweight and sporty Rubber/PU outsole, very good slip resistance, shank, antistatic, heat and oil resistant. Aluminum toe cap for better protection and slimmer shape. Soft penetration protection. Pocket on tongue to hide the lacing. Removeable and antistatic insole. Delivered with two pair of laces with different colors.

COLOR	10 Black
SIZE	36-48
STANDARD	EN ISO 20345:2011, S3 HRO SRC
MATERIAL	Upper: Full grain leather. Lining: Textile. Outsole: Rubber/PU. Safety toe cap: Aluminium. Penetration protection: Soft.





ANKLE BOOT PROWORK S3 0-1300-1105-10

Ankle boot with upper of full grain leather and fluorescent contrast colors. Lightweight and sporty Rubber/PU outsole, very good slip resistance, shank, antistatic, heat and oil resistant. Aluminum toe cap for better protection and slimmer shape. Soft penetration protection. Pocket on tongue to hide the lacing. Removeable and antistatic insole. Delivered with two pair of laces with different colors.

COLOR	10 Black
SIZE	36-48
STANDARD	EN ISO 20345:2011, S3 CI HRO SRC
MATERIAL	Upper: Full grain leather. Lining: Textile. Outsole: Rubber/PU. Safety toe cap: Aluminium. Penetration Protection: Soft.





LACE BOOT PROWORK S3 0-1400-1105-10

Lace boot with upper of full grain leather and fluorescent contrast colors. Zip opening on the side. W-TEX membrane makes it waterproof and breathable. Lightweight and sporty Rubber/PU outsole, very good slip resistance, shank, antistatic, heat and oil resistant. Aluminum toe cap for better protection and slimmer shape. Soft penetration protection. Pocket on tongue to hide the lacing. Removable and antistatic insole. Delivered with two pair of laces with different colors.

COLOR	10 Black
SIZE	36-48
STANDARD	EN ISO 20345:2011, S3 CI WR HRO SRC
MATERIAL	Upper: Full grain leather. Lining: W-TEX. Outsole: Rubber/PU. Safety Toe Cap: Aluminium. Penetration Protection: Soft.





SHOE PRO RUN S3 0-76-850-10

Sporty shoe lined with W-TEX, waterproof and breathable. Lightweight, stable and sporty sole with shank, in PU/PU, which gives very good grip. ATOP lacing system with Kevlar wire. Composite toe cap. Soft nail penetration. Removeable insole.

COLOR	10 Black
SIZE	36-48
STANDARD	EN ISO 20345:2011, S3 WR SRC
MATERIAL	Upper: Microfiber, polyamide. Lining: W-TEX. Outsole: PU/PU. Safety Toe Cap: Composite. Penetration Protection: Soft.





SHOE AQUA 2 S3 0-76-250-10

Shoe lined with W-TEX membrane, waterproof and breathable. Upper in full-grain leather, and with silver-colored reflective details. Rubber/PU sole with shaft, with good anti-slip properties. HFC© gel in front and heel. Aluminum toe cap for better protection and slimmer design. Soft penetration protection. Removeable insole.

COLOR	10 Black
SIZE	38-48
STANDARD	EN ISO 20345:2011, S3 CI WR HRO SRC
MATERIAL	Upper: Full grain leather, polyamide. Lining: W-TEX. Outsole: Rubber/PU. Safety Toe Cap: Aluminum. Penetration Protection: Soft.





ANKLE BOOT AQUA 2 S3 0-76-350-10

Ankle boot lined with W-TEX membrane, waterproof and breathable. Upper in full-grain leather, and with silver-colored reflective details. Rubber/PU sole with shaft, with good anti-slip properties. HFC© gel in front and heel. Aluminum toe cap for better protection and slimmer design. Soft penetration protection. Removeable insole.

COLOR	10 Black
SIZE	38-48
STANDARD	EN ISO 20345:2011, S3 WR CI HRO SRC
MATERIAL	Upper: Full grain leather, polyamide. Lining: W-Tex membrane. Outsole: Rubber/PU. Safety Toe Cap: Aluminum. Penetration Protection: Soft.





LACE BOOT AQUA 2 S3 0-76-450-10

Lace boot lined with W-TEX membrane, waterproof and breathable. Upper in full-grain leather, silver-colored reflective details, and zip opening on side. Rubber/PU sole with shaft, with good anti-slip properties. HFC© gel in front and heel. Aluminum toe cap for better protection and slimmer design. Soft penetration protection. Removeable insole.

COLOR	10 Black
SIZE	38-48
STANDARD	EN ISO 20345:2011, S3 CI WR HRO SRC
MATERIAL	Upper: Full grain leather, polyamide. Lining: W-Tex. Outsole: Rubber/PU. Safety Toe Cap: Aluminum. Penetration Protection: Soft.





SHOE OILMASTER S3 0-75-856-10

Shoes that are ESD approved, with uppers of full grain leather. It is lined with 3M Thinsulate™, which insulates against cold, and let the shoe breathe. Rubber/PU outsole with shank, with extra good anti-slip properties through the Active Grip treatment. Composite toe cap. Soft penetration protection. Removeable insole.

COLOR	10 Black
SIZE	38-48
STANDARD	EN ISO 20345:2011, S3 CI HRO ESD SRC
MATERIAL	Upper: Full grain leather, textile. Lining: 3M Thinsulate ™. Outsole: Rubber/PU. Safety Toe Cap: Composite. Penetration Protection: Soft.





ANKLE BOOT OILMASTER S3 0-75-857-10

Ankle boot that are ESD approved, with uppers of full grain leather. It is lined with 3M Thinsulate™, which insulates against cold, and let the shoe breathe. Rubber/PU outsole with shank, with extra good anti-slip properties through the Active Grip treatment. Memory Foam System gives extra stability and comfort. Composite toe cap. Soft penetration protection. Removeable insole.

COLOR	10 Black
SIZE	38-48
STANDARD	EN ISO 20345:2011, S3 CI HRO ESD SRC
MATERIAL	Upper: Full grain leather, textile. Lining: 3M Thinsulate ™. Outsole: Rubber/PU. Safety Toe Cap: Composite. Penetration Protection: Soft.





LACE BOOT OILMASTER S3 0-75-855-10

Lace boot that are ESD approved, with uppers of full grain leather. It is lined with 3M Thinsulate™, which insulates against cold, and let the shoe breathe. Zip opening on side. Rubber/PU outsole with shank, with extra good anti-slip properties through the Active Grip treatment. Memory Foam System gives extra stability and comfort. Composite toe cap. Soft penetration protection. Removeable insole.

COLOR	10 Black
SIZE	38-48
STANDARD	EN ISO 20345:2011, S3 CI HRO ESD SRC
MATERIAL	Upper: Full grain leather, textile. Lining: 3M Thinsulate™. Outsole: Rubber/PU. Safety Toe Cap: Composite. Penetration Protection: Soft.







SHOE HEAVY INDUSTRY S3 0-75-900-10

Shoe in full grain leather, with silver-colored details. ATOP lacing system with steel wire. Rubber/PU outsole with shank, with extra good anti-slip properties through Active Grip treatment. HFC© gel in front and heel. Stability Support in heel. Aluminum toe cap for better protection and slimmer design. Soft penetration protection. Removeable insole.

COLOR	10 Black
SIZE	38-48
STANDARD	EN ISO 20345:2011, S3 HI HRO SRC
MATERIAL	Upper: Full grain leather. Lining: FR Suede. Outsole: Rubber/PU. Safety toe Cap: Aluminium. Penetration Protection: Soft.





ANKLE BOOT HEAVY INDUSTRY S3 0-75-901-10

Ankle boot in full grain leather, with silver-colored details. ATOP lacing system with steel wire. Rubber/PU outsole with shank, with extra good anti-slip properties through Active Grip treatment. HFC© gel in front and heel. Stability Support in heel. Aluminum toe cap for better protection and slimmer design. Soft penetration protection. Removeable insole.

COLOR	10 Black
SIZE	38-48
STANDARD	EN ISO 20345:2011, S3 HI HRO SRC
MATERIAL	Upper: Full grain leather. Lining: FR Suede. Outsole: Rubber/PU. Safety Toe Cap: Aluminium. Penetration Protection: Soft.







WINTER BOOT HEAVY INDUSTRY S3 0-75-902-10

Winter boot in full grain leather, with silver-colored details. ATOP lacing system with steel wire. Rubber/PU outsole with shank, with extra good anti-slip properties through Active Grip treatment. HFC© gel in front and heel. Stability Support in heel. Aluminum toe cap for better protection and slimmer design. Soft penetration protection. Removeable insole.

COLOR	10 Black
SIZE	38-48
STANDARD	EN ISO 20345:2011, S3 HI HRO SRC
MATERIAL	Upper: Full grain leather. Lining: FR Suede. Outsole: Rubber/PU. Safety Toe Cap: Aluminium. Penetration Protection: Soft.





SANDAL REME S1P 0-2101-221-10

Sandal with velcro fastening. Uppers of leather and textile. Comfortable PU/PU sole. Lightweight, spacious, non-metallic and antistatic. Composite toe cap. Soft penetration protection. Removeable insole.

COLOR	10 Black
SIZE	36-48
STANDARD	EN ISO 20345:2011, S1 P SRC
MATERIAL	Upper: Leather. Lining: Textile. Outsole: PU/PU. Safety Toe Cap: Composite. Penetration Protection: Soft.





SHOE REME S1P 0-3101-321-10

Shoe with uppers of breathable textile. Comfortable sole of PU/PU. Lightweight, spacious, non-metallic and antistatic. Composite toe cap. Soft penetration protection. Removeable insole.

COLOR	10 Black
SIZE	36-48
STANDARD	EN ISO 20345:2011, S1 P SRC
MATERIAL	Upper: Textile. Lining: Textile. Outsole: PU/PU. Safety Toe Cap: Composite. Penetration Protection: Soft.





SHOE REME S3 0-3102-222-10

Shoe with uppers of leather. Reflective piping on side. Comfortable sole of PU/PU. Lightweight, spacious, non-metallic and antistatic. Composite toe cap. Soft penetration protection. Removeable insole.

COLOR	10 Black
SIZE	36-48
STANDARD	EN ISO 20345:2011, S3 SRC
MATERIAL	Upper: Leather. Lining: Textile. Outsole: PU/PU. Safety Toe Cap: Composite. Penetration Protection: Soft.





ANKLE BOOT REME S3 0-4101-122-10

Ankle boot with uppers of leather. Reflective piping on side. Comfortable sole of PU/PU. Lightweight, spacious, non-metallic and antistatic. Composite toe cap. Soft penetration protection. Removeable insole.

COLOR	10 Black
SIZE	36-48
STANDARD	EN ISO 20345:2011, S3 SRC
MATERIAL	Upper: Leather. Lining: Textile. Outsole: PU/PU. Safety Toe Cap: Composite. Penetration Protection: Soft.





LACE BOOT REME S3 0-5101-122-10

Lace boot with side zipper opening. Uppers of leather. Comfortable sole of PU/PU. Lightweight, spacious, non-metallic and antistatic. Composite toe cap. Soft penetration protection. Removeable insole.

COLOR	10 Black
SIZE	36-48
STANDARD	EN ISO 20345:2011, S3 SRC
MATERIAL	Upper: Leather. Lining: Textile. Outsole: PU/PU. Safety Toe Cap: Composite. Penetration Protection: Soft.





BOOT REME WINTER S3 0-6102-122-10

Rigger boot with winter lining. Uppers of leather. Comfortable sole of PU/PU. Lightweight, spacious, non-metallic and antistatic. Composite toe cap. Soft penetration protection. Removeable insole.

COLOR	10 Black
SIZE	36-48
STANDARD	EN ISO 20345:2011, S3 SRC
MATERIAL	Upper: Leather. Lining: Pile. Outsole: PU/PU. Safety Toe Cap: Composite. Penetration Protection: Soft.





BOOT REME S3 0-6101-122-10

Rigger boot with upper of leather. Comfortable sole of PU/PU. Lightweight, spacious, non-metallic and antistatic. Composite toe cap. Soft penetration protection. Removeable insole.

COLOR	10 Black
SIZE	36-48
STANDARD	EN ISO 20345:2011, S3 SRC
MATERIAL	Upper: Leather. Lining: Textile. Outsole: PU/PU. Safety Toe Cap: Composite. Penetration Protection: Soft.







SHOE MONZA S1P 0-3300-351-10

Shoe with upper of breathable textile, with Atop lacing system. Sporty CS two component TPU/PU sole, with HiPoint gel absorption in heel, and shank. Solid, spacious and antistatic. Aluminum toe cap for better protection and slimmer shape. Enigma Zero soft penetration protection. ESD approved. Removeble insole.

COLOR	10 Black
SIZE	38-48
STANDARD	EN ISO 20345:2011, S1 P ESD SRC
MATERIAL	Upper: Textile. Lining: Textile. Outsole: TPU/PU. Safety Toe Cap: Aluminium. Penetration Protection: Soft.





SHOE SECOR VEGA S1P 0-13844-0-10

Shoe with upper in durable synthetic material. Two layer PU/PU sole with good cushioning. Aluminum toe cap for better protection and slimmer design. Soft penetration protection. ESD approved. Removeable insole.

COLOR	10 Black
SIZE	36-48
STANDARD	EN ISO 20345:2011, S1 P ESD SRC
MATERIAL	Upper: Textile - Synthetic. Lining: Textile. Outsole: PU/PU. Safety Toe Cap: Aluminium. Penetration Protection: Soft.





SHOE FUSE S1P 0-64-420-10

Shoe with upper of strong microfiber that is water and dirt repellent. Sandwich lining makes the shoe breathable and offers good upholstery. Two layer PU/PU sole with good cushioning. Composite toe cap. Soft penetration protection. ESD approved. Removeable insole.

COLOR	10 Black
SIZE	40-47
STANDARD	EN ISO 20345:2011, S1 P ESD SRC
MATERIAL	Upper: Microfiber. Lining: Textile. Outsole: PU/PU. Safety Toe Cap: Composite. Penetration Protection: Soft.





SHOE SUPERLIGHT S1P 0-72-840-10

Very light and soft shoe in modern design, with uppers of breathable synthetic materials. Two layer antistatic PU/PU outsole with shank. Composite toe cap. Soft penetration protection. Removeable insole.

COLOR	10 Black
SIZE	36-48
STANDARD	EN ISO 20345:2011, S1 P SRC
MATERIAL	Upper: Breathable textile. Lining: Textile. Outsole: PU/PU. Safety Toe Cap: Composite. Penetration Protection: Soft.





SANDAL AIR S1P 0-5427-60-10

Ventilated shoe in textile. Sporty CS two layer antistatic TPU/PU outsole, with shaft and gel cushioning in heel. Aluminum toe cap for better protecti-on and slimmer design. Soft penetration protection. Removeable insole.

COLOR	10 Black
SIZE	36-48
STANDARD	EN ISO 20345:2011, S1 P SRC
MATERIAL	Upper: Textile. Lining: Textile. Outsole: TPU/PU. Safety Toe Cap: Aluminium. Penetration Protection: Soft





SHOE WENAAS ORIGINAL S3 0-3301-152-10

Shoe with upper of full grain leather. Sporty CS two component TPU/ PU sole, with HiPoint gel absorption in heel, and shank. Solid, spacious and antistatic, with aluminium toe cap and Enigma Zero soft penetration protection. Removeable insole.

COLOR	10 Black
SIZE	38-48
STANDARD	EN ISO 20345:2011, S3 SRC
MATERIAL	Upper: Full grain leather. Lining: Textile. Outsole: TPU/PU. Safety Toe Cap: Aluminium. Penetration Protection: Soft.





ANKLE BOOT WENAAS ORIGINAL S3 0-4301-152-10

Ankle boot with upper of full grain leather. Sporty CS two component TPU/ PU sole, with HiPoint gel absorption in heel, and shank. Solid, spacious and antistatic, with aluminium toe cap and Enigma Zero soft penetration protection. Removeable insole.

COLOR	10 Black
SIZE	38-48
STANDARD	EN ISO 20345:2011, S3 SRC
MATERIAL	Upper: Full grain leather. Lining: Textile. Outsole: TPU/PU. Safety Toe Cap: Aluminium. Penetration Protection: Soft.





SHOE BEAT S3 0-14234-0-10

Shoe in nice design with upper of full grain leather. Lightweight sporty TPU/PU sole with shank. Composite toe cap. Soft penetration protection. ESD approved. Removeable insole.

COLOR	10 Black
SIZE	36-48
STANDARD	EN ISO 20345:2011, S3 ESD SRC
MATERIAL	Upper: Full grain leather. Lining: Textile. Outsole: TPU/PU. Safety Toe Cap: Composite. Penetration Protection: Soft.





ANKLE BOOT DRUM S3 0-14034-0-10

Ankle boot in nice design with upper of full grain leather. Lightweight sporty TPU/PU sole with shank. Composite toe cap. Soft penetration protection. ESD approved. Removeable insole.

COLOR	10 Black
SIZE	36-48
STANDARD	EN ISO 20345:2011, S3 ESD SRC
MATERIAL	Upper: Full grain leather. Lining: Textile. Outsole: TPU/PU. Safety Toe Cap: Composite. Penetration Protection: Soft.





SHOE SPIDER S3 0-72-820-10

Shoe with contrast colors, with upper in microfiber. Lace system with smart tightening mechanism. TPU/PU sole with good cushioning. Aluminum toe cap for better protection and slimmer design. Soft penetration protection. ESD approved. Removeable insole. Supplied with additional pair of laces.

COLOR	10 Black
SIZE	37-48
STANDARD	EN ISO 20345:2011, S3 ESD SRC
MATERIAL	Upper: Microfiber. Lining: Dri-Tex textile. Outsole: TPU/PU. Safety toe cap: Aluminium. Penetration protection: Soft.





SHOE LADY S3 0-642-850-10

Shoes, women's style, with upper of full grain leather. Rubber/PU sole with good cushioning. Steel toe cap. Soft penetration protection. Removeable insole, in Evercushion® material.

COLOR	10 Black
SIZE	35-42
STANDARD	EN SIO 20345:2011, S3 HRO SRC
MATERIAL	Upper: Full grain leather. Lining: Textile. Outsole: Rubber/PU. Safety Toe Cap: Steel. Penetration Protection: Soft.





LACE BOOT ARCTIC S3 0-1450-1505

Lace boot with upper of full grain leather and silver contrast colors. Pile lining. Sympatex membrane makes it waterproof and breathable. TPU/PU outsole with extra toe protection, good slip resistance, antistatic, and with shank. Gel in heel. Aluminum toe cap for better protection and slimmer shape. Soft penetration protection. Removeable insole

COLOR	10 Black
SIZE	38-48
STANDARD	EN ISO 20345:2011, S3 CI WR SRC
MATERIAL	Upper: Full grain leather. Lining: Pile - Sympatex membrane. Outsole: TPU/PU. Safety Toe Cap: Aluminium. Penetration Protection: Soft.





LACE BOOT BLIZZARD S3 0-8147-60

Lace boot with warm lining of pile. Upper of full grain leather, aluminium toe cap with external protection, soft penetration protection, two-layer TPU/PU outsole, integrated gel cushioning absorbing optimal comfort. Removeable insole.

COLOR	10 Black
SIZE	36-48
STANDARD	EN ISO 20345:2011, S3 SRC
MATERIAL	Upper: Full grain leather. Lining: Pile. Outsole: TPU/PU. Safety Toe Cap: Aluminium. Penetration Protection: Soft.





Heavyweights disguised as lightweights

The Lithium can withstand both molten metal and 18.000 volts, yet don't weigh more than 914 grams.

For more than 80 years, Wenaas has clothed those that build Norway. Few things are as demanding as the melting industry: extreme temperatures, spatters of molten metal from casting and welding, and high electrical voltage.

Such working conditions have led to a new and stricter footwear-certification standard, namely, the EN ISO 20349. Wenaas's brand-new Lithium footwear provides the answer to these challenges. The weight is just 914 grams, and comply with all the new safety requirements, fully protecting the wearer's feet:

Comfort:
- Excellent cushioning and a good height help prevent twisted and sprained ankles
- Easy on/off laces, side zip and heel loop
- Light weight: 914 grams

Safety:
- Special sole insulates up to 18.000 Volts
- Highest level of protection against welding spatter and angle grinding
- Extremely good grip achieved through excellent non-slip properties

High-voltage protection makes Lithium an excellent choice for railway and metro workers, as well as other high-voltage environments. A full lace cover and considered seam design prevent molten metal, concrete, oil and other spillages from sticking to the footwear, allowing them to be easily flushed clean without damaging the zip and laces.





MOLTEN METAL BOOT LITHIUM SB 0-5203-112-10

Lace boot for protection against high heat and molten metal. Electrically insulated up to 18,000 V. Outer sole in Rubber/PU. Heat resistant thread. Full grain leather, laces in front, zipper opening in the side. Front and side with cover, included soft metatarsal protection. Aluminum toe cap and soft penetration protection. Reinforced leather scuff cap. Removeable insole.

COLOR	10 Black
SIZE	38-48
STANDARD	EN ISO 20349:2010, SB P E FO M WRU HRO AL HI-3 SRC, tested to EH ASTM F2413-11
MATERIAL	Upper: Full grain leather. Lining: Textile. Outsole: Rubber/PU. Safety Toe Cap: Aluminium. Penetration Protection: Soft.





ANKLE BOOT QUARTZ S2 0-6941-60-10

Ancle boot, suitable for asphalt work, in full grain leather. Oil resistant Rubber/PU sole without pattern, for protection up to 300° C. HFC© gel cushioning in front and heel. Velcro fastening. Aluminum toe cap. Removeable insole.

COLOR	10 Black
SIZE	36-48
STANDARD	EN ISO 20345:2011, S2 HI HRO SRA
MATERIAL	Upper: Full grain leather. Lining: Textile. Outsole: Rubber/PU. Safety Toe Cap: Aluminium.





LACE BOOT WORKHORSE S3 0-7157-238-10

Lace boot made to keep your feet warm and secure in cold climates. The upper part is made of a combination of PU coated leather with a waterproof galosh in PU. The boot has removable lining, insulating down to -60° C. Outersole in oil- and acid-resistant rubber provides good adhesion under cold conditions. Composite toe cap. Soft nail penetration. Removeable insole.

COLOR	10 Black
SIZE	40-47
STANDARD	EN ISO 20345:2011, S3 SRA
MATERIAL	Upper: PU coated leather. Lining: Removable sock. Outsole: Rubber. Safety Toe Cap: Composite. Penetration Protection: Soft.







SHOE IRON S3 0-1228-1105-10

Shoe in tough design with upper of leather. Solid Rubber/PU outsole with extra protection, antistatic, oil and heat resistant. Composite toe cap and soft penetration protection. Removable and antistatic insole that are padded.

COLOR	10 Black
SIZE	38-47
STANDARD	EN ISO 20345:2011, S3 HRO SRC
MATERIAL	Upper: Leather. Lining: Textile. Outsole: Rubber/PU. Safety Toe Cap: Composite. Penetration Protection: Soft.





ANKLE BOOT TITANIUM S3 0-1329-1105-10

Ankle boot in tough design with upper of leather. Solid Rubber/PU outsole with extra protection, antistatic, oil and heat resistant. Composite toe cap and soft penetration protection. Removable and antistatic insole that are padded.

COLOR	10 Black
SIZE	38-47
STANDARD	EN ISO 20345:2011, S3 HRO SRC
MATERIAL	Upper: Leather. Lining: Textile. Outsole: Rubber/PU. Safety Toe Cap: Composite. Penetration Protection: Soft.





ANKLE BOOT WELDING LIPARI S3 0-1330-1105-10

Welding ankle boot in tough design with upper of leather. Protection cover in front, and heat resistant Kevlar® stitching. Solid Rubber/PU outsole with extra protection, antistatic, oil and heat resistant. Composite toe cap and soft penetration protection. Removable and antistatic insole that are padded.

COLOR	10 Black
SIZE	38-47
STANDARD	EN ISO 20345:2011, S3 HRO SRC
MATERIAL	Upper: Leather. Lining: Textile. Outsole: Rubber/PU. Safety Toe Cap: Composite. Penetration Protection: Soft.





SHOE RAFA S3 0-3120-322-10

Light shoe in modern design with upper of breathable and water repellent suede leather. Lightweight and sporty PU/PU outsole, antistatic and oil resistant. Composite toe cap and soft penetration protection. ESD approved. Removable and antistatic insole that are padded and breathable. Delivered with two pair of laces with different colors.

COLOR	10 Black
SIZE	35-48
STANDARD	EN ISO 20345:2011, S3 ESD SRC
MATERIAL	Upper: Suede leather. Lining: Textile. Outsole: PU/PU. Safety Toe Cap: Composite. Penetration Protection: Soft.





ANKLE BOOT PETE S3 0-1320-5205-10

Light ankle boot in modern design with upper of breathable and water repellent suede leather. Lightweight and sporty PU/PU outsole, antistatic and oil resistant. Composite toe cap and soft penetration protection. ESD approved. Removable and antistatic insole that are padded and breathable. Delivered with two pair of laces with different colors.

COLOR	10 Black
SIZE	39-48
STANDARD	EN ISO 20345:2011, S3 ESD SRC
MATERIAL	Upper: Suede leather. Lining: Textile. Outsole: PU/PU. Safety Toe Cap: Composite. Penetration Protection: Soft.





SANDAL JOHN S1P 0-1100-5203-10

Light sandal in modern design with upper of suede leather. Lightweight and sporty PU/PU outsole, antistatic and oil resistant. Composite toe cap and soft penetration protection. Removable and antistatic insole that are padded and breathable.

COLOR	10 Black
SIZE	35-48
STANDARD	EN ISO 20345:2011, S1P SRC
MATERIAL	Upper: Suede leather. Lining: Textile. Outsole: PU/PU. Safety Toe Cap: Composite. Penetration Protection: Soft.





SHOE IVAN S1P 0-1221-3203-10

Light shoe in modern design with upper of breathable textile, Cordura® and TPU. Lightweight and sporty PU/PU outsole, antistatic and oil resistant. Composite toe cap and soft penetration protection. Removable and antistatic insole that are padded and breathable. Delivered with two pair of laces with different colors.

COLOR	10 Black
SIZE	35-48
STANDARD	EN ISO 20345:2011, S1 P SRC
MATERIAL	Upper: Textile and Cordura®. Lining: Textile. Outsole: PU/PU. Safety Toe Cap: Composite. Penetration Protection: Soft.





SHOE EROS S1P 0-1222-3203-45

Light shoe in modern design with upper of breathable textile, Cordura® and TPU. Lightweight PU/PU outsole, antistatic and oil resistant. Composite toe cap and soft penetration protection. Removable and antistatic insole that are padded.

COLOR	45 Royal Blue
SIZE	39-48
STANDARD	EN ISO 20345:2011, S1 P SRC
MATERIAL	Upper: Textile and Cordura®. Lining: Textile. Outsole: PU/PU. Safety Toe Cap: Composite. Penetration protection: Soft.





SHOE ONICE S3 0-1223-8205-10

Light shoe in modern design with upper of breathable and water repellant Micro-Dry. Washable at 40°. Lightweight PU/PU outsole, antistatic and oil resistant. Composite toe cap and soft penetration protection. Removable and antistatic insole that are padded.

COLOR	10 Black
SIZE	35-48
STANDARD	EN ISO 20345:2011, S3 SRC
MATERIAL	Upper: Micro-Dry. Lining: Textile. Outsole: PU/PU. Safety Toe Cap: Composite. Penetration protection: Soft.



SHOE AGATA S3 0-1224-8205-40

Light shoe in modern design with upper of breathable and water repellant Micro-Dry. Washable at 40°. Lightweight PU/PU outsole, antistatic and oil resistant. Composite toe cap and soft penetration protection. Removable and antistatic insole that are padded.

COLOR	40 White
SIZE	35-40
STANDARD	EN ISO 20345:2011, S3 SRC
MATERIAL	Upper: Micro-Dry. Lining: Textile. Outsole: PU/PU. Safety Toe Cap: Composite. Penetration protection: Soft.



SLIP ON SHOE GIADA S2 0-1610-4204-40

Slip on shoe with uppers of breathable and water repellant microfiber (microDry). Light and sporty PU/PU sole, anti slip, antistatic and oil resistant. Metall free, composite toe cap. Removeable and antistatic insole. Washable at 40°.

COLOR	40 White
SIZE	36-48
STANDARD	EN ISO 20345:2011, S2 SRC
MATERIAL	Upper: Breathable and water repellant microfiber. Lining: Breathable textile. Outsole: PU/PU. Safety Toe Cap: Composite.





CLOGG LILAC SB 0-1027-8701-10

Light clogg with upper of breathable texfiber. Washable at 40°. Lightweight PU outsole, antistatic and oil resistant. Composite toe cap. ESD approved. Removable and antistatic insole.

COLOR	10 Black
SIZE	35-48
STANDARD	EN ISO 20345:2011, SB E A ESD SRC
MATERIAL	Upper: Texfiber. Lining: Textile. Outsole: PU. Safety Toe Cap: Composite.





CLOGG CHERRY SB 0-1026-8701-40

Light clogg with upper of breathable texfiber. Washable at 40°. Lightweight PU outsole, antistatic and oil resistant. Composite toe cap. ESD approved. Removable and antistatic insole.

COLOR	40 White
SIZE	35-48
STANDARD	EN ISO 20345:2011, SB E A ESD SRC
MATERIAL	Upper: Texfiber. Lining: Textile. Outsole: PU. Safety Toe Cap: Composite.



CLOGG MUNIN & HUGIN SB 0-8522-0-10

Classic clogg with steel toe cap, with adjustable heel strap.

COLOR	10 Black
SIZE	35-48
STANDARD	EN ISO 20345:2011, SB SRC
MATERIAL	Upper: PU leather. Lining: Textile/Leather. Outsole: PU. Safety Toe Cap: Steel.



CLOGG MUNIN & HUGIN SB 0-8522-0-40

Classic clogg with steel toe cap, with adjustable heel strap.

COLOR	40 White
SIZE	35-48
STANDARD	EN ISO 20345:2011, SB SRC
MATERIAL	Upper: PU leather. Lining: Textile/Leather. Outsole: PU. Safety Toe Cap: Steel.





CLOGG EMBLA & ASK OB 0-8523-0-10

Classic clogg without toe protection, with adjustable heel strap.

COLOR	10 Black
SIZE	35-48
STANDARD	EN ISO 20347:2012, OB SRC
MATERIAL	Upper: PU leather. Lining: Textile/Leather. Outsole: PU.





CLOGG EMBLA & ASK OB 0-8523-0-40

Classic clogg without toe protection, with adjustable heel strap.

COLOR	40 White
SIZE	35-48
STANDARD	EN ISO 20347:2012, OB SRC
MATERIAL	Upper: PU leather. Lining: Textile/Leather. Outsole: PU.





CLOGG ZINC 0-1066-7499-10

Lightweight clogg in durable EVA rubber. Ventilation holes provide good breathing. Very good slip resistant properties through sole pattern for different surfaces. Adjustable strap in heel that provides good support.

COLOR	10 Black
SIZE	37-47
MATERIAL	EVA Rubber



SANDAL PVC 0-1120-6699-45

Superlight sandal in PVC with ergonomically constructed footbed, ventilation on side, and a sole with good grip on the ground. Sizes: 36-37, 38-39, 40-41, 42-43, 44-45, 46-47.

COLOR	45 Royal Blue
MATERIAL	PVC



SANDAL ECCO OFFROAD 0-1110-5499-10

Stylish and light sandal that fits well indoors and outdoors. Upper of nubuk, and outersole in Rubber/PU with very good slip resistance, cushioning and comfort. 2 Velcro straps on front and one on the ankle. Footbed in microfiber.

COLOR	10 Black
SIZE	36-48
MATERIAL	Upper: Nubuk. Lining: Textile. Outsole: Rubber/PU.

ecco



UNIFORM SHOE CAMBRIDGE S2 0-3-3215-10

Classic and comfortable uniform shoe with toe protection. Upper in full grain water repellent leather. Triple seams. Outer sole in rubber with patented grip, and shank. Steel toe cap. Removeable shock absorbing insole.

COLOR	10 Black
SIZE	38-48
STANDARD	EN ISO 20345:2011, S2 SRC
MATERIAL	Upper: Full grain leather. Lining: Textile. Outsole: Rubber. Safety Toe Cap: Steel.





UNIFORM SHOE CAMBRIDGE OB 0-2032-0-10

Classic and comfortable uniform shoe. Upper in full grain water repellent leather. Triple seams. Outer sole in rubber with patented grip, and shank. Removeable shock absorbing insole.

COLOR	10 Black
SIZE	39-47
STANDARD	EN ISO 20347:2012, OB E SRC
MATERIAL	Upper: Full grain leather. Lining: Textile. Outsole: Rubber.





UNIFORM SHOE HELSINKI LACED 0-3-50144-10

Uniform shoe with lacing, in classic design, with soft full grain leather. Low weight sole in PU, that will not leave marks on floor, and have good shock absorbing qualities. Black and neutral seams. Lining of technical fabric, that absorbs sweat away. Padded collar. Removable insole covered by leather.

COLOR	10 Black
SIZE	39-49
MATERIAL	Upper: Full grain leather. Lining: Textile. Outsole: PU.

ecco



UNIFORM SHOE HELSINKI 0-3-50134-10

Uniform shoe without lacing, in classic design, with soft full grain leather. Low weight sole in PU, that will not leave marks on floor, and have good shock absorbing qualities. Black and neutral seams. Lining of technical fabric, that absorbs sweat away. Padded collar. Removable insole covered by leather.

COLOR	10 Black
SIZE	39-49
MATERIAL	Upper: Full grain leather. Lining: Textile. Outsole: PU

ecco



UNIFORM SHOE BABETT LACED 0-3-21036-10

Comfortable ladies shoe with laces made of smooth leather. The shoe is lined with technical textile that prevent sweat, and provides good comfort. Outer sole in PU that does not leave marks. The top edge is padded. Removeable innersole coated with leather.

COLOR	10 Black
SIZE	35-43
MATERIAL	Upper: Leather. Lining: Textile. Outsole: PU

ecco



UNIFORM SHOE BABETT 0-3-21037-10

Comfortable slip on ladies shoe. The shoe is lined with technical textile that prevent sweat, and provides good comfort. Outer sole in PU that does not leave marks. The top edge is padded. Removeable innersole coated with leather.

COLOR	10 Black
SIZE	35-43
MATERIAL	Upper: Leather. Lining: Textile. Outsole: PU.

ecco



UNIFORM ANKLE BOOT TOUCH WINTER 0-3-26185-10

Uniform ankle boot in high quality leather that feels light on the foot. The shoe is lined with ECCO Comfort Fiber System ™, a breathable textile that keeps your feet warm on cold days. The shoe has a Direct molded PU sole with good slip resistance, suitable for both indoor and outdoor use. The shaft height is 13 cm. Removeable insole.

COLOR	10 Black
SIZE	35-42
MATERIAL	Upper: Full grain leather. Lining: Textile. Outsole: PU.

ecco



UNIFORM ANKLE BOOT WINTER OB 0-20037-0-10

Comfortable ankle boot with classic cut and double zipper. The boot is manufactured in soft comfortable aniline leather with water repellent properties. Inner insole and lining in short pile. Thin two-layer outsole with good anti slip properties. Shank that provides good comfort and footbow support. Removeable insole.

COLOR	10 Black
SIZE	39-47
STANDARD	EN ISO 20347:2012 OB E CI SRA
MATERIAL	Upper: Full grain leather. Lining: Pile. Outsole: TR/TR.





UNIF ANKLE BOOT WINTER LACE OB 0-3-20025-10

Comfortable ankle boot with classic cut, lacing and double zipper. The boot is manufactured in soft comfortable aniline leather with water repellent properties. Inner insole and lining in short pile. Thin two-layer outsole with good anti slip properties. Shank that provides good comfort and footbow support. Removeable insole.

COLOR	10 Black
SIZE	39-47
STANDARD	EN ISO 20347:2012, OB E CI SRA
MATERIAL	Upper: Full grain leather. Lining: Pile. Outsole: PU/PU.





SHOE VIKING IMPULS II GTX 0-1212-3499-10

Tough sneaker with uppers in breathable mesh material and reinforcements in synthetic. It is lined with Gore-Tex. Soft UGC® rubber sole provides good grip on all surfaces. Molded and shock absorbing midsole in EVA. Ergonomic and removable innersole. Woman`s 36-41, men`s 42-47.

COLOR	10 Black
SIZE	36-47
MATERIAL	Upper: Textile. Lining: Gore-Tex. Outsole: Rubber.



SHOE TERRACRUISE 0-3-84114-10

Lightweight shoe with synthetic uppers with reflective elements. Speed lace system for high comfort and convenience. Outsole ensures good cushioning and comfort, as well as good grip. Removeable insole.

COLOR	10 Black
SIZE	36-47
MATERIAL	Upper: Textile. Lining: Textile. Outsole: Rubber.



SHOE DRAGONFLY GORE-TEX O3 0-112-6100-10

Shoe, to be used in different areas, like rescue, police and security. Upper in full grain leather, lined with GORE-TEX®. Rubber/PU outsole with good grip in all conditions. Stable both by running and walking. Soft penetration protection. Removeable insole.

COLOR	10 Black
SIZE	36-48
STANDARD	EN ISO 20347:2012, O3 HRO FO HI CI WR SRC
MATERIAL	Upper: Full grain leather. Lining: GORE-TEX® Performance. Outsole: Rubber/PU. Penetration Protection: Soft.





LACE BOOT LASER2 GORE-TEX O3 0-112-6060-10

Lace boot, to be used in different areas, like rescue, police, millitary and security. Upper in full grain leather, lined with GORE-TEX®. Rubber/PU outsole with good grip in all conditions. Stable both by running and walking. Soft penetration protection. Removeable insole.

COLOR	10 Black
SIZE	36-47
STANDARD	EN ISO 20347:2012, O3 FO HI CI WR HRO SRC
MATERIAL	Upper: Full grain leather. Lining: GORE-TEX® Performance. Outsole: Rubber/PU. Penetration Protection: Soft.







FIRE BOOT CHALLENGER 0-112-9065-10

Fire boot of full grain leather,, wiith laces, lined with GORE-TEX®. Sole of rubber. Saw chain protection, internal ankle protection, metal free. Aluminum toe cap. Soft penetration protection. Rubber protection over toe. Removeable insole.

COLOR	10 Black
SIZE	36-49
STANDARD	EN ISO 15090:2012: F2A HI3 CI AN SRC, EN ISO 17249:2013, Class 3
MATERIAL	Upper: Full grain leather. Lining: GORE-TEX®. Outsole: Rubber. Safety Toe Cap: Aluminium. Penetration Protection: Soft.





FIRE BOOT FIRE EAGLE VARIO 0-2000-1190

Fire boot with upper of full grain and waterproof leather. Lined with 4-layer Crosstech® membrane, which is waterproof and breathable. Penetration resistance against blood, body fluids, bacteria and viruses. Slip resistant and comfortable outsole in Rubber/PU, antistatic, oil and heat resistant. Composite toe cap. Soft penetration protection. Moisture absorbent and removeable insole.

COLOR	10 Black
SIZE	41-48
STANDARD	EN 15090:2012, F2A HI3 CI AN SRC
MATERIAL	Upper: Full grain leather. Lining: Textile - Crosstech®. Outsole: Rubber/PU. Safety Toe Cap: Composite. Penetration Protection: Soft.





FIRE BOOT FIRE HERO 2 0-3-50700-10

Fire boot with two zone's lacing system for optimum adjustment. CROSSTECH® membrane, breathable, protective against bloodborne bacteria and good chemical protection. Extremely non-slip rubber sole. Chain saw protection class 2. Removeable insole.

COLOR	10 Black
SIZE	36-51
STANDARD	EN ISO 15090:2012 F2A HI3 CI AN M SRC, EN ISO 17249:2013 Class 2
MATERIAL	Upper: Leather. Lining: 4-layer CROSSTECH®. Outsole: Rubber. Toe Cap: Composite. Penetration Protection: Soft.







WELLINGTON PROFESSIONAL S5 0-462-933-15

Allround wellington in PU, with insulation down to -20 ° C. High model. Antistatic, good shock absorption, and low weight. Toe cap and nail penetration protection in steel. Resistant to minerals, animal and plant oils and fats, disinfectants, fertilizer, solvents, various chemicals. Removeable insole.

COLOR	15 Green
SIZE	37-48
STANDARD	EN ISO 20345:2011, S5 CI SRA
MATERIAL	Upper: PU - Purofort®. Sole: PU - Purofort®. Safety Toe Cap: Steel. Penetration Protection: Steel.





WELLINGTON THERMO+ S5 0-662-933-15

Wellington in PU, with insulation down to -50° C. High model. Antistatic, good shock absorption, and low weight. Toe protection and nail penetration protection in steel. Resistant to minerals, animals and plant oils and fats, disinfectants, fertilizers, solvents, various chemicals. Removeable insole. Sizes: 37-38, 39-40, 41, 42, 43, 44-45, 46, 47, 48.

COLOR	15 Green
SIZE	37/38-48
STANDARD	EN ISO 20345:2011, S5 CI SRC
MATERIAL	Upper: PU - Purofort®. Sole: PU - Purofort®. afety Toe Cap: Steel. Penetration Protection: Steel.





WELLINGTON RUGGED S5 0-762-43-10

Allround wellington in PU, with insulation down to -20 ° C. Low model. Antistatic, good shock absorption, and low weight. Toe cap and nail penetration protection in steel. Resistant to minerals, animal and plant oils and fats, disinfectants, fertilizer, solvents, various chemicals. Removeable insole.

COLOR	10 Black
SIZE	39-49/50
STANDARD	EN ISO 20345:2011, S5 CI SRC
MATERIAL	Upper: PU - Purofort®. Sole: PU - Purofort®. Safety Toe Cap: Steel. Penetration Protection: Steel.





WELLINGTON PROTOMASTOR S5 0-53400-0-15

Allround wellington in PVC. High model. Antistatic, good shock absorption, and low weight. Toe cap and nail penetration protection in steel. Removeable insole.

COLOR	15 Green
SIZE	36-48
STANDARD	EN ISO 20345:2011, S5 SRA
MATERIAL	Upper: PVC. Outsole: PVC. Safety Toe Cap: Steel. Penetration Protection: Steel.





WELLINGTON FOODPRO MULIGRIP S4 0-61131-0-40

Wellington in PU, with insulation down to -20° C. Especially suitable for food industry, easy to clean. High model. Antistatic, good shock absorption, and low weight. Steel steel toe cap. Resistant to mineral, animal and vegetable oils and fats, manure, blood, disinfectants, solvents, various Chemicals. Removeable insole.

COLOR	40 White
SIZE	36-49
STANDARD	EN ISO 20345:2011, S4 CI SRC
MATERIAL	Upper: PU - Purofort®. Sole: PU - Purofort®. Safety Toe Cap: Steel.







CRAMPON 0-9900-7000-98

Crampons of rubber that are easy to take on and off, and provides a good grip on snow and ice. It is equipped with metal spikes, four on forefoot and two back. Sizes: 35-37, 38-40, 41-44, 45-48.

COLOR 98 Assorted
MATERIAL Rubber



SAFETY GALOSH WOLF 0-9315-1500-10

Spacious visitor galosh, with a protective toe cap for use on ordinary shoes. Used by visitors, or for short periode where safety shoes are required. Coated with rubber, and with rubber strap for fastening behind the heel. Sizes: 35-39, 40-44, 45-48.

COLOR 10 Black
STANDARD EN ISO 20345:2011, EN ISO 20344:2011
MATERIAL Rubber



SOCK WENAAS UNIFORM 0-5700-0-10

Thin, comfortable and durable sock. Sizes: 36-39, 40-44, 45-48.

COLOR 10 Black
MATERIAL 70% Wool, 27% Polyester, 3% Lycra



SOCK WENAAS ENDURE 0-5710-0-10

Medium thick, durable and comfortable sock. Sizes: 36-39, 40-44, 45-48.

COLOR 10 Black
MATERIAL 70% Wool, 27% Polyamide, 3% Lycra



SOCK WENAAS ENDURE SYNTHETIC 0-5710-100-10

Medium thick, durable and comfortable sock. Sizes: 36-39, 40-44, 45-48.

COLOR 10 Black
MATERIAL 68% Polyester, 18% Wool, 10% Polyamide, 4% Lycra



SOCK WENAAS MOUNTAIN 0-5720-0-10

Thick, durable and comfortable sock. Sizes: 36-39, 40-44, 45-48.

COLOR 10 Black
MATERIAL 70% Wool, 27% Polyamide, 3% Lycra



SOCK DEVOLD BASIC 0-859-0-10

Sock that is both thin, durable, and comfortable. Sizes: 39-42, 43-46, 47-48.

COLOR 10 Black
MATERIAL 60% Wool, 38% Polyester, 2% Elastan



SOCK DEVOLD RIB 0-300-0-5

Sock that is both thick, durable, and comfortable.

COLOR 5 Navy Blue
SIZE 8-11
MATERIAL 80% Wool, 18% Polyamide, 2% Elastan



SOCK DEVOLD WINTER 0-33800-0-60

A very good and medium heavy sock for use in mountain shoe, safety boots, boots and waterproof footwear. The socks transport moisture away from the foot. Sizes: 7-9, 10-12, 12-13.

COLOR 60 Grey
MATERIAL 80% Wool, 18% Polyamide, 2% Elastane



SOCK DEVOLD FLAME RETARDANT 0-9881-3477-60

A very good and medium heavy flame retardant sock for use in mountain shoe, safety boots, boots and waterproof footwear. The socks transport moisture away from the foot. Sizes: 39-42, 43-46, 47-48.

COLOR 60 Grey
STANDARD EN 11612, A1, B3, C2, D3
MATERIAL 80% Wool, 18% Polyamide, 2% Elastane



wenaas

Workpro



Med vårt **Workpro** innleggssåle konsept tilpasses fottøyet hver bruker sin unike passform. Kroppens bevegelsesmønster og ytelse forbedres både i statisk og dynamisk arbeid, som forebygger smerte- og belastnings-skader i fot, kne og rygg.

With our **Workpro** insole concept, the footwear customizes each user's unique fit. The body's movement and performance are improved both in static and dynamic work, which prevents pain and injury in the foot, knee and back.

currexSole®
NATURAL PERFORMANCE INSOLES

FOTAVTRYKK – FOOT PRINT



A Høy fotbue *High Arch*
B Medium fotbue *Medium Arch*
C Lav fotbue *Low Arch*
D Flat fotbue *Flat Arch*

BENSTILLING – LEG AXIS



1 Hjulbent *Bow Leg*
2 Rette ben *Straight Leg*
3 Inntilbens *Knock Knees*

DINE RESULTATER – YOUR RESULT

A1 · A2 · B1 · B2	C3 · D2 · D3	A3 · B3 · C1 · C2 · D1
Supinasjon → Nøytral Supination → Neutral	Nøytral → Overpronasjon Neutral → Overpronation	Overpronasjon Overpronation



SOLE WENAAS WORKPRO LOW 0-90-283-98

ESD insole for static and dynamic work, adjusted for individual arch support. Designed to reduce fatigue by increasing comfort and enhancing ergonomics. Low profile. Sizes: 36-37, 38-39, 40-42, 43-44, 45-47, 48-49.

COLOR 98 Assorted
MATERIAL High Performance Fiber



SOLE WENAAS WORKPRO MEDIUM 0-90-282-98

ESD insole for static and dynamic work, adjusted for individual arch support. Designed to reduce fatigue by increasing comfort and enhancing ergonomics. Medium profile. Sizes: 36-37, 38-39, 40-42, 43-44, 45-47, 48-49.

COLOR 98 Assorted
MATERIAL High Performance Fiber



SOLE WENAAS WORKPRO HIGH 0-90-281-98

ESD insole for static and dynamic work, adjusted for individual arch support. Designed to reduce fatigue by increasing comfort and enhancing ergonomics. High profile. Sizes: 36-37, 38-39, 40-42, 43-44, 45-47, 48-49.

COLOR 98 Assorted
MATERIAL High Performance Fiber





SOLE WENAAS WORK COMFORT 0-81-293-45

Wenaas Work Comfort double gel sole, with very good cushioning. Cut lines for correct size. Sizes: 36-39, 40-42, 43-45, 46-48.

COLOR 45 Royal Blue
MATERIAL PU



SOLE LIBA SPORT 0-9025-1000-10

Thin and shock absorbing PU foam insole for all types of activities. Provides good support and stability. Arneflex foam of open cells, makes the shoe breathable and avoid sweat.

COLOR 10 Black
SIZE 35-47
MATERIAL PU



SOLE WENAAS FELT 0-80-303-60

Wenaas insole of wool felt, with underlayer of reflecting aluminium foil. Anti-slip treated.

COLOR 60 Grey
SIZE 35-48
MATERIAL Felt



SHOE CREAM KIWI 0-90500-0-10

KIWI® black shoe polish contains natural wax to help provide leather shoes with shine, nourishment and protection, while also giving them increased water resistance. Black. Carton: 12 pcs.

COLOR 10 Black
SIZE PCS



SHOE WAX SNO-SEAL 0-90514-0-98

Wax-based shoe and boot waterproofing, added beeswax and lanolin. It is odorless and provides a powerful impregnation for all smooth leather. It is also suitable for seams, edges and joints that are particularly vulnerable to water penetration. Carton: 12 pcs of 230 ml.

COLOR 98 Assorted
SIZE PCS



SPRAY PROTECTOR KIWI 0-6-84-98

KIWI® Protector help waterproof and protect everything from shoes and bags, to coats and outdoor equipment, for up to 15 raining days. Rain, snow, salt, mud, oil and grease stains can quickly spoil the appearance of your suede, leather or textile accessories. Carton: 12 pcs of 200 ml.

COLOR 98 Assorted
SIZE PCS



SHOE DEODORANT KIWI DEO FRESH 0-90507-1-98

KIWI® Deo Fresh is a shoe deodorant featuring a unique dual spray applicator that provides a fresh blast of deodorant to help neutralize unpleasant odours from heel to toe. Suitable for all types of shoes. Carton: 6 pcs of 100 ml.

COLOR 98 Assorted
SIZE PCS



SHOE BRUSH 0-90600-0-98

Polishing brush gives your shoes a brilliant shine and glossy finish. Carton: 10 pcs.

COLOR 98 Assorted
SIZE PCS



SHOE LACES 100 CM 10PCK PAIRS 0-6-57100-10

10 pairs impregnated laces for shoes.

COLOR 10 Black
SIZE BAG
MATERIAL 100% Polyester.



SHOE LACES 130 CM 10PCK PAIRS 0-6-57130-10

10 pairs impregnated laces for ankle boots.

COLOR 10 Black
SIZE BAG
MATERIAL 100% Polyester.



SHOE LACES 160 CM 10PCK PAIRS 0-6-57160-10

10 pairs impregnated laces for lace boots.

COLOR 10 Black
SIZE BAG
MATERIAL 100% Polyester.



SHOE LACES 200 CM 10PCK PAIRS 0-6-57200-10

10 pairs impregnated laces for lace boots.

COLOR 10 Black
SIZE BAG
MATERIAL 100 % Polyester

ATOP REPLACEMENT KIT

Article	Description	Suitable for
0-5-1402-10	ATOP REP KIT A-B1402 PRO RUN	Wenaas Pro Run
0-5-1502-10	ATOP REP KIT A-B1502 H IND	Wenaas Heavy Industry
0-5-1504-10	ATOP REP KIT A-B1504 MONZA	Wenaas Monza
0-5-4102-10	ATOP REP KIT A-B41 VOLT LOW	Wenaas Voltmaster, low shoe
0-5-4202-10	ATOP REP KIT AB42 VOLT HIGH	Wenaas Voltmaster, ankle boot and winter boot





DESIGNO » tlf. 63 80 55 60 August 2018

Wenaas Workwear AS
Voll
6386 Måndalen
Phone: +47 71227300

Wenaas Workwear,
Dep. Oslo
Kabelgaten 8, 0580 Oslo
Postboks 273 – Alnabru
N-0614 Oslo

Wenaas Workwear,
Dep. Stavanger
Fabrikkveien 30
N- 4033 Stavanger

Customer service centre
Phone: +47 71227300

order.international@wenaas.no
ordre.service@wenaas.no
faktura.service@wenaas.no
post.service@wenaas.no

www.wenaas.no / www.wenaas.com
Facebook - wenaas workwear
Instagram - @wenaas.no

wenaas®

PROTECTING PEOPLE AT WORK SINCE 1931