



SAFETY CABINETS



4 Gallon Bench Top Acids/Corrosives Safety Cabinet

1-door Manual close, 1 shelf
Product Code: ACC-1904

- External Dimensions : 17½" / 44.5cm (W)
18" / 46cm (D)
22½" / 57cm (H)
- Internal Dimensions : 14½" / 37cm (W)
15" / 38cm (D)
19½" / 49.5cm (H)
- Shelf Depth : 14¾" / 37.5cm
- Weight : 82 lbs / 37.5 kgs



12 Gallon Acid/Corrosive Safety Cabinet

1-door manual close, 1 shelf
Product Code: ACC-1925

- External Dimensions : 23" / 30.5cm (W)
18" / 46cm (D)
35" / 89cm (H)
- Internal Dimensions : 20" / 51cm (W)
15" / 38cm (D)
32" / 81.5cm (H)
- Shelf Depth : 14 ¾" / 37.5cm
- Weight : 82 lbs / 65.5 kgs



UNITED RESOURCES
M.R.O • Safety • Spill Control

www.unitedrm.com.sg





22 Gallon Acids/Corrosives Safety Cabinet

2-door manual close, 1 shelf

Product Code: ACC-1971

- External Dimensions : 35" / 89cm (W)
22" / 56cm (D)
35" / 89cm (H)
- Internal Dimensions : 32" / 81.5cm (W)
19" / 48.5cm (D)
32" / 81.5cm (H)
- Shelf Depth : 18¾" / 48cm
- Weight : 202 lbs / 92 kgs



Additional Information for Acids/Corrosives Safety Storage Cabinets (METAL)

[EAGLE'S ACIDS/CORROSIVES METAL SAFETY STORAGE CABINET FEATURES]

- Reinforced double wall construction with ½" space on sides, top, bottom, back and doors
- Constructed of heavy duty 18-gauge steel with lead-free, high gloss, baked on powder finish
- Internal and external welded construction with continuous piano hinges
- Four adjustable galvanized leveling legs
- Two 2" internal vents with fire baffle and cap
- Adjustable galvanized steel shelves that hold 350 lbs (159 kgs) Uniformed Distributed Load (UDL)
- 2" raised leakproof sill
- Flushed mounted door handle with key lock and three-point latch system
- Four centers for shelf brackets
- Trilingual warning labels
- Meets NFPA Code 30 and OSHA Requirements
- FM Approved

[ALL ACIDS/CORROSIVES METAL SAFETY STORAGE CABINETS INCLUDE STANDARD FEATURES OF FLAMMABLES SAFETY CABINETS BUT WITH THE ADDITIONAL 4" ADJUSTABLE LEGS FOR THE ADDED BENEFITS OF:]

- Special corrosion resistant powder coat finish on all internal and external surfaces, including shelves
- Poly shelf and bottom trays to help contain small spill and provide extra corrosion protection
- Steel cabinets are not recommended for the storage of aggressive acids such as nitric, sulfuric and hydrochloric acid



UNITED RESOURCES
M.R.O • Safety • Spill Control

www.unitedrm.com.sg





SAFETY CABINETS



30 Gallon Acids/Corrosives Cabinet

2-door manual close, 1 shelf

Product Code: ACC-32

- External Dimensions : 43" / 109cm (W)
18" / 46cm (D)
44" / 112cm (H)
- Internal Dimensions : 40" / 102cm (W)
15" / 38cm (D)
41" / 104cm (H)
- Shelf Depth : 14¾" / 37.5cm
- Weight : 244 lbs / 111 kgs



45 Gallon Acids/Corrosives Cabinet

2-door manual close, 2 shelves

Product Code: ACC-47

- External Dimensions : 43" / 109cm (W)
18" / 46cm (D)
65" / 165cm (H)
- Internal Dimensions : 40" / 102cm (W)
15" / 38cm (D)
62" / 157.5cm (H)
- Shelf Depth : 14¾" / 37.5cm
- Weight : 342 lbs / 155.45 kgs



UNITED RESOURCES
M.R.O. • Safety • Spill Control

www.unitedrm.com.sg





60 Gallon Acids/Corrosives Cabinet

2-door manual close, 2 shelves

Product Code: ACC-62

- External Dimensions : 31¼" / 79.5cm (W)
31¼" / 79.5cm (D)
65" / 165cm (H)
- Internal Dimensions : 28¼" / 72cm (W)
28¼" / 72cm (D)
62" / 157.5cm (H)
- Shelf Depth : 28" / 71cm
- Weight : 382 lbs / 174 kgs



Additional Information for Acids/Corrosives Safety Storage Cabinets (METAL)

[EAGLE'S ACIDS/CORROSIVES METAL SAFETY STORAGE CABINET FEATURES]

- Reinforced double wall construction with ½" space on sides, top, bottom, back and doors
- Constructed of heavy duty 18-gauge steel with lead-free, high gloss, baked on powder finish
- Internal and external welded construction with continuous piano hinges
- Four adjustable galvanized leveling legs
- Two 2" internal vents with fire baffle and cap
- Adjustable galvanized steel shelves that hold 350 lbs (159 kgs) Uniformed Distributed Load (UDL)
- 2" raised leakproof sill
- Flushed mounted door handle with key lock and three-point latch system
- Four centers for shelf brackets
- Trilingual warning labels
- Meets NFPA Code 30 and OSHA Requirements
- FM Approved

[ALL ACIDS/CORROSIVES METAL SAFETY STORAGE CABINETS INCLUDE STANDARD FEATURES OF FLAMMABLES SAFETY CABINETS BUT WITH THE ADDITIONAL 4" ADJUSTABLE LEGS FOR THE ADDED BENEFITS OF:]

- Special corrosion resistant powder coat finish on all internal and external surfaces, including shelves
- Poly shelf and bottom trays to help contain small spill and provide extra corrosion protection
- Steel cabinets are not recommended for the storage of aggressive acids such as nitric, sulfuric and hydrochloric acid



UNITED RESOURCES
M.R.O. • Safety • Spill Control

www.unitedrm.com.sg





ACIDS / CORRSOIVE
SAFETY STORAGE
CABINETS (POLY)

SAFETY CABINETS



4 Gallon Modular Quik-Assembly Poly Acids/ Corrosives Cabinet

1-door Manual close, 1 shelf
Product Code: ACC-M04

- External Dimensions : 18" / 46cm (W)
18" / 46cm (D)
22" / 56cm (H)
- Internal Dimensions : 14" / 36 (W)
15" / 38cm (D)
15¾" / 40cm (H)
- Shelf Depth : 15¼" / 39cm
- Weight : 32 lbs / 14.5 kgs



12 Gallon Modular Quik-Assembly Poly Acids/ Corrosives Cabinet

1-door Manual close, 2 shelves
Product Code: ACC-M12

- External Dimensions : 18" / 46cm (W)
22" / 56cm (D)
36" / 91.5cm (H)
- Internal Dimensions : 14" / 36cm (W)
19" / 48.5cm (D)
29¾" / 76cm (H)
- Shelf Depth : 19¼" / 49cm
- Weight : 45 lbs / 20.5 kgs



UNITED RESOURCES
M.R.O • Safety • Spill Control

www.unitedrm.com.sg





24 Gallon Modular Quik-Assembly Poly Acids/Corrosives Cabinet

2-doors Manual close, 4 shelves
Product Code: ACC-M24

- External Dimensions : 36" / 91.5cm (W)
22" / 56cm (D)
36" / 91.5cm (H)
- Internal Dimensions : 14" / 36cm (W)
19" / 48.5cm (D)
29¾" / 76cm (H)
- Shelf Depth : 19¼" / 49cm
- Weight : 90 lbs / 41 kgs



48 Gallon Modular Quik-Assembly Poly Acids/Corrosives Cabinet

3-doors Manual close, 8 shelves
Product Code: ACC-M48

- External Dimensions : 36" / 91.5cm (W)
22" / 56cm (D)
72" / 183cm (H)
- Internal Dimensions : 14" / 36cm (W)
19" / 48.5cm (D)
29¾" / 76cm (H)
- Shelf Depth : 19¼" / 49cm
- Weight : 180 lbs / 82 kgs



UNITED RESOURCES
M.R.O • Safety • Spill Control

www.unitedrm.com.sg



Additional Information for Modular Quik-Assembly Poly Cabinets

EAGLE'S NEW LINE OF MODULAR QUIK-ASSEMBLY POLY CABINETS ARE...

designed to bring some fun and flexibility to poly-Acid/Corrosive Safety Storage Cabinets. Available in the 4-gallon model as a standalone unit while the modular 12-gallon unit can be linked and stacked to create additional vertical and horizontal units to suit your workplace requirements. All these done within minutes and no tools required

[EAGLE QUIK-ASSEMBLY POLY CABINETS FEATURE]

- Assembles in minutes, no tools required
- Versatile modular design enables flexible configurations
- Lockable door can open to 180°
- Doors can be assembled to open to the left or right
- 100% HDPE construction resistant to aggressive chemicals
- Adjustable chemical resistant poly shelves
- Sealed internal containment sump
- Two 2" poly vents with caps
- Caution corrosives labels included



FLAMMABLES SAFETY STORAGE CABINETS

SAFETY CABINETS



4 Gallon Flammables Safety Cabinet

Yellow, 1-door manual close, 1 shelf

Product Code: FC-1904

- External Dimensions : 17½" / 44cm (W)
18" / 46cm (D)
22½" / 57cm (H)
- Internal Dimensions : 14½" / 37cm (W)
15" / 38cm (D)
19½" / 49.5cm (H)
- Shelf Depth : 14 ¾" / 37.5cm
- Weight : 82 lbs / 37 kg



12 Gallon Flammables Safety Cabinet

Yellow, 1-door manual close, 1 shelf

Product Code: FC-1925

- External Dimensions : 23" / 58.5cm (W)
18" / 46cm (D)
35" / 89cm (H)
- Internal Dimensions : 20" / 51cm (W)
15" / 38cm (D)
32" / 81cm (H)
- Shelf Depth : 14 ¾" / 37.5cm
- Weight : 142 lbs / 64.5 kg



UNITED RESOURCES
M.R.O. • Safety • Spill Control

www.unitedrm.com.sg



Additional Information for Flammables Safety Cabinets

[EAGLE'S FLAMMABLES SAFETY CABINET FEATURES]

- Reinforced double wall construction with ½" space on sides, top, bottom, back and doors
- Constructed of heavy duty 18-gauge steel with lead-free, high gloss, baked on powder finish
- Internal and external welded construction with continuous piano hinges
- Four adjustable galvanized leveling legs
- Two 2" internal vents with fire baffle and cap
- Adjustable galvanized steel shelves that hold 350 lbs (159 kgs) Uniformed Distributed Load (UDL)
- 2" raised leakproof sill
- Flushed mounted door handle with key lock and three-point latch system
- Four centers for shelf brackets
- Trilingual warning labels
- Meets NFPA Code 30 and OSHA Requirements
- FM Approved

FLAMMABLES SAFETY STORAGE CABINETS

SAFETY CABINETS



4 Gallon Flammables Safety Cabinet

Yellow, 1-door manual close, 1 shelf

Product Code: FC-1904

- External Dimensions : 17½" / 44cm (W)
18" / 46cm (D)
22½" / 57cm (H)
- Internal Dimensions : 14½" / 37cm (W)
15" / 38cm (D)
19½" / 49.5cm (H)
- Shelf Depth : 14 ¾" / 37.5cm
- Weight : 82 lbs / 37 kg



12 Gallon Flammables Safety Cabinet

Yellow, 1-door manual close, 1 shelf

Product Code: FC-1925

- External Dimensions : 23" / 58.5cm (W)
18" / 46cm (D)
35" / 89cm (H)
- Internal Dimensions : 20" / 51cm (W)
15" / 38cm (D)
32" / 81cm (H)
- Shelf Depth : 14 ¾" / 37.5cm
- Weight : 142 lbs / 64.5 kg



UNITED RESOURCES
M.R.O. • Safety • Spill Control

www.unitedrm.com.sg



Additional Information for Flammables Safety Cabinets

[EAGLE'S FLAMMABLES SAFETY CABINET FEATURES]

- Reinforced double wall construction with ½" space on sides, top, bottom, back and doors
- Constructed of heavy duty 18-gauge steel with lead-free, high gloss, baked on powder finish
- Internal and external welded construction with continuous piano hinges
- Four adjustable galvanized leveling legs
- Two 2" internal vents with fire baffle and cap
- Adjustable galvanized steel shelves that hold 350 lbs (159 kgs) Uniformed Distributed Load (UDL)
- 2" raised leakproof sill
- Flushed mounted door handle with key lock and three-point latch system
- Four centers for shelf brackets
- Trilingual warning labels
- Meets NFPA Code 30 and OSHA Requirements
- FM Approved



SAFETY CABINETS



22 Gallon Flammables Safety Cabinet

Yellow, 2-door manual close, 1 shelf

Product Code: FC-1971

- External Dimensions : 35" / 89cm (W)
22" / 56cm (D)
35" / 89cm (H)
- Internal Dimensions : 32" / 81cm (W)
19" / 48.5cm (D)
32" / 81cm (H)
- Shelf Depth : 18¾" / 47.5cm
- Weight : 142lbs / 64.5 kg



UNITED RESOURCES
M.R.O • Safety • Spill Control

www.unitedrm.com.sg



Additional Information for Flammables Safety Cabinets

[EAGLE'S FLAMMABLES SAFETY CABINET FEATURES]

- Reinforced double wall construction with ½" space on sides, top, bottom, back and doors
- Constructed of heavy duty 18-gauge steel with lead-free, high gloss, baked on powder finish
- Internal and external welded construction with continuous piano hinges
- Four adjustable galvanized leveling legs
- Two 2" internal vents with fire baffle and cap
- Adjustable galvanized steel shelves that hold 350 lbs (159 kgs) Uniformed Distributed Load (UDL)
- 2" raised leakproof sill
- Flushed mounted door handle with key lock and three-point latch system
- Four centers for shelf brackets
- Trilingual warning labels
- Meets NFPA Code 30 and OSHA Requirements
- FM Approved



FLAMMABLES SAFETY STORAGE CABINETS

SAFETY CABINETS



30 Gallon Flammables Safety Cabinet

Yellow, 2-door manual close, 1 shelf

Product Code: FC-1932

- External Dimensions : 43" / 109cm (W)
18" / 46cm (D)
44" / 112cm (H)
- Internal Dimensions : 40" / 102cm (W)
15" / 38cm (D)
41" / 104cm (H)
- Shelf Depth : 14 3/4" / 37.5cm
- Weight : 241 lbs / 109.5 kg



45 Gallon Flammables Safety Cabinet

Yellow, 2-door manual close, 2 shelves

Product Code: FC-1947

- External Dimensions : 43" / 109cm (W)
18" / 46cm (D)
65" / 165cm (H)
- Internal Dimensions : 40" / 102cm (W)
15" / 38cm (D)
62" / 157.5cm (H)
- Shelf Depth : 14 3/4" / 37.5cm
- Weight : 322 lbs / 147 kg



UNITED RESOURCES
M.R.O. • Safety • Spill Control

www.unitedrm.com.sg



Additional Information for Flammables Safety Cabinets

[EAGLE'S FLAMMABLES SAFETY CABINET FEATURES]

- Reinforced double wall construction with ½" space on sides, top, bottom, back and doors
- Constructed of heavy duty 18-gauge steel with lead-free, high gloss, baked on powder finish
- Internal and external welded construction with continuous piano hinges
- Four adjustable galvanized leveling legs
- Two 2" internal vents with fire baffle and cap
- Adjustable galvanized steel shelves that hold 350 lbs (159 kgs) Uniformed Distributed Load (UDL)
- 2" raised leakproof sill
- Flushed mounted door handle with key lock and three-point latch system
- Four centers for shelf brackets
- Trilingual warning labels
- Meets NFPA Code 30 and OSHA Requirements
- FM Approved



FLAMMABLES SAFETY STORAGE CABINETS

SAFETY CABINETS



30 Gallon Flammables Safety Cabinet

Yellow, 2-door manual close, 1 shelf

Product Code: FC-1932

- External Dimensions : 43" / 109cm (W)
18" / 46cm (D)
44" / 112cm (H)
- Internal Dimensions : 40" / 102cm (W)
15" / 38cm (D)
41" / 104cm (H)
- Shelf Depth : 14 3/4" / 37.5cm
- Weight : 241 lbs / 109.5 kg



45 Gallon Flammables Safety Cabinet

Yellow, 2-door manual close, 2 shelves

Product Code: FC-1947

- External Dimensions : 43" / 109cm (W)
18" / 46cm (D)
65" / 165cm (H)
- Internal Dimensions : 40" / 102cm (W)
15" / 38cm (D)
62" / 157.5cm (H)
- Shelf Depth : 14 3/4" / 37.5cm
- Weight : 322 lbs / 147 kg



UNITED RESOURCES
M.R.O. • Safety • Spill Control

www.unitedrm.com.sg



Additional Information for Flammables Safety Cabinets

[EAGLE'S FLAMMABLES SAFETY CABINET FEATURES]

- Reinforced double wall construction with ½" space on sides, top, bottom, back and doors
- Constructed of heavy duty 18-gauge steel with lead-free, high gloss, baked on powder finish
- Internal and external welded construction with continuous piano hinges
- Four adjustable galvanized leveling legs
- Two 2" internal vents with fire baffle and cap
- Adjustable galvanized steel shelves that hold 350 lbs (159 kgs) Uniformed Distributed Load (UDL)
- 2" raised leakproof sill
- Flushed mounted door handle with key lock and three-point latch system
- Four centers for shelf brackets
- Trilingual warning labels
- Meets NFPA Code 30 and OSHA Requirements
- FM Approved

FLAMMABLES SAFETY STORAGE CABINETS

SAFETY CABINETS



60 Gallon Flammables Safety Cabinet

Yellow, 2-door manual close, 2 shelves
Product Code: FC-1962

- External Dimensions : 31¼" / 79.5cm (W)
31¼" / 79.5cm (D)
65" / 165cm (H)
- Internal Dimensions : 28¼" / 72cm (W)
28¼" / 72cm (D)
62" / 157.5cm (H)
- Shelf Depth : 28" / 71 cm
- Weight : 363 lbs / 165 kg



90 Gallon Flammables Safety Cabinet

Yellow, 2-door manual close, 2 shelves
Product Code: FC-1992

- External Dimensions : 43" / 109.5cm (W)
34" / 86.5cm (D)
65" / 165cm (H)
- Internal Dimensions : 40" / 102cm (W)
31" / 79cm (D)
62" / 157.5cm (H)
- Shelf Depth : 30" / 76 cm
- Weight : 477 lbs / 217 kg



UNITED RESOURCES
M.R.O • Safety • Spill Control

www.unitedrm.com.sg



Additional Information for Flammables Safety Cabinets

[EAGLE'S FLAMMABLES SAFETY CABINET FEATURES]

- Reinforced double wall construction with ½" space on sides, top, bottom, back and doors
- Constructed of heavy duty 18-gauge steel with lead-free, high gloss, baked on powder finish
- Internal and external welded construction with continuous piano hinges
- Four adjustable galvanized leveling legs
- Two 2" internal vents with fire baffle and cap
- Adjustable galvanized steel shelves that hold 350 lbs (159 kgs) Uniformed Distributed Load (UDL)
- 2" raised leakproof sill
- Flushed mounted door handle with key lock and three-point latch system
- Four centers for shelf brackets
- Trilingual warning labels
- Meets NFPA Code 30 and OSHA Requirements
- FM Approved

FLAMMABLES SAFETY STORAGE CABINETS

SAFETY CABINETS



60 Gallon Flammables Safety Cabinet

Yellow, 2-door manual close, 2 shelves
Product Code: FC-1962

- External Dimensions : 31¼" / 79.5cm (W)
31¼" / 79.5cm (D)
65" / 165cm (H)
- Internal Dimensions : 28¼" / 72cm (W)
28¼" / 72cm (D)
62" / 157.5cm (H)
- Shelf Depth : 28" / 71 cm
- Weight : 363 lbs / 165 kg



90 Gallon Flammables Safety Cabinet

Yellow, 2-door manual close, 2 shelves
Product Code: FC-1992

- External Dimensions : 43" / 109.5cm (W)
34" / 86.5cm (D)
65" / 165cm (H)
- Internal Dimensions : 40" / 102cm (W)
31" / 79cm (D)
62" / 157.5cm (H)
- Shelf Depth : 30" / 76 cm
- Weight : 477 lbs / 217 kg



UNITED RESOURCES
M.R.O • Safety • Spill Control

www.unitedrm.com.sg



Additional Information for Flammables Safety Cabinets

[EAGLE'S FLAMMABLES SAFETY CABINET FEATURES]

- Reinforced double wall construction with ½" space on sides, top, bottom, back and doors
- Constructed of heavy duty 18-gauge steel with lead-free, high gloss, baked on powder finish
- Internal and external welded construction with continuous piano hinges
- Four adjustable galvanized leveling legs
- Two 2" internal vents with fire baffle and cap
- Adjustable galvanized steel shelves that hold 350 lbs (159 kgs) Uniformed Distributed Load (UDL)
- 2" raised leakproof sill
- Flushed mounted door handle with key lock and three-point latch system
- Four centers for shelf brackets
- Trilingual warning labels
- Meets NFPA Code 30 and OSHA Requirements
- FM Approved

PAINTS & INKS SAFETY STORAGE CABINETS

SAFETY CABINETS



24 Gallon Paint & Ink Safety Cabinet, 2-door manual close

Red, 2-doors Manual close, 3 shelves
Product Code: PI-76

- External Dimensions : 43" / 109cm (W)
12" / 30.5cm (D)
44" / 112cm (H)
- Internal Dimensions : 40" / 102cm (W)
9" / 23cm (D)
41" / 104cm (H)
- Shelf Depth : 8¾" / 22cm
- Weight : 224 lbs / 102 kgs



30 Gallon Paint & Ink Safety Cabinet, 2-door manual close

Red, 2-doors Manual close, 5 shelves
Product Code: PI-77

- External Dimensions : 43" / 109cm (W)
12" / 30.5cm (D)
65" / 165cm (H)
- Internal Dimensions : 40" / 102cm (W)
9" / 23cm (D)
62" / 157.5cm (H)
- Shelf Depth : 8¾" / 22cm
- Weight : 300 lbs / 136.5 kgs



UNITED RESOURCES
M.R.O • Safety • Spill Control

www.unitedrm.com.sg



Additional Information for Paints and Inks Safety Cabinets

[EAGLE'S PAINTS AND INKS SAFETY CABINETS FEATURES]

- Reinforced double wall construction with ½" space on sides, top, bottom, back and doors
- Constructed of heavy duty 18-gauge steel with lead-free, high gloss, baked on powder finish
- Internal and external welded construction with continuous piano hinges
- Four adjustable galvanized leveling legs
- Two 2" internal vents with fire baffle and cap
- Adjustable galvanized steel shelves that hold 350 lbs (159 kgs) Uniformed Distributed Load (UDL)
- 2" raised leakproof sill
- Flushed mounted door handle with key lock and three-point latch system
- Four centers for shelf brackets
- Trilingual warning labels
- Meets NFPA Code 30 and OSHA Requirements
- FM Approved

[ALL PAINTS AND INKS SAFETY CABINETS INCLUDE STANDARD FEATURES OF FLAMMABLES SAFETY CABINETS BUT WITH THE ADDITIONAL 4' ADJUSTABLE LEGS FOR THE ADDED BENEFITS OF:]

- Distinct red colour to identify high flammable paints and aerosols
- Additional shelves for storage of 1 gallon paint or ink cans, or for aerosol cans
- Cabinet capacity is based on the number of 1 gallon cans

PAINTS & INKS SAFETY STORAGE CABINETS

SAFETY CABINETS



40 Gallon Paint & Ink Safety Cabinet, 2-door manual close

Red, 2-doors Manual close, 3 shelves
Product Code: PI-32

- External Dimensions : 43" / 109cm (W)
18" / 46cm (D)
44" / 112cm (H)
- Internal Dimensions : 40" / 102cm (W)
15" / 38cm (D)
41" / 104cm (H)
- Shelf Depth : 14¾" / 37.5cm
- Weight : 253 lbs / 115 kgs



60 Gallon Paint & Ink Safety Cabinet, 2-door manual close

Red, 2-doors Manual close, 5 shelves
Product Code: PI-47

- External Dimensions : 43" / 109cm (W)
18" / 46cm (D)
65" / 165cm (H)
- Internal Dimensions : 40" / 102cm (W)
15" / 38cm (D)
62" / 157.5cm (H)
- Shelf Depth : 14¾" / 37.5cm
- Weight : 353 lbs / 160.5 kgs



UNITED RESOURCES
M.R.O • Safety • Spill Control

www.unitedrm.com.sg

