

VALVE CENTER

INDUSTRIAL VALVE STOCKIST, ACTUATORS & RELATED EQUIPMENT

STANDARD PRODUCT CATALOGUE
VAST STOCK AT UNBEATABLE PRICES

CATALOGUE ENQUIRIES: 01744 759460
GENERAL ENQUIRIES: 0844 69 333 49
FAX ENQUIRIES: 0844 69 333 48

E: sales@valvecenter.co.uk
W: www.valvecenter.co.uk

SAME DAY
DELIVERY
AVAILABLE

STANDARD PRODUCT CATALOGUE

Vast amount of stock at unbeatable prices

STOCK	Our global knowledge of the valve industry accompanied with our mighty buying power enables us to have a quality product on the shelf at unbeatable prices, with over 90% of our catalogue products being available for same day despatch. We consider ourselves to be the best supplier of industrial valves in the UK.
TECH HELP	If you require help in selecting the correct valve for your application, or require additional information on one of our catalogue products, then our experienced team are here to help. We have for your appraisal, technical drawings and full component break down sheets for all the products in our catalogue. Call 01744 762960 to get in contact with our technical team.
QUALITY	We have been very selective in choosing the correct manufacturers to put on our shelves. It is essential that all our products are manufactured to a very high standard and the relevant manufacturers have an approved accreditation system in place. All our products are manufactured in accordance to the relevant standard. Certificates of conformity, material certs and pressure test certs are supplied free at no extra cost. Lloyds certification available upon request.
PRICE PROMISE	We are confident that we are the most competitive valve supplier in the UK. We aim to price match any identical product if purchased from the UK.
DESPATCH	On most occasions, orders placed before 4pm can be despatched same day and delivered before 10am the next day and orders placed 1 hour prior can be collected from our works. Our 10,000 square foot warehouse allows us to hold your goods for your required call off.
ACCOUNTS	Setting up an account with Valve Center is easy. Once we have had a completed application form back it only takes minutes to set up an account. If you prefer we can take payment by credit or debit card. To request an account simply call our accounts department on 01744 762962 or email leannewiles@valvecenter.co.uk .



CUSTOMER SATISFACTION IS PARAMOUNT

Valve Center have been supplying valves, actuators and similar equipment since 1997. Our focus in that "customer satisfaction is paramount" has resulted in our customers returning year after year. This vision has enabled us to grow into the company we are today.

Quality—Our products must be suitable for duty and be manufactured to an excellent standard.

Service—To ensure that we try to go beyond the expected level of service and ensure that our customers are happy that they have used Valve Center.

Price—We aim to supply competitively priced goods whilst maintaining the high level of quality that is expected.

BRANDED STOCK

In addition to our catalogue product range, we also keep in stock a comprehensive range of well-known manufacturers. We supply many sites where specified manufacturers are only acceptable. It is to our commitment in selecting the correct brands for our shelves that we have framework agreements in place with the country's largest power stations. The branded names we keep in stock include Hattersley, Saunders, Hopkinsons, Spirax Sarco, Norbro, Rotork, and many more. See page IX for the full list of brands we can offer.

EXPERTS AT SOURCING

While this catalogue has a diverse range of valves, we understand it is impossible to have every valve on the shelf. With this in mind we recognise the importance to be constantly gaining knowledge of the market place.

So if it's a very large bore size or an exotic material our experienced team will source it for you.

ON SITE SERVICES

Use Valve Center's experience on your site. To help you correctly identify a valve or actuator, one of our trained engineers can be of assistance. We have visited sites all over the UK, allowing our customers to benefit from the peace of mind that when it comes to the installation, things will go as smoothly as possible with minimal down time.

VALVE REPAIR AND OVERHAUL

We can repair many types including parallel slide valve, gate and globe valves, ball valves and boiler equipment. Pressure relief valves can be refurbished, re-set, tested and the appropriate certification provided. In most cases refurbishment can be a more cost effective option to buying new but Valve Center can assess your equipment and if a replacement is a more sensible option, we can advise and quote you for a new valve.

OUR SISTER COMPANY

International Pumps is a stockist of a wide range of pumps and spare parts. It has distributor agreements in place with many of the leading pump manufacturers. Founded on similar principles to Valve Center, that "customer satisfaction is paramount" combined with importance to invest in stock, makes them your perfect partner for pumps. For a full company overview visit www.internationalpumps.co.uk or call 01744 762942.



CONTENTS

BALL FLOAT VALVES	2	PARALLEL SLIDE VALVES	116
BALL VALVES	6	PINCH VALVES	120
BELLOWS	34	PLASTIC VALVES	124
BUTTERFLY VALVES	38	PLUG VALVES	140
DIAPHRAGM VALVES	48	PRESSURE CONTROL VALVES	144
FIRE VALVES	52	SIGHT GLASSES	164
FLAME ARRESTORS	62	SOLENOID VALVES	168
GATE VALVES	66	STRAINERS	172
GLOBE VALVES	76	TANKER VALVES	176
HYGIENIC VALVES	86	FLANGE INFORMATION	183
KNIFE GATE VALVES	96	ASTM MATERIAL INFORMATION	195
NEEDLE VALVES	100	CHEMICAL COMPATIBILITY CHART	197
NON-RETURN VALVES	102		

BALL FLOAT VALVES

Float Valve, High Pressure / Brass / Screwed BSP.....	3
Equilibrium Float Valve / Gunmetal / Plastic Float / BSP	3
Equilibrium Float Valve / Gunmetal / Copper Float / BSP	4
Float Valve / Stainless Steel / Screwed BSP Male.....	4
Float Valve, Straight / Cast Iron / Flanged PN16	4
Float Valve, Straight Pattern / Gunmetal / Flanged PN16.....	5
Float Valve, Straight Pattern / Gunmetal / Flanged Table D	5

BALL VALVES

Ball, Full Bore / Brass Nickel Plated / Screwed BSP Female	7
Ball, Full Bore / Brass Nickel Plated / Screwed NPT Female	7
Ball, Full Bore / Brass Nickel Plated / Screwed BSP Male/Female	7
Ball, Full Bore / Brass Nickel Plated / Screwed BSP Male/Male	8
Ball / Brass Nickel Plated / BSP Female / Butterfly Handle	8
Ball, Full Bore / Brass Nickel Plated / BSP Male/Female / Butterfly Handle	8
Ball, Full Bore / Brass Nickel Plated / BSP Male/Male / Butterfly Handle	9
3-Way Ball, Reduced Bore / Brass Nickel Plated / Screwed BSP Female ..	9
Ball / Brass Nickel Plated / BSP Female / ISO Pad	9
Ball, 3-Way, Red Bore / Brass Nickel Plated / BSP Female / ISO Pad ..	10
Ball, Full Bore / Brass Nickel Plated / BSP Female / Gas Approved ..	10
Ball, Full Bore / Brass Nickel Plated / BSP Female / Gas & WRAS Approved	10
Ball, Full Bore / Brass Nickel Plated / BSP Female / Lockable	11
Ball, Full Bore / Brass Nickel Plated / BSP Male/Female / Gas & WRAS Approved	11

Ball Full Bore / Brass Nickel Plated / BSP Male / Gas & WRAS Approved	12
Ball, Full Bore / Brass Nickel Plated / BSP Male/Female / Butterfly Handle, Gas & WRAS	12
Ball, Full Bore, 2-Piece / Bronze, S/S Ball / Screwed BSP Female ..	12
Ball, Full Bore, 2-Piece / Bronze, S/S Ball / Screwed NPT Female.....	13
Ball, 2-Piece, Full Bore / Bronze, Chromed Brass Ball / Screwed BSP... .	13
Ball, 2-Piece, Full Bore / Bronze, Stainless Steel Ball and Stem / Flanged PN16.....	13
Ball, I-Piece, Reduced Bore / Stainless Steel / Screwed BSP	14
Ball, 2-Piece, Full Bore / Stainless Steel / Screwed BSP.....	14
Ball, 2-Piece, Full Bore / Stainless Steel / Screwed NPT	14
Ball, 2-Piece, Full Body / Stainless Steel / Screwed BSP Male / Female ..	15
Ball, 3-Piece, Full Bore / Stainless Steel / Screwed BSP	15
Ball, 3-Piece, Full Bore / Stainless Steel / Socket Weld	15
Ball, 3-Piece, Full Bore / Stainless Steel / Butt Weld	16
Ball, 3-Way, Reduced Bore / Stainless Steel / Screwed BSP	16
Ball, 3-Piece, Full Bore, Bareshaft / Stainless Steel / BSP / ISO Pad ..	16
Ball, 2-Piece, Full Bore / Stainless Steel / BSP / Spring Close Lever ..	17
Ball, Full Bore, 210 Bar / Stainless Steel / Screwed BSP	17
Ball, Full Bore, -20 to +210 Deg C / Stainless Steel / Screwed BSP ..	17
Ball, 3-Piece, Full Bore, -20 to +175 Deg C / Stainless Steel / BSP / NPT / Socket Weld	18
Ball, Wafer, Full Bore, -20 to +210 Deg C / Stainless Steel / PN16 or ANSI 150	18
Ball, Full Bore, 2-Piece / Stainless Steel / Flanged PN16	18
Ball, Full Bore, 2-Piece Direct Mount / Stainless Steel / Flanged PN16 ..	19
Ball, Full Bore, 2-Piece / Stainless Steel / Flanged ANSI 150.....	19

CONTENTS

Ball, 3-Way / Stainless Steel / Flanged PN16	19
Ball, 3-Way / Stainless Steel / Flanged ANSI 150	20
Ball, Wafer / Cast Iron, S/S Ball / Flanged PN16	20
Ball / Ductile Iron, Chromed Ball / Flanged PN16	20
Ball / Ductile Iron, S/S Ball / Flanged PN16	21
Ball 3-Way / Cast Iron, S/S Ball / Flanged PN16	21
Ball, Full Bore, 210 Bar / Carbon Steel AI05, Stainless Steel Trim / Screwed BSP	21
Ball, Full Bore, -20 to +210 Deg C / Carbon Steel AI05, Stainless Steel Trim / Screwed BSP	22
Ball, 3-Piece, -20 to +175 Deg C / Carbon Steel, Stainless Steel Trim / Screwed BSP	22
Ball, Wafer Pattern / Carbon Steel, Brass Ball / Flanged PN16	22
Ball, Wafer Pattern / Carbon Steel, Stainless Steel Ball / Flanged PN16	23
Ball, Wafer Pattern / Carbon Steel, Stainless Steel Ball / Flanged ANSI 150	23
Ball, Wafer Pattern / Carbon Steel, Stainless Steel Ball / Flanged PN40	23
Ball, Full Bore / Carbon Steel / Flanged PN16	24
Ball, Full Bore / Carbon Steel / Flanged PN40	24
Ball, Full Bore / Carbon Steel / Flanged ANSI 150	24
Ball, Full Bore / Carbon Steel / Flanged ANSI 300	25
3-Way Ball / Cast Steel WCB / Flanged ANSI 150	25
Pneumatic Actuated Ball / Brass Nickel Plated / BSP Female / Double Acting	25
Pneumatic Actuated Ball / Brass Nickel Plated / BSP Female / Spring Return	26
Electric Actuated Ball / Brass Nickel Plated / Screwed BSP Female	26
Pneumatic Actuated Ball 3-Way / Brass Nickel Plated / BSP Female / Double Acting	26
Pneumatic Actuated Ball 3-Way / Brass Nickel Plated / BSP Female / Spring Return	27
Pneumatic Actuated Ball / Stainless Steel / BSP Female / Double Acting	27
Pneumatic Actuated Ball / Stainless Steel / BSP Female / Spring Return	27
Electric Actuated Ball 3-Piece / Stainless Steel / Screwed BSP Female	28
Pneumatic Actuated Ball 3-Way / Stainless Steel / BSP Female / Double Acting	28
Pneumatic Actuated Ball 3-Way / Stainless Steel / BSP Female / Spring Return	28
Pneumatic Actuated Ball / Stainless Steel / Flanged PN16 / Double Acting	29
Pneumatic Actuated Ball / Stainless Steel / Flanged PN16 / Spring Return	29
Pneumatic Actuated Ball / Stainless Steel / Flanged ANSI 150 / Double Acting	29
Pneumatic Actuated Ball / Stainless Steel / Flanged ANSI 150 / Spring Return	30
Electric Actuated Ball / Stainless Steel / Flanged PN16	30
Electric Actuated Ball / Stainless Steel / Flanged ANSI 150	30
Pneumatic Actuated Ball 3-Way / Stainless Steel / Flanged PN16 / Double Acting	31
Pneumatic Actuated Ball 3-Way / Stainless Steel / Flanged PN16 / Spring Return	31
Electric Actuated Ball 3-Way / Stainless Steel / Flanged PN16, ANSI 150 Available	31
Pneumatic Actuated Ball 3-Way / Cast Iron, S/S Ball / Flanged PN16 / Double Acting	32
Pneumatic Actuated Ball 3-Way / Cast Iron, S/S Ball / Flanged PN16 / Spring Return	32
Electric Actuated Ball 3-Way / Cast Iron, S/S Ball / Flanged PN16	32
Pneumatic Actuated Ball / Cast Iron, Chrome Ball / Flanged PN16 / Double Acting	33
Pneumatic Actuated Ball / Cast Iron, Chrome Ball / Flanged PN16 / Spring Return	33
Electric Actuated Ball / Cast Iron, Chrome Ball / Flanged PN16	33
Electric Actuated Ball / Cast Iron, S/S Ball / Flanged PN16	33
BELLOWS	
Rubber Expansion Joint / EPDM with Galvanised Malleable Iron Threaded Adaptor / Screwed BSP Female	35
Rubber Expansion Joint / Nitrile with Cast Iron Threaded Adaptor / Screwed BSP Female	35
Rubber Expansion Joint / EPDM with Galvanised Steel Flanges / Flanged PN10/16	35
Rubber Expansion Joint / Nitrile with Galvanised Steel Flanges / Flanged PN10/16	36
Tied Rubber Expansion Joint / EPDM with Zinc Plated Carbon Steel Oval Flanges / Flanged PN10/16	36
Tied Rubber Expansion Joint / Nitrile with Zinc Plated Carbon Steel Oval Flanges / Flanged PN10/16	36
BUTTERFLY VALVES	
Butterfly, Wafer Pattern / Ductile Iron, Epoxy Coated / Nickel Plated Ductile Iron	39
Butterfly, Wafer Pattern / Ductile Iron, Epoxy Coated / Stainless Steel	39
Butterfly, Lugged & Tapped / Ductile Iron Epoxy Coated / Stainless Steel	40
Butterfly, Wafer Type Multi-Flanged / Ductile Iron / Epoxy Coated Disc	40
Butterfly, Wafer Type Multi-Flanged / Ductile Iron / Epoxy Coated Disc	41
Butterfly, Wafer Type Multi-Flanged / Ductile Iron / Stainless Steel	41
Butterfly, Wafer Type Multi-Flanged / Aluminium Epoxy Coated / Brass Up to 4", Epoxy Coated Up to 8"	42
Butterfly Wafer Pattern / Cast Iron Epoxy Coated / Stainless Steel	42
Butterfly Wafer Pattern / Cast Iron Epoxy Coated / Aluminium Bronze	42
Butterfly Wafer Pattern / Cast Iron Epoxy Coated / Stainless Steel	43
Butterfly Lugged Pattern / Cast Iron Epoxy Coated / Stainless Steel	43
Butterfly Lugged Pattern / Cast Iron Epoxy Coated / Aluminium Bronze	43

Butterfly Lugged Pattern / Cast Iron Epoxy Coated / Stainless Steel	44
Butterfly, Double Flanged / Ductile Iron / Coated Ductile Iron.	44
Butterfly, Wafer Pattern / Stainless Steel	44
Firesafe High Performance Butterfly, Wafer Type / Carbon Steel / Stainless Steel	45
Firesafe High Performance Butterfly, Lugged Type / Carbon Steel / Stainless Steel	45
Pneumatic Butterfly, Wafer / Ductile Iron / Stainless Steel / Double Acting	45
Pneumatic Butterfly, Wafer / Ductile Iron / Stainless Steel / Spring Return.	46
Electric Actuated Butterfly, Wafer Pattern / Ductile Iron / Stainless Steel	46
Pneumatic Butterfly, Lugged / Ductile Iron / Stainless Steel / Double Acting	46
Pneumatic Butterfly, Lugged / Ductile Iron / Stainless Steel / Spring Return.	47
Electric Actuated Butterfly, Fully Lugged / Ductile Iron / Stainless Steel	47
DIAPHRAGM VALVES	
Diaphragm Weir Type Unlined / Ductile Iron / Screwed BSP Female	49
Diaphragm Weir Type Unlined / Ductile Iron / Flanged PN10/16	49
Diaphragm Weir Type Hard Rubber Lined / Ductile Iron / Flanged PN10/16.	49
Diaphragm Straight Through Type Unlined / Ductile Iron / Flanged PN10/16.	50
Diaphragm Straight Through Type Hard Rubber Lined / Ductile Iron / Flanged PN10/16.	50
Diaphragm Weir Type / Stainless Steel / Screwed BSP.	50
FIRE VALVES	
Dry Riser / Bronze / Flanged Table D	53
Dry Riser / Bronze / Flanged PN16	53
Dry Riser / Bronze / Screwed BSP.	53
Wet Riser Oblique Pattern / Bronze / Flanged Table D	54
Wet Riser Oblique Pattern / Bronze / Flanged PN16	54
Wet Riser Right Angle Pattern / Bronze / Flanged Table D	54
Wet Riser Right Angle Pattern / Bronze / Flanged PN16	55
Wet Riser Horizontal Pattern / Bronze / Flanged Table D.	55
Wet Riser Horizontal Pattern / Bronze / Flanged PN16.	55
Wet Riser Bib Nose Pattern / Bronze / Flanged Table D	56
Wet Riser Bib Nose Pattern / Bronze / Flanged PN16	56
Gate, Resilient Wedge / Cast Iron / Flanged PN16.	56
Gate, Resilient Wedge / Ductile Iron / Flanged PN16.	57
Gate, Resilient Wedge, OS&Y / Ductile Iron / Flanged PN16.	57
Gate, Resilient Wedge, OS&Y / Ductile Iron / Flanged PN10/16, ANSI I25	57
Gate, Resilient Wedge / Ductile Iron, Fusion Bonded Coated Interior and Exterior / Flanged PN10/16, ANSI I25	58
Butterfly, UI Listed/FM Approved / Bronze / NPT Screwed 1 1/4 & 1 1/2", Grooved 2" Only.	58

Grooved Butterfly, UI Listed/FM Approved / Ductile Iron EPDM Encapsulated	58
Wafer Type Butterfly, UI/FM Approved / Ductile Iron EPDM Encapsulated / to Suit ANSI I25 and PN16 Flanges	59
Wafer Type Butterfly, WOG / Cast Iron / to Suit ANSI I25, PN16 and Table D/E Flanges	59
Grooved Butterfly WOG / Ductile Iron FBE Coated / Grooved Ends	59
Swing Check Valve, Grooved / Ductile Iron Epoxy Coated Red / Grooved	60
Swing Check Valve, Resilient Seated / Ductile Iron Fusion Bonded Epoxy Coated Interior and Exterior / Flanged PN10/16, ANSI I25.	60
Double Door Check Valve / Cast Iron Body, Stainless Steel Disc / Wafer to Suit ANSI I25	60
Y-Type Strainer / Cast Iron Body, Stainless Steel Screen / Wafer to Suit ANSI I25	61
Y-Type Strainer / Ductile Iron Body, Stainless Steel Screen / Grooved	61
Dry Barrel Fire Hydrant, 3-Way / Cast Iron Body / Flanged ANSI or PN16	61
Underground Fire Hydrant Type 2 / Ductile Iron Body / Flanged Table D/E.	61
FLAME ARRESTORS	
Flame Arrestor / Carbon Steel / Screwed NPT or BSP	63
Flame Arrestor / Stainless Steel / Screwed NPT or BSP.	63
Flame Arrestor / Carbon Steel / Flanged.	64
Flame Arrestor / Stainless Steel / Flanged.	65
GATE VALVES	
Gate / Brass / Screwed BSPT	67
Gate / Brass / Screwed NPT Female	67
Gate / Brass / Screwed BSPT Female / Lockshield.	67
Gate / Bronze LG2 / Screwed BSP	68
Gate / Bronze / Screwed BSP Female / Lockshield	68
Gate / Bronze / Flanged Available In PN6, PN10, PN16, ANSI I50 and Table D/E.	68
Gate / Gunmetal / Flanged PN16	69
Gate / Gunmetal / Flanged ANSI I50.	69
Gate / Stainless Steel / Screwed BSP Female.	69
Gate / Stainless Steel / Flanged PN16.	70
Gate / Stainless Steel / Flanged ANSI I50	70
Gate / Cast Iron / Flanged PN10/16.	70
Gate BS 5163 / Cast Iron Epoxy Coated / Flanged PN16	71
Gate DIN 3352 / Ductile Iron, Epoxy Coated / Flanged PN16.	71
Gate / Cast Iron / Flanged PN10/16.	71
Gate / Cast Iron / Flanged ANSI I50	72
Gate BS 5150 / Cast Iron / Flanged PN16.	72
Gate / Cast Iron / Flanged Table E	72
Gate / Cast Iron / Flanged Table D.	73
Gate BS 5163 / Ductile Iron, Epoxy Coated / Flanged PN10/16.	73
Gate / Cast Iron / Can Be Drilled to Suit PN6/10/16, ANSI I50, Table D/E, JIS 5K/10K	73
Gate / Forged Steel AI05 / Screwed BSP Female	74

CONTENTS

Gate / Cast Steel (WCB) / Flanged ANSI 150	75
Gate / Cast Steel (WCB) / Flanged ANSI 300	75
Gate / Cast Steel (WCB) / Flanged PN16	75
Gate / Cast Steel / Flanged PN40 upto 6", PN25 upto 12"	75
GLOBE VALVES	
Globe / Bronze / Screwed BSP Female	77
Globe SDNR / Bronze / Screwed BSP Female	77
Globe / Bronze LG2 / Screwed BSP Female	77
Globe / Bronze / Screwed BSPT Female / PN32	78
Globe / Bronze / Flanged PN16	78
Globe SDNR / Bronze / Flanged PN16	78
Globe / Bronze / Flanged Table F	79
Globe Angle Pattern / Bronze / Flanged PN16	79
Globe Angle Pattern SDNR / Bronze / Flanged PN16	79
Globe / Stainless Steel / Screwed BSP Female	80
Globe / Stainless Steel / Flanged PN16	80
Globe / Stainless Steel / Flanged ANSI 150	80
Globe / Cast Iron / Flanged PN16	81
Globe SDNR / Cast Iron / Flanged PN16	81
Globe (Short Pattern) / Cast Iron / ANSI 150 or PN16	81
Globe Bellow Seal Type / Cast Iron / Flanged PN16	81
Globe Angle Pattern / Cast Iron / Flanged PN16	82
Globe / Forged Steel AI05 / Screwed BSP Female	82
Globe / Cast Steel WCB / Flanged ANSI 150 RF	82
Globe / Cast Steel WCB / Flanged ANSI 300 RF	83
Globe / Cast Steel WCB / Flanged PN16	83
Globe / Cast Steel / Flanged PN25/40	83
Globe SDNR / Cast Steel / Flanged PN25/40	84
Globe Bellow Seal / Cast Steel / Flanged PN25/40	84
Globe Angle Pattern / Cast Steel / Flanged PN25/40	84
HYGIENIC VALVES	
Encapsulated 3-Way Ball, Hygienic / Stainless Steel / Butt Weld, RJT, IDF, Clamp, ILC and / L Port	87
Encapsulated 3-Way Ball, Hygienic / Stainless Steel / Butt Weld, RJT, IDF, Clamp, ILC and DIN All Available / T Port	87
Encapsulated 3-Piece Ball, Hygienic / Stainless Steel / Butt Weld, RJT, IDF, Clamp, ILC and DIN All Available	87
Actuator, Hygienic / Stainless Steel / Direct Mounting / Spring Return ..	88
Actuator, Hygienic / Stainless Steel / Direct Mounting / Double Acting ..	88
Switchbox	88
Miniature Relief, Hygienic / Stainless Steel / Clamp, ILC, Weld and BSP All Available	89
Pressure Relief, Hygienic / Stainless Steel / Plain Ended, Full Bore / Air Operated	89
Pressure Relief, Hygienic / Stainless Steel / Fitted Ends, Full Bore / Air Operated	89
Single Seat, Hygienic / Stainless Steel / Plain Ended / Actuated	90
Single Seat, Hygienic / Stainless Steel / Fitted Ends / Actuated	90
Switchbox	90
Non-Return, Hygienic / Stainless Steel / Available In Clamp, RJT, IDF, ILC, DIN, SMS, Flange and Butt Weld	91
Butterfly, Hygienic / Stainless Steel / RJT, IDF, ILC / Plastic Lever / Viton / Lever	91
Butterfly, Hygienic / Stainless Steel / RJT, IDF, ILC / Plastic Lever / Nitrile / Lever	91
Butterfly, Hygienic / Stainless Steel / RJT, IDF, ILC / Plastic Lever / Silicone / Lever	92
Butterfly, Hygienic / Stainless Steel / RJT, IDF, ILC / Plastic Lever / EPDM / Lever	92
Butterfly, Hygienic / Stainless Steel / RJT, IDF, ILC / Bareshaft / EPDM / Bareshaft	92
Butterfly, Hygienic / Stainless Steel / RJT, IDF, ILC / Bareshaft / Viton / Bareshaft	93
Butterfly, Hygienic / Stainless Steel / RJT, IDF, ILC / Bareshaft / Nitrile / Bareshaft	93
Butterfly, Hygienic / Stainless Steel / RJT, IDF, ILC / Bareshaft / Silicone / Bareshaft	93
Butterfly, Hygienic / Stainless Steel / RJT, IDF, ILC / Stainless Steel Multi Stop Lever / EPDM / SS Lever	94
Butterfly, Hygienic / Stainless Steel / RJT, IDF, ILC / Stainless Steel Multi Stop Lever / Viton / SS Lever	94
Butterfly, Hygienic / Stainless Steel / RJT, IDF, ILC / Stainless Steel / Silicone / SS Lever	95
KNIFE GATE VALVES	
Knife Gate, Unidirectional / Cast Iron, Stainless Steel Blade / to Suit PN10/16 Flanges / Handwheel	97
Knife Gate, Unidirectional / Cast Iron, Stainless Steel Blade / to Suit PN10/16 Flanges / Lever Operated	97
Knife Gate, Unidirectional / Cast Iron, Stainless Steel Blade / to Suit PN10/16 Flanges / Double Acting Pneumatic Actuator	97
Knife Gate, Unidirectional / Cast Iron, Stainless Steel Blade / to Suit PN10/16 Flanges / Actuator Topworks	98
Knife Gate, Unidirectional / Stainless Steel, Stainless Steel Blade / to Suit PN10/16 Flanges / Handwheel	98
Knife Gate, Unidirectional / Stainless Steel, Stainless Steel Blade / to Suit PN10/16 Flanges / Lever	98
Knife Gate, Unidirectional / Stainless Steel, Stainless Steel Blade / to Suit PN10/16 Flanges / Double Acting Pneumatic	99
Knife Gate, Unidirectional / Stainless Steel, Stainless Steel Blade / to Suit PN10/16 Flanges / Actuator Not Included	99
NEEDLE VALVES	
Needle / Brass / Screwed BSP Female	101
Needle / Stainless Steel / Screwed BSP Female	101
Needle / Stainless Steel / Screwed BSP Male/Female	101
NON-RETURN VALVES	
Spring Check / Brass / Screwed BSP Female / NBR / Acetol Disc ..	103
Spring Check / Brass / Screwed BSP Female / Viton / Metal Disc ..	103
Spring Check / Brass / Screwed BSP Female / NBR / Polyacetol Disc ..	103
Spring Check / Brass / Screwed BSP Female / Male	104

Swing Check / Brass / Screwed BSP Female / Metal Seat	104
Swing Check / Brass / Screwed BSP Female	104
Y-Type Check / Brass, Stainless Steel Disc / Screwed BSP Female	105
Vertical Lift Check / Bronze / Screwed BSP Female	105
Swing Check / Bronze / Screwed BSP Female / Metal Seat	105
Horizontal Lift Check / Bronze / Screwed BSP Female / PTFE Disc	106
Swing Check / Bronze / Screwed BSP Female	106
Horizontal Lift Check / Bronze / Screwed BSP Female	106
Swing Check / Bronze / Flanged PN16	107
Wafer Type Spring Check / Bronze / to Suit PN6–PN16 Flanges 1/2"–3", PN10/16 Flanges 4"	107
Spring Check / Stainless Steel / Screwed BSP Female	107
High Pressure Check / Stainless Steel / Screwed BSP Female	108
Swing Type Check / Stainless Steel / Screwed BSP Female	108
Swing Check / Stainless Steel / Flanged PN16	108
Swing Check / Stainless Steel / Flanged ANSI 150 RF	109
Swing Type Check, Wafer Type / Stainless Steel / to Suit PN10, PN16, ANSI 150* Flanges / EPDM	109
Spring Type Check, Wafer Type / Stainless Steel / Multi Flange with Locating Lugs to Suit PN10, PN16, ANSI 150* Flanges / NBR	109
Spring Check Wafer Type / Stainless Steel / Wafer Type to Suit 1/2"–3"PN6/PN40, 4"PN10/40, ANSI 150*	110
Dual Plate Check / Stainless Steel / to Suit PN10/16	110
Swing Check / Cast Iron Epoxy Coated / Flanged PN16	110
Swing Check with Outside Lever and Weight / Cast Iron Epoxy Coated / Flanged PN16	111
Swing Check Bs5153 / Cast Iron Epoxy Coated / Flanged PN16 / WRAS Approved	111
Swing Check Bs5153, Outside Lever & Weight / Cast Iron Epoxy Coated / Flanged PN16 / WRAS Approved	111
Swing Check / Cast Iron Body / Flanged PN16 / DIN3202	112
Swing Type Check / Cast Iron / Can Be Drilled to Suit PN10/16, ANSI 150, Table D/E, JIS 5K/10K	112
Dual Plate Check / Cast Iron Epoxy Coated / to Suit PN16 Flanges	112
Ball Check / Cast Iron Epoxy Coated / Screwed BSP Female	113
Ball Check / Cast Iron Epoxy Coated / Flanged PN10	113
Disc Check / Cast Iron Epoxy Coated / Flanged PN16	113
Wall Mounted Double Hinged Flap / Ductile Iron / Bronze Seat, PTFE Bushings	114
Piston Check / Forged Steel AI05 / Screwed BSP Female	114
Lift Type Check / Cast Steel / Flanged PN25/40	114
Swing Check Wafer Type / Carbon Steel, Zinc Plated / to Suit PN10/16 Flanges	115
Spring Check Wafer Type / Carbon Steel / Multi Flange with Locating Lugs to Suit PN6, PN10, PN16 ANSI 150	115
Swing Check / Cast Steel WCB / Flanged ANSI 150 RF	115

PARALLEL SLIDE VALVES

Parallel Slide / Cast Iron / Can Be Drilled to Suit PN6/10/16, ANSI 150, Table D/E, JIS 5K/10K	117
Parallel Slide / Cast Steel / Can Be Drilled to Suit PN10/16/25/40, ANSI 150/300, Table D/E/F/H, JIS 5K/10K/16K	117

Parallel Slide / Cast Steel / Flanged ANSI 150	118
--	-----

Parallel Slide / Cast Steel / Flanged ANSI 300	118
--	-----

Parallel Slide / Cast Steel WCB / Flanges Can Be Drilled PN10/16/25/40, ANSI 150/300, Table D/E/F/H, JIS 5K/10K/16K	118
---	-----

PINCH VALVES

Socket Pinch / Black Pom / Screwed BSP Female	121
Socket Pinch / White Pom / Screwed BSP Female	121
Socket Pinch / Aluminum Body / Screwed BSP Female	121
Pinch / Aluminium / Flanged PN10/16	122

PLASTIC VALVES

Air Release Valve / ABS / Plain Sockets	125
Double Union Ball Valves / ABS / Plain Sockets	125
Check Valve / ABS / Plain Sockets	126
Air Release Valves / PVCU / Plain Sockets	126
3-Way Ball Valves L-Port / PVCU / Plain Sockets	127
Economy Double Union Ball Valve / PVCU / Plain Sockets	128
Economy Double Union Ball Valve / BSP Female	128
Economy Single Union Ball Valve / PVCU / Plain Sockets	129
Economy Single Union Ball Valve / PVCU / BSP Female	129
Economy Single Union Ball Valve / PVCU / BSP Female X BSP Male	130
Double Union Ball Valve / PVCU / Plain Sockets	130
Double Union Ball Valve / PVCU / BSP Female	131
Economy Butterfly Valve / PVCU / Wafer Type to Fit PN10/16 Flanges	135
Industrial Butterfly Valve / PVCU / Wafer Type to Fit PN10/16 Flanges	135
Check Valve / PVCU / Plain Sockets	136
Wafer Check Valve / PVCU / Plain Sockets	138
Diaphragm Valve / PVCU / Plain Sockets	138
Inline Strainer / PVCU / Plain Sockets	139

PLUG VALVES

2-Way Plug Cock / Bronze / Screwed BSP Female	141
3-Way Plug Cock / Bronze / Screwed BSP Female	141
2-Way Plug Cock / Cast Iron / Flanged PN16	141
3-Way Plug Cock / Cast Iron / Flanged PN16	142
Eccentric Plug / Cast Iron / Flanged PN16	142

PRESSURE CONTROL VALVES

Spring Safety Relief / Brass / Screwed BSP Male	145
Safety Relief / Bronze / Screwed BSP Male/Female, NPT Available	145
Spring Safety Relief / Brass/Bronze / Screwed BSP Female	145
Safety Relief / Bronze / Screwed BSP Male/Female	146
Safety Relief / Bronze / Screwed NPT Male/Female	147
Spring Safety Relief / Brass/Bronze / Flanged PN16	147
Proportional Lift Relief / Stainless Steel / Screwed BSP Male X Female	147
Proportional Lift Relief / Bronze / Screwed BSP Male X Female	148
High Lift Safety / Bronze / Screwed BSP Male X Female	149
Safety Relief / Stainless Steel / Screwed BSP Male / Female, NPT Available	150

Safety Relief / Stainless Steel / Flanged PN16/25.....	150	Sight Glass / Cast Iron with Double Glass Inspection Window / Flanged PN16.....	167
Safety Relief / Stainless Steel / Flanged PN40	150	Sight Glass / Cast Steel with Double Glass Inspection Window / Flanged PN16.....	167
Safety Relief / Stainless Steel / Flanged PN63	151	Sight Glass / Stainless Steel with Double Glass Inspection Window / Flanged PN16.....	167
Safety Relief / Stainless Steel / Flanged PN100	151		
Safety Relief / Stainless Steel / Flanged ANSI 150 RF	151		
Safety Relief / Stainless Steel / Flanged ANSI 300 RF	152		
Safety Relief / Stainless Steel / Flanged ANSI 600 RF	152		
Safety Relief / Carbon Steel / Screwed BSP Male / Female, NPT Available	152		
Safety Relief / Carbon Steel / Flanged ANSI 150 RF	153		
Safety Relief / Carbon Steel / Flanged ANSI 300 RF	153		
Safety Relief / Carbon Steel / Flanged ANSI 600 RF	153		
Safety Relief / Carbon Steel / Flanged PN40	154		
Safety Relief / Carbon Steel / Flanged PN63	154		
Safety Relief / Carbon Steel / Flanged PN100	154		
Safety Relief / Nodular Iron / Flanged PN16/25	155		
Pressure Reducing / Brass / Screwed BSP Female Union Ends.....	155		
Pressure Reducing / Brass Nickel Plated / Screwed BSP Female	155		
Pressure Reducing / Brass / Screwed BSP Female.....	156		
Pressure Reducing / Brass Nickel Plated / Screwed BSP.....	156		
Pressure Reducing / Brass Nickel Plated / Flanged PN16	156		
Pressure Reducing / Gunmetal / Screwed BSP	157		
Pressure Reducing / Cast Iron / Screwed BSP.....	157		
Pressure Reducing / Ductile Iron / Flanged PN16/25	157		
Automatic Air Vent / Brass / Screwed BSP Female.....	158		
Double Regulating Fixed orifice / Brass / Screwed BSP Female	159		
Double Regulating Variable orifice / DZR Brass / Screwed BSP Female	159		
Set Test Points and Spare Extensions / Brass (Test Points) and Stainless Steel (Extensions) / Screwed BSP Male.....	159		
Double Regulating Variable orifice / Cast Iron / Flanged PN16	160		
Metering Station / Stainless Steel / Wafer Type	160		
Air Release, Single Float / Ductile Iron Body / Flanged PN16.....	160		
Air Release, Double Float / Ductile Iron Body / Flanged PN16	161		
Pressure Vacuum Valve Open Vent / Aluminium, Stainless Steel Trim / Flanged.....	161		
Pressure Vacuum Valve Open Vent / Carbon Steel, Stainless Steel Trim / Flanged.....	161		
Pressure Vacuum Valve Open Vent / Stainless Steel, Stainless Steel Trim / Flanged.....	162		
SIGHT GLASSES			
Sight Glass / Bronze with Pirex Dome / Screwed BSP Female.....	165		
Sight Glass / Bronze with Single Glass Inspection Window / Screwed BSP Female	165		
Sight Glass / Bronze with Glass Dome / Screwed BSP Female.....	165		
Sight Glass / Bronze with Double Glass Inspection Window / Screwed BSP Female	166		
Sight Glass / Bronze with Double Glass Inspection Window / Flanged PN16.....	166		
		Sight Glass / Cast Iron with Double Glass Inspection Window / Flanged PN16.....	167
		Sight Glass / Cast Steel with Double Glass Inspection Window / Flanged PN16.....	167
		Sight Glass / Stainless Steel with Double Glass Inspection Window / Flanged PN16.....	167
SOLENOID VALVES			
Solenoid 2/2 Way Normally Closed / Brass / Screwed BSP Female ..	169		
Solenoid 2/2 Way Normally Open / Brass / Screwed BSP Female ..	169		
Solenoid Valve Normally Closed / Stainless Steel / Screwed BSP	170		
Solenoid Valve Normally Open / Stainless Steel / Screwed BSP	171		
Solenoid Valve Normally Closed / Stainless Steel / Screwed NPT	171		
Solenoid Valve Normally Open / Stainless Steel / Screwed NPT.....	171		
STRAINERS			
Y-Type Strainer / Brass / Screwed BSP Female	173		
Y-Type Strainer / Bronze / Screwed BSP Female.....	173		
Y-Type Strainer / Bronze / Flanged PN16.....	173		
Y-Type Strainer / Stainless Steel / Screwed BSP Female.....	174		
Y-Type Strainer / Stainless Steel / Flanged PN16.....	174		
Y-Type Strainer / Stainless Steel / Flanged ANSI 150 RF	174		
Y-Type Strainer / SG Iron / Screwed BSP Female	175		
Y-Type Strainer / Cast Steel / Flanged PN25/40	175		
Y-Type Strainer / Cast Iron / Flanged PN16.....	175		
Ball, Full Bore / Stainless Steel / PN16/40 Inlet, Slotted Outlet to Suit			
TANKER VALVES			
ANSI 150, Table H, PN16/40	177		
Ball / Stainless Steel / Inlet Flanged with 6 Holes on 168mm PCD, 3" BSP Outlet	177		
Ball, Slotted 4 Hole Outlet / Stainless Steel / Inlet Flanged with 6 Holes on 168mm PCD, Outlet Slotted to Suit ANSI 150, Table D/E, PN16/40	177		
Pneumatic Actuated Ball / Stainless Steel / PN16/40 Inlet, Slotted Outlet to Suit ANSI 150, Table H, PN16/40	178		
Tanker Butterfly / Stainless Steel / Weld Inlet, BSP Outlet	178		
Butterfly / Stainless Steel / Clamped	178		
Butterfly / Stainless Steel / TW80/TW100 Flanged	179		
Butterfly / Stainless Steel / PN16/40 Inlet, Slotted Outlet to Suit ANSI 150, Table H, PN16/40	179		
Pneumatic Actuated Butterfly / Stainless Steel / Clamped	179		
90 Deg Lever Footvalve / Stainless Steel / Inlet Flanged 3 1/2" ANSI 150, Outlet Flanged 3" PN10/40	180		
90 Deg Pneumatic Footvalve / Stainless Steel / Inlet Flanged 5" PN16, Outlet Flanged 4" PN10/16/40	180		
Pressure Relief / Stainless Steel / Screwed BSP	180		
Vacuum Relief / Stainless Steel / Screwed BSP	181		
Pressure/Vacuum Relief / Stainless Steel / Screwed BSP	181		
Pressure/Vacuum Super Maxi Emergency Relief / Stainless Steel / Screwed BSP	182		

MEET THE VALVE CENTER TEAM

Dean Bowden (Managing Director)

Experience: Owner of Valve Center and has spent all of his working life within the valve industry. Experience ranging from the manufacture, testing and machining of valves through to sales and technical backup.

Contact: deanbowden@valvecenter.co.uk Direct Number: 01744 762968

Jason Glover (General Manager)

Experience: Joined Valve Center in 2004 and has over 20 years experience within the petrochemical industry, 17 years dealing with valves and pipework, 11 years specifically within procurement and contracts.

Contact: jasonglover@valvecenter.co.uk Direct Number: 01744 762959

Leanne Wiles (Accounts Manager)

Experience: The last 20 years spent working within a managerial position and the last 10 years more specifically as an accounts manager for Valve Center.

Contact: leannewiles@valvecenter.co.uk Direct Number: 01744 762962

Vicki Davies (Sales Manager)

Experience: Involved in customer service since 2003 and more specifically, for the last 5 years, Vicki has accrued extensive knowledge of valves and pumps.

Contact: vickidavies@valvecenter.co.uk Direct Number: 01744 762967

Andrew Harvey (Sales)

Experience: With 7 years experience in the valve industry and involvement in a customer service experience role prior to that, Andrew is highly knowledgeable in this industry.

Contact: andrewharvey@valvecenter.co.uk Direct Number: 01744 762945

Chris Makin (Sales)

Experience: Chris has worked in sales, customer service and purchasing for almost 14 years and has also gained several relevant qualifications.

Contact: chrismakin@valvecenter.co.uk Direct Number: 01744 762949

Craig Wood (Sales)

Experience: Has had over 12 years of experience dealing directly with customers, the last 6 of them directly from within the valve and pneumatics industry.

Contact: craigwood@valvecenter.co.uk Direct Number: 01744 762948

Colin Ashcroft (Business Development and Customer Service)

Experience: Experience in direct sales and marketing for 2 years. Has been a trade supply specialist for the industrial and commercial sector for a year and has served a 3 year trade apprenticeship.

Contact: colinashcroft@valvecenter.co.uk Direct Number: 01744 762951

Iain Booth (Business Development And Customer Service)

With over 14 years specifying and selling valves, Iain has extensive product knowledge and knows the importance of providing an excellent level of service to ensure our customers are satisfied and will return time and time again.

Contact: iainbooth@valvecenter.co.uk Direct Number: 01744 762957

Marie Cunliffe (Business Development and Customer Service)

Experience: Marie has many years experience dealing with customers and by listening to their comments and suggestions, she has helped improve and provide the service that customers in today's competitive market have come to expect.

Contact: mariecunliffe@valvecenter.co.uk Direct Number: 01744 762956

Ian Costello (Quality Control Goods Inward / Outward)

Experience: Ian's valve knowledge was gained from many years of hands on fitting of valves and pipework and this is coupled with his experience in a high volume despatch environment.

Contact: iancostello@valvecenter.co.uk Direct Number: 01744 762965

Craig Atherton (Apprentice)

Craig is also currently carrying out an apprenticeship provided in conjunction with the local chamber of commerce and we feel he too is a valuable addition to the team.

Contact: craigatherton@valvecenter.co.uk Direct Number: 01744 762955

James Curran (Apprentice)

James is currently carrying out an apprenticeship provided in conjunction with the local chamber of commerce and we feel he is a valuable addition to the team.

Contact: jamescurran@valvecenter.co.uk Direct Number: 01744 762944

VALVE, ACTUATOR TYPES AND BRANDS WE OFFER

As you can see from the list below, with our vast knowledge of the valve industry, Valve Center can supply you any valve type that you require from a comprehensive list of manufacturers. We can also offer direct equivalents to all the named brands. Whilst most of our flanged valves are undrilled, this permits us to drill them to your mating pipework, which as a result, you

the customer can benefit from quick delivery times when long manufacturers lead times are unacceptable. At Valve Center we have in our possession most manufacturers data sheets and drawings, including manufacturers who are no longer trading. This allows us to offer direct equivalents without any deviation.

TYPES

Actuators
Air Eliminator Valves
Air Release Valves
Air Relief Valves
Air Vent Valve
Aluminium Bronze Valves
Angle Gate Valves
Angle Globe Valve
Ap Positioners
Api 6A Ball Valves
Api 6A Gate Valves
Api 6A Swing Check Valves
Assisted Closure Check
Automatic Air Valves
Automatic Recirculation Valve
Back Flow Prevention Valves
Balancing Valves
Ball Disk Check
Ball Float Valves
Ball Valve Cartridge
- Type (Nuclear)
Ball Valves
Bellows
Block & Bleed Valves
Blowdown Valve
Boiler Vent Valve
Bursting Discs
Butterfly Cryogenic
Butterfly Disc Seal Butterfly
Butterfly High Performance
Butterfly Isolating
Butterfly Modulating Butterfly
Butterfly Valves
Bypass Valves
Cable Driven, Valve
Operators
Cartridge Type (Nuclear)
Cavity Filled Ball Valves
Ceramic Ball Valves
Chainwheel Operators
Chainwheels
Changeover Valves
Check Valves
Choke Valves
Conduit Gate Valve
Control Valve Butterfly
Control Valves
Couplings
Cryogenic Valves
DBB Valves
De-Superheater Valves
Diaphragm Valve Full Bore
Diaphragm Valves
Divertors
Double Seat Valve
Duct Isolator
Eccentric Plug Valve
El Positioners
Electric Actuator
Equilibrium Float Valves
Fieldbus Valves
Filters
Fire Fighting Valves
Flame Arrestors
Float Valves Flow
Control - Self Acting
Flow Control Valves
Foot Valves
Full Bore Ball Valves
- Multi Ported
Gas Duct Isolator
Gas Regulators
Gate Valves
Gauge Valves
Gearboxes
Geared Manual Overrides
Globe Valves
High Pressure
- Compact Valves
Hydrant Valves
Hydraulic Actuator
Hydraulic Cylinders
Hydraulic Power Units
Hygenic Fitting
Hygienic Valves
I To P Convertors
Iris Valve
Knife Gate Valves
Lagging Extensions

Level Controllers

Two Piece Ball Valves

Union Bonnet Gate Valves
Union Bonnet Globe Valves
Vacuum Air/Relief Valve
Vacuum Relief Valves
Valve Accessories
Valve Islands
Valve Service And Repairs
Valve Stem Extensions
And Pedestals
Valve Testing And
- Repair Facilities
Valves Interlocks
Vulcanised Rubber
- Lined Butterfly
Wafer Ball Valve
Wafer Check
Wafer Spring Disc Check
Wafer Swing Check
Wafer Twin Plate Check
Wedge Gate Valve
Weir Type Diaphragm Valve
Wellhead Valves
WRAS Approved Valves

BRANDS

Abacus
ABB
Abco
ACS
Actol
Adanac
Adareg
Advanced Component - Technology
Advanced Valve
AGI
Airpel
Aker
Alico
Alcon
Alexander Controls
Aloyco
Amal
Amri
Anderson Greenwood
APL
Apollo
Aqua Gas
Ari Armaturen
Armstrong
Asco Joucomatic
Ashcroft
Ashford Controls
Atlantic
Attwood & Morrill
Audco
Auld
Auma
Autamax
Avid Controls
AVK
Awf Badotherm
Bailey
Barton
Batley
Baumann
Bel
Bernard
Bestobell
Bettis
Biffi
Bifold
Birkett
BIS
Biwater
Blackhall
Blakeborough
Boa
Bonney Forge
Boss
Bossmatic
Bradford
Bray
Broady
Brooksbank
Brownall
Burbach
Buschjost
Burkett
C&H

Cald

Cameron
Captight
Cash Acme
Centerline
Charles Winn
Checksite
Chemat
Circa
CMO
Colson
Conbraco
Concentric
Consolidated
Constaflo
Con-Tek
Crane
Crane Stockham
Crosby
CRP
Dantorque
Davis
Dayco
Delta
Demco
Depa
Descoete
Dewrance
Deurzic
Diamond
Douglas Chero
DPL
Dresser
Duo-Chek
Durco
Dynafluid
Dynamatorque
Ebro
Etrade
Eckardt
Econosto
Elmac
Elomatic
Elram
Elro
Emerson
Esmé
Eurocheck
Exeeco
Fairy Arlon
Farris
Fasani
FCT
Fisher
Fivalco
Flocheck
Flowguard
Flowseal
Flowserve
Flow-Tek
Fluval
FMC
Forac
Fort Vale
Foxboro
Gemü
Gestra
Giflo
Girdlestone
Glynwed
Goodwin
Gresswell
Grove
Guest And Chri
Gulde
Hancock
Hattersley
Heap & Partners
Helden
Herion
HHH
I-Flow
Hindle
Hindle Cockburn
HobBS
Holmes
Honeywell
Hopkinsons
HS Pipequipmen
Hytronic
ICIGD

Imi Marston

Induchem
Ingersoll
Interval
Introl
Invensys
Iprism
Ipsco
Isis
Isoria
IVL
Jamesbury
Jaymac
JC
John Mills
Johnson Valves
Jordan Controls
Kenmac
Kent
Kent Introl
Keystone
Kinetrol
Kings Control
Kitz
Klein
Klinger
Kortings
Koso
KSV
KTM
Landon Kingswa
Leeds Valve
Leengate
Legri
Leibfried
Leser
Lg Valves
Linatex Ltd
LVF
Mac
Maga Controls
Magnatrol
Maher
Mars
Marston
Martonaïr
Marvac
Masoneilan
Mastergear
Maxseal
Mead
Metso
Midland
Miller Dennis
Morin
Nabic
Narvik
Navco
Neles
Neotech
Neway
Norbro
Norgren
Nori
Northvale Korti
Norval
Noz-Chek
Nuflo
Ogden
Oliver Valves
Omal
Omb
Omnitron
Opperman
Orbinox
Orbit
Orseal
Orton
Pacific
Pakscan
Paladon
Palmstierans
Parker
Pegler
Pekos
Pepperl And Fu
Peter Paul
Peter Smith
Petreco
Plenty
Pul

Pneucon
Part 6

Posi-Seal
Pro-Gear
Pro-Kits
Pro Qui P
Quifer
Red Hat
Reiss
Remote Control
Revo
Rhodes
Ring
Roban
Rotolok
Rotork
Saint Gobain
Sapag
Sarasin
Saturn
Saunders
Score
Seetu
Sempell
Serkac Audco
Severn
Shafer
Shaw
Shipham
Sicca
Siemens
Sifam
Simtrol
Sipos
Sirai
Sits
Solent & Pratt
Sperryn
Spiraflo
Spiratec
Spirax Sarco
Sris
Taffa
Standfast
Stockham
Taylor
Taylor Shaw
Texsteam
Thompson
TK
Tom Wheatley
Tomeo
Trelleborg
Triangle
Truflo
TT Valves
Tyco
UCC
Uni-Chek
Valpese
Valtac
Valtek
Valvecare
Valvtechnologies
Valvtron
Vanessa
Varec
Velan
Vigilant
Viking Johnson
Voss
Wade
Warren Morris
Wask
Weir
Wemco
Westlock
Wheatley
Whessoe
Winn
WKM
Worcester
Wouter Witzel
Xomox
Yarway
Young And Cunn
Zimmerman
Zwicky

ACTUATORS

Valve Center are experts in actuation and currently have over 1000 actuators available from stock. We are able to offer a huge variety of types and brands of actuator. We can specify the correct actuator for your application and have the facilities to either directly mount onto your valve or via extension spindles or extension pedestals. Quarter turn, multi-turn, open/close or fully modulating applications are all within our standard portfolio.

Supply

Valve Center are able to supply a huge range of actuators, switchboxes, position indicators, gearboxes, mounting kits, locking levers, spring return levers, chain wheels, interlocks and extension spindles to suit your requirements. Mounting kits and drive bushes can also be manufactured to suit specific requirements.

Types

Pneumatic, electric and hydraulic actuators are normal stock for Valve Center along with a huge range of mounting kits and gear boxes for multi-turn actuation or manual applications. Atex compliant electric and pneumatic actuators, switchboxes, solenoids and position indicators are held in stock. As well as the

ABB	George Fischer	Ozbekoglu
Actol	GF	Petras
Actreg	Greatork	Prisma
Air Torque	Gruner	Promotion Engineering
Airtechnics	Habonim	Raco
Alltorq	Hansen Corporation	Regada
Arca	Hoerbiger	Richter
Ari Armaturen	Hoke	RoPo Automation
Aris	Honeywell	Rotork
Asahi/Amrica	Hytork	RTK
Auma	IMG	Safi
AWH	Indelac Controls	Sanzhou
Az Armaturen	Interapp	Sauer Danfoss
Becker	ITT	Schisher
BEE	J+J	Schneider
Belimo	Jamesbury	Shafer
Bernard	John-Valve	Siemens
Bettis	KCT	Sinpous
Biar	Kempster Engineering	Sipos Aktorik
Bray Controls	Keystone	Socla
Burkert	Kieback&Peter	Somas
Clark	Kinetrol	Spartan
Clorius	KS8	Sun Yeh
Conbraco	KZ Valve	TA-Roloff
Copes-Vulcan	Masoneilan	Tech-Valves
Damcos	Maximator	Tomoe
Danfoss	Meca-inox	Top Line
DVC	Metso Automation	Tork
Ebro Armaturen	Micatone	Trend
Eckart	Moog	Tyco
Elodrive	Netherlocks	Unipower
El-O-Matic	Nibco	Valpes
Elram	Norbros	Valtork
Elster	Nordson	
Field Q	Numatics	
Fisher	Nutork	
Flowserve	Oden Control AB	
Gemu	Omal	

standard double acting and spring return pneumatic and hydraulic actuators, we also are able to supply true spring return electric actuators and electric actuators with battery backup.

Assembly

We have the facilities to directly mount actuators, ancillaries and gearboxes to valves. We also have facilities to manufacture mounting kits, drive bushes and extension spindles for below ground applications. All of this can be done in any material and on short time scales.

Testing

Once valves and actuators are assembled it is standard procedure to test them to ensure they fully open and close and that any switches and position indicators perform as they should.

Brands

We can supply any brand of actuator and listed below is a list of the more common names we offer. We can also offer direct equivalents to many of these makes.



valve repair, test & certification


As well as supplying an enormous range of valves and related equipment, did you know that Valve Center offer a valve overhaul and testing service?

We can repair many types including parallel slide valve, gate and globe valves, ball valves and boiler equipment. Pressure relief valves can be refurbished, re-set and tested and the appropriate certification provided.

In most cases refurbishment can be a more cost effective option to buying new but Valve Center can assess your equipment and if a replacement is a more sensible option, we can advise and quote you for a new valve. Visit www.valvecenter.co.uk for more information on this and other services we offer. Alternatively, contact the office on 0844 69 333 49 or by email to sales@valvecenter.co.uk

On-site service: If you have a valve on-site that you need to replace and cannot identify specific details, we are able to provide an on-site service to properly identify what you require and then provide a like-for-like replacement without any need to modify your pipework.

Emergency contact number: We can be contacted out of our normal working hours, 365 days a year. If it's to access our stock, assistance on site or technical support, call 07860 947511.



GENERAL TERMS

Colours and designs may vary from the items shown in the catalogue.

Full Valve Center Limited terms and conditions apply, in addition to the specific terms detailed below.

Pricing

All prices shown are list prices in GBP and may be subject to a discount. Prices are based on stock availability and carriage charges and VAT are additional to the prices shown. Goods will be charged at rates in force on the date of despatch. We reserve the right to change our prices within the catalogue or on quotations at any time without prior notice.

Delivery

Delivery charges will be based upon the size and weight of packed goods and the geographical location of the delivery address. Generally, delivery to the UK mainland is charged at the rates below with the exception of inner London, deliveries to Ireland, Scotland and its islands. Overseas will be priced separately. Please contact the office to enquire.

Total consignment weight up to 25kg at £12.50

Total consignment weight up to 250kg at £45.00

Losses or damages

Shortages or damages should be reported to Valve Center in writing within 5 working days of the receipt of goods or in the case of losses, the delivery date detailed on the Valve Center order acknowledgement.

Cancellations or returns

If you wish to cancel any order, please contact the office immediately. Orders will be acted upon as quickly as possible and we reserve the right to charge a cancellation fee should work already be carried out. In the event of a return, written confirmation must be obtained from Valve Center prior to returning any goods. Goods must be returned at the customers expense and a restocking fee will be applied by Valve Center. Valve Center will not credit or refund orders if delivery of goods are refused or goods are returned without prior confirmation.

Payment

Valve Center standard payment terms for account holders are 30 days nett payment from the end of the month. In order to open an account, please contact the office.

Payment can also be made by credit / debit card.



Copyright © 2012 by Valve Center Ltd

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form by any means, electronic, photocopying, recording, or otherwise, without prior written permission. Whilst every effort has been made to verify the correctness of the information and data herein, Valve Center Ltd do not hold themselves responsible for any inaccuracies.





INDUSTRIAL VALVE STOCKIST, ACTUATORS & RELATED EQUIPMENT

**Customer service is paramount,
but don't just take our word for it**

"I've been dealing with Valve Center since 1998. I can honestly say that over the years I have found them to be a very reliable company. When ever I have a valve enquiry I have found them to be knowledgeable and helpful. I would have no problems in recommending Valve Center to anyone in the industry." — *Carl, British Nuclear Fuels (B.N.F.L.)*





BALL FLOAT VALVES

Float Valve, High Pressure / Brass / Screwed BSP 3
Equilibrium Float Valve / Gunmetal / Screwed BSP 3-4
Float Valve / Stainless Steel / Screwed BSP Male 4

Float Valve, Straight / Cast Iron / Flanged PN16 4
Float Valve, Straight Pattern / Gunmetal / Flanged PN16 5
Float Valve, Straight Pattern / Gunmetal / Flanged Table D 5



BALL FLOAT VALVES

FLOAT VALVE, HIGH PRESSURE / BRASS / SCREWED BSP

VC284



SIZE	PRICE	ARM LENGTH MM	WEIGHT KG	FLOAT SIZE
1/2"	£12.11	220	0.39	4 1/2"
3/4"	£47.31	325	0.9	6"
1"	£132.42	400	1.93	8"
1 1/4"	£299.93	565	4.33	10"
1 1/2"	£331.25	565	4.4	10"
2"	£491.04	725	7.99	12"

Please call the sales team for your discount on this product

VALVE TYPE	Float Valve, High Pressure
BODY MATERIAL	Brass
END CONNECTION	Screwed BSP
OPERATION	Plastic Float
OTHER	WRAS Approved

Full specification sheet available on request

FLOAT VALVE, HIGH PRESSURE / BRASS / SCREWED BSP

VC285



SIZE	PRICE	ARM LENGTH MM	WEIGHT KG	FLOAT SIZE
1/2"	£30.78	220	0.39	4 1/2"
3/4"	£71.57	325	0.9	6"
1"	£152.57	400	1.93	8"
1 1/4"	£314.82	565	4.33	10"
1 1/2"	£346.14	565	4.4	10"
2"	£516.81	725	7.99	12"

Please call the sales team for your discount on this product

VALVE TYPE	Float Valve, High Pressure
BODY MATERIAL	Brass
END CONNECTION	Screwed BSP
OPERATION	Copper Float
OTHER	WRAS Approved

Full specification sheet available on request

EQUILIBRIUM FLOAT VALVE / GUNMETAL / PLASTIC FLOAT / BSP

VC286



SIZE	PRICE	ARM LENGTH MM	WEIGHT KG	FLOAT SIZE
1"	£226.13	252	1.63	8"
1 1/4"	£448.50	270	3.4	10"
1 1/2"	£468.03	270	3.64	10"
2"	£780.08	278	5.98	12"

Please call the sales team for your discount on this product

VALVE TYPE	Equilibrium Float Valve
BODY MATERIAL	Gunmetal
END CONNECTION	Screwed BSP
OPERATION	Plastic Float
OTHER	WRAS Approved

Full specification sheet available on request

EQUILIBRIUM FLOAT VALVE / GUNMETAL / COPPER FLOAT / BSP
VC287


SIZE	PRICE	ARM LENGTH MM	WEIGHT KG	FLOAT SIZE
1"	£246.27	252	1.63	8"
1 1/4"	£463.40	270	3.4	10"
1 1/2"	£482.93	270	3.64	10"
2"	£805.85	278	5.98	12"
2 1/2"	£925.94	475	6.18	12"
3"	£1,525.34	500	8.8	14"
4"	£1,977.09	525	12.2	15"
6"	£3,931.91	575	24.5	16"

Please call the sales team for your discount on this product

VALVE TYPE	Equilibrium Float Valve
BODY MATERIAL	Gunmetal
END CONNECTION	Screwed BSP
OPERATION	Copper Float
OTHER	WRAS Approved

Full specification sheet available on request

FLOAT VALVE / STAINLESS STEEL / SCREWED BSP MALE
VC288


SIZE	PRICE	ARM LENGTH MM	WEIGHT KG
1/2"	£330.65	410	0.07
3/4"	£420.17	500	1
1"	£496.95	580	1.3
1 1/4"	£531.23	580	1.8
1 1/2"	£842.99	620	2.8
2"	£967.43	720	3.4

Please call the sales team for your discount on this product

VALVE TYPE	Float Valve
BODY MATERIAL	Stainless Steel
END CONNECTION	Screwed BSP Male
RATED	10 Bar
OPERATION	Stainless Steel Float

Full specification sheet available on request

FLOAT VALVE, STRAIGHT / CAST IRON / FLANGED PN16
VC289


SIZE	PRICE	ARM LENGTH MM	WEIGHT KG
2"	£1,067.86	230	15.3
2 1/2"	£1,237.95	290	25.2
3"	£1,452.15	310	32.9
4"	£2,063.25	350	50.5
5"	£2,698.05	400	78
6"	£3,388.50	480	104
8"	£6,045.00	600	174

Please call the sales team for your discount on this product

VALVE TYPE	Float Valve, Straight. Angle pattern available, please enquire
BODY MATERIAL	Cast Iron
END CONNECTION	Flanged PN16, we also keep this item undrilled
SEAT/SEAL	EPDM
RATED	10 Bar
OPERATION	Complete with Float

Full specification sheet available on request

The above items are from Valve Center's standard range. Please contact us on 01744 759460 if you can't find what you are looking for.

BALL FLOAT VALVES

FLOAT VALVE, STRAIGHT PATTERN / GUNMETAL / FLANGED PN16

VC400



SIZE	PRICE	ARM LENGTH MM	WEIGHT KG
3/4"	£196.65	330	On Request
1"	£264.95	406	On Request
1 1/4"	£311.73	432	On Request
1 1/2"	£413.18	457	On Request
2"	£750.18	483	On Request
2 1/2"	£1,405.03	508	On Request
3"	£1,971.43	533	On Request
4"	£2,974.25	584	On Request

Please call the sales team for your discount on this product

VALVE TYPE	Float Valve, Straight Pattern
BODY MATERIAL	Gunmetal
END CONNECTION	PN16
SEAT/SEAL	Rubber
RATED	5 Bar
OPERATION	Complete with Copper Float
OTHER	Full Bore

Full specification sheet available on request

FLOAT VALVE, STRAIGHT PATTERN / GUNMETAL / FLANGED TABLE D

VC401



SIZE	PRICE	ARM LENGTH MM	WEIGHT KG
2 1/2"	£1,035.95	483	On Request
3"	£1,617.38	508	On Request
4"	£2,290.15	533	On Request
6"	£3,838.55	584	On Request

Please call the sales team for your discount on this product

VALVE TYPE	Float Valve, Straight Pattern
BODY MATERIAL	Gunmetal
END CONNECTION	Table D
SEAT/SEAL	Rubber
RATED	10 Bar
OPERATION	Complete with Copper Float
OTHER	Full Bore

Full specification sheet available on request



Visit our Website
www.valvecenter.co.uk

The above items are from Valve Center's standard range. Please contact us on 01744 759460 if you can't find what you are looking for.

BALL VALVES

Ball Float Valves.....	3
Float Valve, High Pressure / Brass / Screwed BSP.....	3
Equilibrium Float Valve / Gunmetal / Plastic Float / BSP	3
Equilibrium Float Valve / Gunmetal / Copper Float / BSP	4
Float Valve / Stainless Steel / Screwed BSP Male.....	4
Float Valve, Straight / Cast Iron / Flanged PN16	4
Float Valve, Straight Pattern / Gunmetal / Flanged PN16	5
Float Valve, Straight Pattern / Gunmetal / Flanged Table D	5
Ball Valves	7
Ball, Full Bore / Brass Nickel Plated / Screwed BSP Female	7
Ball, Full Bore / Brass Nickel Plated / Screwed NPT Female	7
Ball, Full Bore / Brass Nickel Plated / Screwed BSP Male/Female.....	7
Ball, Full Bore / Brass Nickel Plated / Screwed BSP Male/Male.....	8
Ball / Brass Nickel Plated / BSP Female / Butterfly Handle	8
Ball, Full Bore / Brass Nickel Plated / BSP Male/Female /	
Butterfly Handle	8
Ball, Full Bore / Brass Nickel Plated / BSP Male/Male / Butterfly Handle	9
3-Way Ball, Reduced Bore / Brass Nickel Plated / Screwed BSP Female ..	9
Ball / Brass Nickel Plated / BSP Female / ISO Pad	9
Ball, 3-Way, Red Bore / Brass Nickel Plated / BSP Female / ISO Pad ..	10
Ball, Full Bore / Brass Nickel Plated / BSP Female / Gas Approved ..	10
Ball, Full Bore / Brass Nickel Plated / BSP Female / Gas &	
WRAS Approved	10
Ball, Full Bore / Brass Nickel Plated / BSP Female / Gas &	
WRAS Approved	11
Ball, Full Bore / Brass Nickel Plated / BSP Female / Lockable	11
Ball, Full Bore / Brass Nickel Plated / BSP Male/Female / Gas &	
WRAS Approved	11
Ball Full Bore / Brass Nickel Plated / BSP Male / Gas & WRAS Approved	12
Ball, Full Bore / Brass Nickel Plated / BSP Male/Female / Butterfly Handle, Gas & WRAS.....	12
Ball, Full Bore, 2-Piece / Bronze, S/S Ball / Screwed BSP Female ..	12
Ball, Full Bore, 2-Piece / Bronze, S/S Ball / Screwed NPT Female.....	13
Ball, 2-Piece, Full Bore / Bronze, Chromed Brass Ball / Screwed BSP...	13
Ball, 2-Piece, Full Bore / Bronze, Stainless Steel Ball and Stem /	
Flanged PN16.....	13
Ball, 1-Piece, Reduced Bore / Stainless Steel / Screwed BSP	14
Ball, 2-Piece, Full Bore / Stainless Steel / Screwed BSP.....	14
Ball, 2-Piece, Full Bore / Stainless Steel / Screwed NPT	14
Ball, 2-Piece, Full Body / Stainless Steel / Screwed BSP Male / Female..	15
Ball, 3-Piece, Full Bore / Stainless Steel / Screwed BSP.....	15
Ball, 3-Piece, Full Bore / Stainless Steel / Socket Weld.....	15
Ball, 3-Piece, Full Bore / Stainless Steel / Butt Weld	16
Ball, 3-Way, Reduced Bore / Stainless Steel / Screwed BSP	16
Ball, 3-Piece, Full Bore, Bar shaft / Stainless Steel / BSP / ISO Pad ..	16
Ball, 2-Piece, Full Bore / Stainless Steel / BSP / Spring Close Lever.....	17
Ball, Full Bore, 210 Bar / Stainless Steel / Screwed BSP.....	17
Ball, Full Bore, -20 to +210 Deg C / Stainless Steel / Screwed BSP	17
Ball, 3-Piece, Full Bore, -20 to +175 Deg C / Stainless Steel / BSP / NPT /	
Socket Weld	18
Ball, Wafer, Full Bore, -20 to +210 Deg C / Stainless Steel / PN16 or	
ANSI 150	18
Ball, Full Bore, 2-Piece / Stainless Steel / Flanged PN16	18
Ball, Full Bore, 2-Piece Direct Mount / Stainless Steel / Flanged PN16 ..	19
Ball, Full Bore, 2-Piece / Stainless Steel / Flanged ANSI 150.....	19
Ball, 3-Way / Stainless Steel / Flanged PN16	19
Ball, 3-Way / Stainless Steel / Flanged ANSI 150.....	20
Ball, Wafer / Cast Iron, S/S Ball / Flanged PN16	20
Ball / Ductile Iron, Chromed Ball / Flanged PN16.....	20
Ball / Ductile Iron, S/S Ball / Flanged PN16	21
Ball 3-Way / Cast Iron, S/S Ball / Flanged PN16	21
Ball, Full Bore, 210 Bar / Carbon Steel A105, Stainless Steel Trim /	
Screwed BSP	21
Ball, Full Bore, -20 to +210 Deg C / Carbon Steel A105, Stainless Steel Trim /	
Screwed BSP	22
Ball, 3-Piece, -20 to +175 Deg C / Carbon Steel, Stainless Steel Trim /	
Screwed BSP	22
Ball, Wafer Pattern / Carbon Steel, Brass Ball / Flanged PN16	22
Ball, Wafer Pattern / Carbon Steel, Stainless Steel Ball / Flanged PN16 ..	23
Ball, Wafer Pattern / Carbon Steel, Stainless Steel Ball / Flanged	
ANSI 150	23
Ball, Wafer Pattern / Carbon Steel, Stainless Steel Ball / Flanged PN40	23
Ball, Full Bore / Carbon Steel / Flanged PN16	24
Ball, Full Bore / Carbon Steel / Flanged PN40	24
Ball, Full Bore / Carbon Steel / Flanged ANSI 150	24
Ball, Full Bore / Carbon Steel / Flanged ANSI 300	25
3-Way Ball / Cast Steel WCB / Flanged ANSI 150	25
Pneumatic Actuated Ball / Brass Nickel Plated / BSP Female /	
Double Acting	25
Pneumatic Actuated Ball / Brass Nickel Plated / BSP Female /	
Spring Return	26
Electric Actuated Ball / Brass Nickel Plated / Screwed BSP Female ..	26
Pneumatic Actuated Ball 3-Way / Brass Nickel Plated / BSP Female /	
Double Acting	26
Pneumatic Actuated Ball 3-Way / Brass Nickel Plated / BSP Female /	
Spring Return	27
Pneumatic Actuated Ball / Stainless Steel / BSP Female /	
Double Acting	27
Pneumatic Actuated Ball / Stainless Steel / BSP Female /	
Spring Return	27
Electric Actuated Ball 3-Piece / Stainless Steel / Screwed BSP Female ..	28
Pneumatic Actuated Ball 3-Way / Stainless Steel / BSP Female /	
Double Acting	28
Pneumatic Actuated Ball 3-Way / Stainless Steel / BSP Female /	
Double Acting	29
Pneumatic Actuated Ball / Stainless Steel / Flanged PN16 /	
Double Acting	29
Pneumatic Actuated Ball / Stainless Steel / Flanged PN16 /	
Spring Return	29
Pneumatic Actuated Ball / Stainless Steel / Flanged ANSI 150 /	
Double Acting	29
Pneumatic Actuated Ball / Stainless Steel / Flanged ANSI 150 /	
Spring Return	30
Electric Actuated Ball / Stainless Steel / Flanged PN16	30
Electric Actuated Ball / Stainless Steel / Flanged ANSI 150	30
Pneumatic Actuated Ball 3-Way / Stainless Steel / Flanged PN16 /	
Double Acting	31
Pneumatic Actuated Ball 3-Way / Stainless Steel / Flanged PN16 /	
Spring Return	31
Electric Actuated Ball 3-Way / Stainless Steel / Flanged PN16,	
ANSI 150 Available	31
Pneumatic Actuated Ball 3-Way / Cast Iron, S/S Ball / Flanged PN16 /	
Double Acting	32
Pneumatic Actuated Ball 3-Way / Cast Iron, S/S Ball / Flanged PN16 /	
Spring Return	32
Electric Actuated Ball 3-Way / Cast Iron, S/S Ball / Flanged PN16 ..	32
Pneumatic Actuated Ball / Cast Iron, Chrome Ball / Flanged PN16 /	
Double Acting	33
Pneumatic Actuated Ball / Cast Iron, Chrome Ball / Flanged PN16 /	
Spring Return	33
Electric Actuated Ball / Cast Iron, Chrome Ball / Flanged PN16 ..	33
Electric Actuated Ball / Cast Iron, S/S Ball / Flanged PN16	33

BALL VALVES

BALL, FULL BORE / BRASS NICKEL PLATED / SCREWED BSP FEMALE

VC1



SIZE	PRICE	LENGTH MM	WEIGHT KG
1/4"	£5.30	42	0.1
3/8"	£5.82	44	0.12
1/2"	£5.11	48	0.14
3/4"	£7.74	58	0.25
1"	£11.08	69	0.39
1 1/4"	£17.29	80	0.6
1 1/2"	£24.18	91	0.81
2"	£37.51	108	1.35
2 1/2"	£78.36	130	2.21
3"	£115.47	150	3.56
4"	£226.80	182	5.9

Please call the sales team for your discount on this product

VALVE TYPE	Ball, Full Bore
BODY MATERIAL	Brass Nickel Plated
END CONNECTION	Screwed BSP Female
SEAT/SEALS	PTFE
RATING	1/4" – 1/2"PN40, 3/4" – 1"PN32, 1 1/4" – 2 1/2"PN25, 3" – 4"PN16
OPERATION	Lever
OTHER	WRAS Approved

Full specification sheet available on request

BALL, FULL BORE / BRASS NICKEL PLATED / SCREWED NPT FEMALE

VC3



SIZE	PRICE	LENGTH MM	WEIGHT KG
1/4"	£7.60	45	0.14
3/8"	£7.60	45	0.14
1/2"	£8.07	60	0.19
3/4"	£11.88	67	0.4
1"	£16.57	80	0.58
1 1/2"	£38.04	98	1.42
2"	£55.32	112	2.18
3"	£233.04	171	3.4
4"	£388.68	206	8.84

Please call the sales team for your discount on this product

VALVE TYPE	Ball, Full Bore
BODY MATERIAL	Brass Nickel Plated
END CONNECTION	Screwed NPT Female
SEAT/SEALS	PTFE
RATED	PN40
OPERATION	Lever
OTHER	WRAS Approved

Full specification sheet available on request

BALL, FULL BORE / BRASS NICKEL PLATED / SCREWED BSP MALE/FEMALE

VC4



SIZE	PRICE	LENGTH MM	WEIGHT KG
1/4"	£6.69	45	0.1
3/8"	£7.26	48	0.12
1/2"	£6.75	55	0.14
3/4"	£10.20	65	0.25
1"	£14.51	77	0.39
1 1/4"	£23.48	87	0.6
1 1/2"	£33.33	101	0.81
2"	£50.94	117	1.35
2 1/2"	£109.62	136	2.21
3"	£163.71	157	3.56
4"	£279.30	189	5.9

Please call the sales team for your discount on this product

VALVE TYPE	Ball, Full Bore
BODY MATERIAL	Brass Nickel Plated
END CONNECTION	Screwed BSP Male/Female
SEAT/SEALS	PTFE
RATED	1/4" – 1/2"PN40, 3/4" – 1"PN32, 1 1/4" – 2 1/2"PN25, 3" – 4"PN16
OPERATION	Lever
OTHER	WRAS Approved

Full specification sheet available on request

The above items are from Valve Center's standard range. Please contact us on 01744 759460 if you can't find what you are looking for.

BALL, FULL BORE / BRASS NICKEL PLATED / SCREWED BSP MALE/MALE
VC12


SIZE	PRICE	LENGTH MM	WEIGHT KG
1/2"	£10.56	71	0.23
3/4"	£16.04	82	0.35
1"	£23.82	98	0.59
1 1/4"	£39.00	108	0.94
1 1/2"	£55.04	122	1.17
2"	£84.80	146	1.87

Please call the sales team for your discount on this product

VALVE TYPE	Ball, Full Bore
BODY MATERIAL	Brass Nickel Plated
END CONNECTION	Screwed BSP Male/Male
SEAT/SEALS	PTFE
RATED	1/2"PN64, 3/4"-2"PN40
OPERATION	Lever
OTHER	WRAS Approved

Full specification sheet available on request

BALL / BRASS NICKEL PLATED / BSP FEMALE / BUTTERFLY HANDLE
VC2


SIZE	PRICE	LENGTH MM	WEIGHT KG
1/4"	£5.29	38	0.1
3/8"	£9.70	42	0.12
1/2"	£5.11	48	0.14
3/4"	£7.74	57	0.25
1"	£11.08	69	0.39

Please call the sales team for your discount on this product

VALVE TYPE	Ball
BODY MATERIAL	Brass Nickel Plated
END CONNECTION	Screwed BSP Female
SEAT/SEALS	PTFE
RATING	1/4"-1/2"PN40, 3/4"-1"PN32
OPERATION	Butterfly Handle
OTHER	WRAS Approved

Full specification sheet available on request

BALL, FULL BORE / BRASS NICKEL PLATED / BSP MALE/FEMALE / BUTTERFLY HANDLE
VC5


SIZE	PRICE	LENGTH MM	WEIGHT KG
1/4"	£6.75	45	0.1
3/8"	£7.26	48	0.12
1/2"	£6.75	55	0.14
3/4"	£10.20	65	0.25
1"	£14.51	77	0.39

Please call the sales team for your discount on this product

VALVE TYPE	Ball, Full Bore
BODY MATERIAL	Brass Nickel Plated
END CONNECTION	Screwed BSP Male/Female
SEAT/SEALS	PTFE
RATED	1/4"-1/2"PN40, 3/4"-1"PN32
OPERATION	Butterfly Handle
OTHER	WRAS Approved

Full specification sheet available on request

The above items are from Valve Center's standard range. Please contact us on 01744 759460 if you can't find what you are looking for.

BALL VALVES

BALL, FULL BORE / BRASS NICKEL PLATED / BSP MALE/MALE / BUTTERFLY HANDLE

VCI3



SIZE	PRICE	LENGTH MM	WEIGHT KG
1/2"	£10.56	71	0.23
3/4"	£16.04	82	0.35
1"	£23.82	98	0.59

Please call the sales team for your discount on this product

VALVE TYPE	Ball, Full Bore
BODY MATERIAL	Brass Nickel Plated
END CONNECTION	Screwed BSP Male/Male
SEAT/SEALS	PTFE
RATED	1/2"PN64, 3/4" – 1"PN40
OPERATION	Butterfly Handle
OTHER	WRAS Approved

Full specification sheet available on request

3-WAY BALL, REDUCED BORE / BRASS NICKEL PLATED / SCREWED BSP FEMALE

VCI1



SIZE	PRICE	LENGTH MM	WEIGHT KG
1/4"	£43.40	77	0.74
3/8"	£43.40	77	0.68
1/2"	£43.40	77	0.67
3/4"	£65.93	92	1.13
1"	£93.81	104	1.7
1 1/4"	£137.00	118	2.3
1 1/2"	£204.17	138	3.7
2"	£306.27	162	6
2 1/2"	£450.32	194	6.8
3"	£575.64	202	7.2

Please call the sales team for your discount on this product

VALVE TYPE	3-way Ball, Reduced Bore
BODY MATERIAL	Brass Nickel Plated
END CONNECTION	Screwed BSP Female
SEAT/SEALS	PTFE
RATED	PN40
OPERATION	Lever
OTHER	L or T port available

Full specification sheet available on request

BALL / BRASS NICKEL PLATED / BSP FEMALE / ISO PAD

VCI4



SIZE	PRICE	LENGTH MM	WEIGHT KG	TORQUE
1/4"	£18.66	46	0.25	4 NM
3/8"	£18.66	46	0.24	4 NM
1/2"	£18.84	59	0.29	4.24 NM
3/4"	£24.81	69	0.43	4.8 NM
1"	£34.74	83	0.69	8 NM
1 1/4"	£56.00	94	1.02	11.5 NM
1 1/2"	£74.54	102	1.35	18 NM
2"	£111.36	124	2.15	22 NM
2 1/2"	£295.32	141	3.4	30 NM
3"	£372.92	159	5.3	30 NM
4"	£661.20	193	8.15	36 NM

Please call the sales team for your discount on this product

VALVE TYPE	Ball
BODY MATERIAL	Brass Nickel Plated
END CONNECTION	Screwed BSP Female
SEAT/SEALS	PTFE
OPERATION	Direct Mount ISO Connection
OTHER	WRAS Approved

Full specification sheet available on request

BALL, 3-WAY, RED BORE / BRASS NICKEL PLATED / BSP FEMALE / ISO PAD
VC15


SIZE	PRICE	LENGTH MM	WEIGHT KG
1/2"	£89.66	82	0.7
3/4"	£99.54	90	1.13
1"	£122.78	106	1.7
1 1/4"	£162.00	120	2.3
1 1/2"	£273.38	142	3.7
2"	£362.87	165	6
2 1/2"	£741.63	194	6.8

Please call the sales team for your discount on this product

VALVE TYPE	Ball, 3-way, Red Bore
BODY MATERIAL	Brass Nickel Plated
END CONNECTION	Screwed BSP Female
SEAT/SEALS	PTFE
OPERATION	Direct Mount ISO Connection
OTHER	L and T Port available

Full specification sheet available on request

BALL, FULL BORE / BRASS NICKEL PLATED / BSP FEMALE / GAS APPROVED
VC16


SIZE	PRICE	LENGTH MM	WEIGHT KG
1/4"	£12.54	50	0.21
3/8"	£12.54	60	0.21
1/2"	£15.44	75	0.33
3/4"	£22.29	80	0.5
1"	£30.47	90	0.84
1 1/4"	£44.00	110	1.2
1 1/2"	£57.68	120	1.64
2"	£91.05	140	2.67

Please call the sales team for your discount on this product

VALVE TYPE	Ball, Full Bore
BODY MATERIAL	Brass Nickel Plated
END CONNECTION	Screwed BSP Female
SEAT/SEALS	PTFE
OPERATION	Locking Lever, (Padlock Not Included)
OTHER	Gas Approved

Full specification sheet available on request

BALL, FULL BORE / BRASS NICKEL PLATED / BSP FEMALE / GAS & WRAS APPROVED
VC6


SIZE	PRICE	LENGTH MM	WEIGHT KG
1/2"	£4.73	57	0.16
3/4"	£7.13	65	0.27
1"	£10.25	79	0.41
1 1/4"	£16.00	89	0.62
1 1/2"	£23.70	98	0.87
2"	£35.45	120	1.5
2 1/2"	£78.36	126	2.03
3"	£115.47	147	3.72
4"	£226.80	177	5.98

Please call the sales team for your discount on this product

VALVE TYPE	Ball, Full Bore
BODY MATERIAL	Brass Nickel Plated
END CONNECTION	Screwed BSP Female
SEAT/SEALS	PTFE
RATED	1/2"PN40, 3/4"-1"PN32, 1 1/4"-2 1/2"PN25, 3"-4"PN16
OPERATION	Yellow Lever
OTHER	British Gas and WRAS Approved

Full specification sheet available on request

The above items are from Valve Center's standard range. Please contact us on 01744 759460 if you can't find what you are looking for.

BALL VALVES

BALL, FULL BORE / BRASS NICKEL PLATED / BSP FEMALE / GAS & WRAS APPROVED

VC7



SIZE	PRICE	LENGTH MM	WEIGHT KG
1/4"	£5.13	45	0.13
3/8"	£5.13	45	0.13
1/2"	£5.61	59	0.24
3/4"	£8.42	69	0.36
1"	£12.11	83	0.55
1 1/4"	£20.00	94	0.88
1 1/2"	£28.20	102	1.16
2"	£42.27	124	1.8
2 1/2"	£103.25	148	3.92
3"	£148.92	171	5.21
4"	£265.26	206	8.24

Please call the sales team for your discount on this product

VALVE TYPE	Ball, Full Bore
BODY MATERIAL	Brass Nickel Plated
END CONNECTION	Screwed BSP Female
SEAT/SEALS	PTFE
RATED	1/4"-1/2"PN64, 3/4"-2 1/2"PN40, 3"PN32, 4"PN25
OPERATION	Yellow Lever
OTHER	British Gas and WRAS Approved

Full specification sheet available on request

BALL, FULL BORE / BRASS NICKEL PLATED / BSP FEMALE / LOCKABLE

VC17



SIZE	PRICE	LENGTH MM	WEIGHT KG
1/4"	£9.65	52	0.18
3/8"	£9.65	52	0.17
1/2"	£10.86	59	0.21
3/4"	£15.03	67	0.36
1"	£19.52	82	0.5
1 1/4"	£30.00	94	0.78
1 1/2"	£35.97	103	1.02
2"	£52.08	123	1.68
2 1/2"	£156.50	146	3.4
3"	£215.43	170	5.4
4"	£331.98	206	8.3

Please call the sales team for your discount on this product

VALVE TYPE	Ball, Full Bore
BODY MATERIAL	Brass Nickel Plated
END CONNECTION	Screwed BSP Female
SEAT/SEALS	PTFE
OPERATION	Yellow Locking Lever
OTHER	Padlock Not Included

Full specification sheet available on request

BALL, FULL BORE / BRASS NICKEL PLATED / BSP MALE/FEMALE / GAS & WRAS APPROVED

VC9



SIZE	PRICE	LENGTH MM	WEIGHT KG
1/2"	£6.90	66	0.23
3/4"	£10.13	76	0.37
1"	£15.92	91	0.59
1 1/4"	£27.00	101	0.91
1 1/2"	£35.84	113	1.18
2"	£56.60	134	1.88
2 1/2"	£161.09	164	3.61
3"	£219.87	187	4.85
4"	£384.59	221	7.94

Please call the sales team for your discount on this product

VALVE TYPE	Ball, Full Bore
BODY MATERIAL	Brass Nickel Plated
END CONNECTION	Screwed BSP Male/Female
SEAT/SEALS	PTFE
RATED	1/4"-1/2"PN64, 3/4"-2 1/2"PN40, 3"PN32, 4"PN25
OPERATION	Yellow Lever
OTHER	British Gas and WRAS Approved

Full specification sheet available on request

The above items are from Valve Center's standard range. Please contact us on 01744 759460 if you can't find what you are looking for.

BALL FULL BORE / BRASS NICKEL PLATED / BSP MALE / GAS & WRAS APPROVED
VC8


SIZE	PRICE	LENGTH MM	WEIGHT KG
1/4"	£5.13	45	0.13
3/8"	£5.13	45	0.13
1/2"	£5.61	59	0.24
3/4"	£8.43	69	0.36
1"	£12.11	83	0.55

Please call the sales team for your discount on this product

VALVE TYPE	Ball Full Bore
BODY MATERIAL	Brass Nickel Plated
END CONNECTION	Screwed BSP Male
SEAT/SEALS	PTFE
RATED	1/4" - 1/2" PN64, 3/4" - 1" PN40
OPERATION	Yellow Butterfly Handle
OTHER	British Gas and WRAS Approved

Full specification sheet available on request

BALL, FULL BORE / BRASS NICKEL PLATED / BSP MALE/FEMALE / BUTTERFLY HANDLE, GAS & WRAS
VC10


SIZE	PRICE	LENGTH MM	WEIGHT KG
1/4"	£5.72	51	0.12
3/8"	£5.84	52	0.13
1/2"	£6.90	66	0.21
3/4"	£10.13	76	0.36
1"	£15.92	91	0.57

Please call the sales team for your discount on this product

VALVE TYPE	Ball, Full Bore
BODY MATERIAL	Brass Nickel Plated
END CONNECTION	Screwed BSP Male/Female
SEAT/SEALS	PTFE
RATED	PN40
OPERATION	Yellow Butterfly Handle
OTHER	British Gas and WRAS Approved

Full specification sheet available on request

BALL, FULL BORE, 2-PIECE / BRONZE, S/S BALL / SCREWED BSP FEMALE
VC18


SIZE	PRICE	LENGTH MM	WEIGHT KG
1/2"	£18.00	60	0.38
3/4"	£24.39	62	0.5
1"	£32.32	72	0.65
1 1/4"	£61.92	85	1.25
1 1/2"	£75.60	99	1.65
2"	£135.57	120	2.6
2 1/2"	£248.55	142	5.7
3"	£366.60	161	8.25
4"	£594.00	210	14.2

Please call the sales team for your discount on this product

VALVE TYPE	Ball, Full Bore, 2-piece
BODY MATERIAL	Bronze, S/S Ball
END CONNECTION	Screwed BSP Female
SEAT/SEALS	PTFE
RATED	300 PSI
OPERATION	Lever

Full specification sheet available on request

BALL VALVES

BALL, FULL BORE, 2-PIECE / BRONZE, S/S BALL / SCREWED NPT FEMALE

VC19



SIZE	PRICE	LENGTH MM	WEIGHT KG
1/2"	£18.00	60	0.38
3/4"	£24.39	62	0.5
1"	£32.32	72	0.65
1 1/2"	£75.60	99	1.65
2"	£135.57	120	2.6

Please call the sales team for your discount on this product

VALVE TYPE	Ball, Full Bore, 2-piece
BODY MATERIAL	Bronze, S/S Ball
END CONNECTION	Screwed NPT Female
SEAT/SEALS	PTFE
RATED	300 PSI
OPERATION	Lever

Full specification sheet available on request

BALL, 2-PIECE, FULL BORE / BRONZE, CHROMED BRASS BALL / SCREWED BSP

VC20



SIZE	PRICE	LENGTH MM	WEIGHT KG
1/4"	£27.02	51	0.35
3/8"	£27.02	51	0.35
1/2"	£29.39	62	0.38
3/4"	£41.45	70	0.5
1"	£59.66	85	0.65
1 1/4"	£80.19	99	1.25
1 1/2"	£91.09	110	1.65
2"	£192.57	134	2.6

Please call the sales team for your discount on this product

VALVE TYPE	Ball, 2-piece, Full Bore
BODY MATERIAL	Bronze, Chromed Brass Ball
END CONNECTION	Screwed BSP
SEAT/SEALS	PTFE
RATED	800 PSI
OPERATION	Lever operated
OTHER	NPT Threads available

Full specification sheet available on request

BALL, 2-PIECE, FULL BORE / BRONZE, STAINLESS STEEL BALL AND STEM / FLANGED PN16

VC21



SIZE	PRICE	LENGTH MM	WEIGHT KG
1"	£314.43	125	3.6
1 1/4"	£338.28	130	4.8
1 1/2"	£385.73	140	6.2
2"	£545.36	150	9
2 1/2"	£717.23	170	12.2
3"	£783.98	180	15.5
4"	£1,062.81	190	20
5"	£1,621.52	200	30
6"	£2,276.49	210	36
8"	£5,522.07	400	93

Please call the sales team for your discount on this product

VALVE TYPE	Ball, 2-piece, Full Bore
BODY MATERIAL	Bronze, Stainless Steel Ball and Stem
END CONNECTION	Flanged PN16, we also keep this item undrilled
SEAT/SEALS	PTFE Seats, Viton O-Ring
RATED	16 Bar
OPERATION	Lever
OTHER	ANSI 150 available

Full specification sheet available on request

The above items are from Valve Center's standard range. Please contact us on 01744 759460 if you can't find what you are looking for.

BALL, 1-PIECE, REDUCED BORE / STAINLESS STEEL / SCREWED BSP
VC22


SIZE	PRICE	LENGTH MM	WEIGHT KG
1/4"	£16.14	39	0.07
3/8"	£17.54	44	0.1
1/2"	£18.90	57	0.17
3/4"	£24.83	59	0.25
1"	£30.98	71	0.41
1 1/4"	£42.24	78	0.674
1 1/2"	£52.22	83	0.84
2"	£73.76	100	1.38

Please call the sales team for your discount on this product

VALVE TYPE	Ball, 1-Piece, Reduced Bore
BODY MATERIAL	Stainless Steel
END CONNECTION	Screwed BSP
SEAT/SEALS	PTFE
RATED	1000 PSI
OPERATION	Lever

Full specification sheet available on request

BALL, 2-PIECE, FULL BORE / STAINLESS STEEL / SCREWED BSP
VC23


SIZE	PRICE	LENGTH MM	WEIGHT KG
1/4"	£23.16	45	0.21
3/8"	£24.65	45	0.21
1/2"	£26.70	57	0.34
3/4"	£34.46	65	0.51
1"	£49.29	76	0.84
1 1/4"	£68.49	88	1.34
1 1/2"	£90.53	102	2
2"	£115.23	123	3.41
2 1/2"	£149.70	156	5.8
3"	£237.90	184	9.51
4"	£522.00	250	19.32

Please call the sales team for your discount on this product

VALVE TYPE	Ball, 2-piece, Full Bore
BODY MATERIAL	Stainless Steel
END CONNECTION	Screwed BSP
SEAT/SEALS	PTFE
RATED	1000 PSI
OPERATION	Lever operated

Full specification sheet available on request

BALL, 2-PIECE, FULL BORE / STAINLESS STEEL / SCREWED NPT
VC24


SIZE	PRICE	LENGTH MM	WEIGHT KG
1/4"	£25.02	45	0.21
3/8"	£26.61	45	0.2
1/2"	£28.83	57	0.34
3/4"	£37.22	65	0.51
1"	£53.24	76	0.84
1 1/2"	£97.77	102	2
2"	£124.46	123	3.41

Please call the sales team for your discount on this product

VALVE TYPE	Ball, 2-piece, Full Bore
BODY MATERIAL	Stainless Steel
END CONNECTION	Screwed NPT
SEAT/SEALS	PTFE
RATED	1000 PSI
OPERATION	Lever

Full specification sheet available on request

The above items are from Valve Center's standard range. Please contact us on 01744 759460 if you can't find what you are looking for.

BALL VALVES

BALL, 2-PIECE, FULL BODY / STAINLESS STEEL / SCREWED BSP MALE/FEMALE
VC26


SIZE	PRICE	LENGTH MM	WEIGHT KG
1/4"	£23.16	63	0.3
3/8"	£24.65	63.5	0.3
1/2"	£26.70	74	0.35
3/4"	£34.46	82	0.58
1"	£49.29	98	1.04
1 1/4"	£68.49	112	1.54
1 1/2"	£90.53	126	2.3
2"	£114.00	151	3.8

Please call the sales team for your discount on this product

VALVE TYPE	Ball, 2-piece, Full Body
BODY MATERIAL	Stainless Steel
END CONNECTION	Screwed BSP Male/Female
SEAT/SEALS	PTFE
RATED	1000 PSI
OPERATION	Lever

Full specification sheet available on request
BALL, 3-PIECE, FULL BORE / STAINLESS STEEL / SCREWED BSP
VC27


SIZE	PRICE	LENGTH MM	WEIGHT KG
1/4"	£32.04	59	0.4
3/8"	£32.04	59	0.4
1/2"	£39.53	64	0.58
3/4"	£49.65	75	0.75
1"	£63.60	86	1.08
1 1/4"	£92.79	99	1.85
1 1/2"	£121.97	113	2.6
2"	£166.98	132	3.94
3"	£393.45	183	13
4"	£646.02	232	23.5

Please call the sales team for your discount on this product

VALVE TYPE	Ball, 3-piece, Full Bore
BODY MATERIAL	Stainless Steel
END CONNECTION	Screwed BSP
SEAT/SEALS	PTFE
RATED	1000 PSI
OPERATION	Lever
OTHER	available in Socket Weld and Butt Weld

Full specification sheet available on request
BALL, 3-PIECE, FULL BORE / STAINLESS STEEL / SOCKET WELD
VC358


SIZE	PRICE	LENGTH MM	WEIGHT KG
1/4"	£26.50	65	0.38
3/8"	£26.87	65	0.38
1/2"	£33.25	66	0.67
3/4"	£42.37	83	0.8
1"	£53.12	95	1.2
1 1/4"	£76.12	110	2.05
1 1/2"	£112.00	130	2.8
2"	£155.37	151	4.35

Please call the sales team for your discount on this product

VALVE TYPE	Ball, 3-piece, Full Bore
BODY MATERIAL	Stainless Steel
END CONNECTION	Socket Weld
SEAT/SEALS	PTFE
RATED	1000 PSI
OPERATION	Lever
OTHER	available in Butt Weld and Screwed

Full specification sheet available on request

The above items are from Valve Center's standard range. Please contact us on 01744 759460 if you can't find what you are looking for.

BALL, 3-PIECE, FULL BORE / STAINLESS STEEL / BUTT WELD
VC357


SIZE	PRICE	LENGTH MM	WEIGHT KG
1/4"	£26.50	65	0.38
3/8"	£26.87	65	0.38
1/2"	£33.25	66	0.67
3/4"	£42.37	83	0.8
1"	£53.12	95	1.2
1 1/4"	£76.12	110	2.05
1 1/2"	£112.00	130	2.8
2"	£155.37	151	4.35

Please call the sales team for your discount on this product

VALVE TYPE	Ball, 3-piece, Full Bore
BODY MATERIAL	Stainless Steel
END CONNECTION	Butt Weld
SEAT/SEALS	PTFE
RATED	1000 PSI
OPERATION	Lever
OTHER	available in Socket Weld and Screwed

Full specification sheet available on request

BALL, 3-WAY, REDUCED BORE / STAINLESS STEEL / SCREWED BSP
VC33


SIZE	PRICE	LENGTH MM	WEIGHT KG
1/4"	£81.44	68	0.75
3/8"	£81.44	68	0.71
1/2"	£90.12	75	0.7
3/4"	£115.17	86	1.07
1"	£141.23	103	1.7
1 1/4"	£160.79	115	2.56
1 1/2"	£223.71	125	3.82
2"	£299.76	146	5.73

Please call the sales team for your discount on this product

VALVE TYPE	Ball, 3-way, Reduced Bore
BODY MATERIAL	Stainless Steel
END CONNECTION	Screwed BSP
SEAT/SEALS	PTFE
RATED	800 PSI
OPERATION	Lever
OTHER	available in L or T Port

Full specification sheet available on request

BALL, 3-PIECE, FULL BORE, BARESHAFT / STAINLESS STEEL / BSP / ISO PAD
VC28


SIZE	PRICE	LENGTH MM	WEIGHT KG
1/2"	£43.34	62	0.67
3/4"	£55.58	77	0.88
1"	£73.74	83	1.26
1 1/4"	£100.04	94	2.04
1 1/2"	£121.68	107	2.8
2"	£169.86	120	4.29

Please call the sales team for your discount on this product

VALVE TYPE	Ball, 3-piece, Full Bore, Bareshaft
BODY MATERIAL	Stainless Steel
END CONNECTION	Screwed BSP
SEAT/SEALS	PTFE
RATED	1000 PSI
OPERATION	Direct Mount ISO Top

Full specification sheet available on request

The above items are from Valve Center's standard range. Please contact us on 01744 759460 if you can't find what you are looking for.

BALL VALVES

BALL, 2-PIECE, FULL BORE / STAINLESS STEEL / BSP / SPRING CLOSE LEVER
VC25


SIZE	PRICE	LENGTH MM	WEIGHT KG
1/2"	£41.91	57	0.42
3/4"	£54.89	65	0.58
1"	£75.77	76	0.94
1 1/4"	£113.58	88	1.44
1 1/2"	£139.56	102	2.09
2"	£202.26	123	2.35

Please call the sales team for your discount on this product

VALVE TYPE	Ball, 2-piece, Full Bore
BODY MATERIAL	Stainless Steel
END CONNECTION	Screwed BSP
SEAT/SEALS	PTFE
RATED	1000 PSI
OPERATION	Spring Close Lever

Full specification sheet available on request
BALL, FULL BORE, 210 BAR / STAINLESS STEEL / SCREWED BSP
VC36


SIZE	PRICE	LENGTH MM	WEIGHT KG
1/4"	£108.90	61	0.63
3/8"	£108.90	61	0.63
1/2"	£128.87	71	0.86
3/4"	£166.98	82	1.45
1"	£221.43	92	2.81
1 1/4"	£301.29	114	3.81
1 1/2"	£464.64	122	5.08
2"	£591.69	143	6.58

Please call the sales team for your discount on this product

VALVE TYPE	Ball, Full Bore, 210 Bar
BODY MATERIAL	Stainless Steel
END CONNECTION	Screwed BSP
SEAT/SEALS	Delrin
RATED	210 Bar
OPERATION	Lever
OTHER	SW & NPT available

Full specification sheet available on request
BALL, FULL BORE, -20 TO +210 DEG C / STAINLESS STEEL / SCREWED BSP
VC37


SIZE	PRICE	LENGTH MM	WEIGHT KG
1/4"	£99.35	61	0.63
3/8"	£99.35	61	0.63
1/2"	£116.16	71	0.86
3/4"	£152.46	82	1.45
1"	£201.47	92	2.81
1 1/4"	£274.07	114	3.81
1 1/2"	£421.08	122	5.08
2"	£539.06	143	6.58

Please call the sales team for your discount on this product

VALVE TYPE	Ball, Full Bore, -20 to +210 Deg C
BODY MATERIAL	Stainless Steel
END CONNECTION	Screwed BSP
SEAT/SEALS	PTFE Carbongraphite Seats
RATED	105/160 Bar
OPERATION	Lever
OTHER	SW & NPT available

Full specification sheet available on request

BALL, 3-PIECE, FULL BORE, -20 TO +175 DEG C / STAINLESS STEEL / BSP / NPT / SOCKET WELD
VC38


SIZE	PRICE	LENGTH MM	WEIGHT KG
1/4"	£69.00	61	0.63
3/8"	£69.00	61	0.63
1/2"	£83.49	71	0.86
3/4"	£103.46	82	1.45
1"	£137.94	92	2.81
1 1/4"	£192.39	114	3.81
1 1/2"	£255.92	122	5.08
2"	£361.19	143	6.58

Please call the sales team for your discount on this product

VALVE TYPE	Ball, 3-piece, Full Bore, -20 to +175 Deg C
BODY MATERIAL	Stainless Steel
END CONNECTION	BSP / NPT / Socket Weld
SEAT/SEALS	PTFE & Carbongraphite
RATED	PN140 up to 1", PN100 up to 2"
OPERATION	Lever, ISO Top Works
OTHER	Please specify ends when ordering

Full specification sheet available on request

BALL, WAFER, FULL BORE, -20 TO +210 DEG C / STAINLESS STEEL / PN16 OR ANSI 150
VC32


SIZE	PRICE	LENGTH MM	WEIGHT KG
1"	£204.78	43	2.51
1 1/4"	£270.68	50	3.99
1 1/2"	£306.29	60	4.19
2"	£354.38	70	5.79
2 1/2"	£527.03	95	10.2
3"	£760.38	118	13.7
4"	£1,047.09	140	20
6"	£1,309.73	182	57

Please call the sales team for your discount on this product

VALVE TYPE	Ball, Wafer, Full Bore, -20 to +210 Deg C
BODY MATERIAL	Stainless Steel
END CONNECTION	PN16 or ANSI 150
SEAT/SEALS	PTFE and Carbongraphite
OPERATION	Lever
OTHER	Please specify PN16 or ANSI 150 when ordering

Full specification sheet available on request

BALL, FULL BORE, 2-PIECE / STAINLESS STEEL / FLANGED PN16
VC29


SIZE	PRICE	LENGTH MM	WEIGHT KG
1/2"	£82.43	115	2.6
3/4"	£96.71	120	3.2
1"	£123.30	125	4.5
1 1/4"	£184.74	130	5.5
1 1/2"	£208.31	140	6.7
2"	£261.45	150	9.1
2 1/2"	£400.23	170	13
3"	£524.54	180	16.9
4"	£657.53	190	18
6"	£1,462.86	350	53

Please call the sales team for your discount on this product

VALVE TYPE	Ball, Full Bore, 2-piece
BODY MATERIAL	Stainless Steel
END CONNECTION	Flanged PN16, we also keep this item undrilled
SEAT/SEALS	PTFE
RATED	1000 PSI
OPERATION	Lever

Full specification sheet available on request

BALL VALVES

BALL, FULL BORE, 2-PIECE DIRECT MOUNT / STAINLESS STEEL / FLANGED PN16

VC30



SIZE	PRICE	LENGTH MM	WEIGHT KG
1/2"	£85.64	115	2.6
3/4"	£112.95	120	3.2
1"	£138.96	125	4.5
1 1/4"	£207.77	130	5.5
1 1/2"	£250.65	140	6.7
2"	£330.12	150	9.1
2 1/2"	£510.93	170	13
3"	£652.50	180	16.9
4"	£897.57	190	18.6

Please call the sales team for your discount on this product

VALVE TYPE	Ball, Full Bore, 2-piece Direct Mount
BODY MATERIAL	Stainless Steel
END CONNECTION	Flanged PN16, we also keep this item undrilled
SEAT/SEALS	PTFE
RATED	1000 PSI
OPERATION	Lever

Full specification sheet available on request

BALL, FULL BORE, 2-PIECE / STAINLESS STEEL / FLANGED ANSI 150

VC31



SIZE	PRICE	LENGTH MM	WEIGHT KG
1/2"	£82.43	108	2.5
3/4"	£96.71	117	3
1"	£123.30	127	4.5
1 1/2"	£208.31	165	7
2"	£261.45	178	10
3"	£524.54	203	18
4"	£657.53	230	26
6"	£1,462.86	394	57

Please call the sales team for your discount on this product

VALVE TYPE	Ball, Full Bore, 2-piece
BODY MATERIAL	Stainless Steel
END CONNECTION	Flanged ANSI 150, we also keep this item undrilled
SEAT/SEALS	PTFE
RATED	1000 PSI
OPERATION	Lever

Full specification sheet available on request

BALL, 3-WAY / STAINLESS STEEL / FLANGED PN16

VC34



SIZE	PRICE	LENGTH MM	WEIGHT KG
2"	£802.73	220	16
2 1/2"	972.93	250	26
3"	£1,337.78	260	30
4"	£1,702.65	340	46
6"	£4,073.58	435	102

Please call the sales team for your discount on this product

VALVE TYPE	Ball, 3-way
BODY MATERIAL	Stainless Steel
END CONNECTION	Flanged PN16, we also keep this item undrilled
SEAT/SEALS	PTFE
RATED	16 Bar
OPERATION	Lever
OTHER	available in L and T Port

Full specification sheet available on request

The above items are from Valve Center's standard range. Please contact us on 01744 759460 if you can't find what you are looking for.

BALL, 3-WAY / STAINLESS STEEL / FLANGED ANSI 150
VC35


SIZE	PRICE	LENGTH MM	WEIGHT KG
2"	£802.73	220	17
3"	£1,337.78	260	31
4"	£1,702.65	340	49
6"	£4,073.58	435	105

Please call the sales team for your discount on this product

VALVE TYPE	Ball, 3-way
BODY MATERIAL	Stainless Steel
END CONNECTION	Flanged ANSI 150, we also keep this item undrilled
SEAT/SEALS	PTFE
OPERATION	Lever
OTHER	available in L and T Port

Full specification sheet available on request

BALL, WAFER / CAST IRON, S/S BALL / FLANGED PN16
VC41


SIZE	PRICE	LENGTH MM	WEIGHT KG
2"	£249.15	80	3.1
2 1/2"	338.25	100	5.23
3"	£422.40	120	8.5
4"	£658.35	130	13

Please call the sales team for your discount on this product

VALVE TYPE	Ball, Wafer
BODY MATERIAL	Cast Iron, S/S Ball
END CONNECTION	Flanged PN16, we also keep this item undrilled
SEAT/SEALS	RPTFE
OPERATION	Lever

Full specification sheet available on request

BALL / DUCTILE IRON, CHROMED BALL / FLANGED PN16
VC39


SIZE	PRICE	LENGTH MM	WEIGHT KG
1"	£101.99	125	3.8
1 1/4"	£115.26	130	5.3
1 1/2"	£140.48	140	6.6
2"	£158.69	150	8.8
2 1/2"	£196.74	170	11.4
3"	£258.56	180	14
4"	£328.68	190	17
5"	£699.95	200	30
6"	£972.41	210	37
8"	£2,432.87	400	84

Please call the sales team for your discount on this product

VALVE TYPE	Ball
BODY MATERIAL	Ductile Iron, Chromed Ball
END CONNECTION	Flanged PN16, we also keep this item undrilled
SEAT/SEALS	PTFE Seat, NBR Stem Seal
OPERATION	Lever

Full specification sheet available on request

The above items are from Valve Center's standard range. Please contact us on 01744 759460 if you can't find what you are looking for.

BALL VALVES

BALL / DUCTILE IRON, S/S BALL / FLANGED PN16

VC40



SIZE	PRICE	LENGTH MM	WEIGHT KG
1"	£143.82	125	3.8
1 1/4"	£169.04	130	5.8
1 1/2"	£198.11	140	7
2"	£218.55	150	9.4
2 1/2"	£308.39	170	15.2
3"	£393.81	180	19.1
4"	£520.53	190	27.3
5"	£1,041.69	200	55
6"	£1,351.82	210	72
8"	£3,516.62	400	144

Please call the sales team for your discount on this product

VALVE TYPE	Ball
BODY MATERIAL	Ductile Iron, S/S Ball
END CONNECTION	Flanged PN16, we also keep this item undrilled
SEAT/SEALS	PTFE Seat, Viton Seals
OPERATION	Lever
OTHER	Gas Approved

Full specification sheet available on request

BALL 3-WAY / CAST IRON, S/S BALL / FLANGED PN16

VCI07



SIZE	PRICE	LENGTH MM	WEIGHT KG
2"	£460.74	220	17
2 1/2"	£572.06	250	27
3"	£727.62	260	30
4"	£1,060.04	340	47
6"	£2,537.93	435	103

Please call the sales team for your discount on this product

VALVE TYPE	Ball 3-way
BODY MATERIAL	Cast Iron, S/S Ball
END CONNECTION	Flanged PN16, we also keep this item undrilled
SEAT/SEAL	PTFE
OPERATION	Lever operated
OTHER	L & T Port available, please specify

Full specification sheet available on request

BALL, FULL BORE, 210 BAR / CARBON STEEL A105, STAINLESS STEEL TRIM / SCREWED BSP

VC42



SIZE	PRICE	LENGTH MM	WEIGHT KG
1/4"	£56.27	61	0.63
3/8"	£56.27	61	0.63
1/2"	£68.97	71	0.86
3/4"	£83.49	82	1.45
1"	£121.61	92	2.81
1 1/4"	£147.02	114	3.81
1 1/2"	£215.99	122	5.08
2"	£275.88	143	6.58

Please call the sales team for your discount on this product

VALVE TYPE	Ball, Full Bore, 210 Bar
BODY MATERIAL	Carbon Steel A105, Stainless Steel Trim
END CONNECTION	Screwed BSP
SEAT/SEALS	Delrin
RATED	210 Bar
OPERATION	Lever
OTHER	SW & NPT available

Full specification sheet available on request

BALL, FULL BORE, -20 TO +210 DEG C / CARBON STEEL A105, STAINLESS STEEL TRIM / SCREWED BSP
VC43


SIZE	PRICE	LENGTH MM	WEIGHT KG
1/4"	£50.82	61	0.63
3/8"	£50.82	61	0.63
1/2"	£63.53	71	0.86
3/4"	£76.23	82	1.45
1"	£110.70	92	2.81
1 1/4"	£134.31	114	3.81
1 1/2"	£196.02	122	5.08
2"	£250.47	143	6.58

Please call the sales team for your discount on this product

VALVE TYPE	Ball, Full Bore, -20 to +210 Deg C
BODY MATERIAL	Carbon Steel A105, Stainless Steel Trim
END CONNECTION	Screwed BSP
SEAT/SEALS	PTFE & Carbographite
RATED	105/160 Bar
OPERATION	Lever
OTHER	SVV & NPT available

Full specification sheet available on request

BALL, 3-PIECE, -20 TO +175 DEG C / CARBON STEEL, STAINLESS STEEL TRIM / SCREWED BSP
VC44


SIZE	PRICE	LENGTH MM	WEIGHT KG
1/4"	£49.01	61	0.63
3/8"	£49.01	61	0.63
1/2"	£68.97	71	0.86
3/4"	£79.86	82	1.45
1"	£103.46	92	2.81
1 1/4"	£139.76	114	3.81
1 1/2"	£190.58	122	5.08
2"	£264.99	143	6.58

Please call the sales team for your discount on this product

VALVE TYPE	Ball, 3-piece, -20 to +175 Deg C
BODY MATERIAL	Carbon Steel, Stainless Steel Trim
END CONNECTION	Screwed BSP
SEAT/SEALS	PTFE & Carbographite
RATED	PN140 up to 1", PN100 up to 2"
OPERATION	Lever
OTHER	SVV & NPT available

Full specification sheet available on request

BALL, WAFER PATTERN / CARBON STEEL, BRASS BALL / FLANGED PN16
VC49


SIZE	PRICE	LENGTH MM	WEIGHT KG
1/2"	£97.38	35	1.3
3/4"	£108.88	40	1.9
1"	£122.00	46	2.7
1 1/4"	£154.13	54	4.2
1 1/2"	£185.63	63	5.7
2"	£237.75	82	7.5
2 1/2"	£336.00	103	13.2
3"	£414.25	122	18.2
4"	£668.88	152	29.5
5"	£1,096.13	196	40
6"	£1,596.25	232	73

Please call the sales team for your discount on this product

VALVE TYPE	Ball, Wafer Pattern
BODY MATERIAL	Carbon Steel, Brass Ball
END CONNECTION	Flanged PN16, we also keep this item undrilled
SEAT/SEALS	PTFE
RATED	PN16
OPERATION	Lever

Full specification sheet available on request

BALL VALVES

BALL, WAFER PATTERN / CARBON STEEL, STAINLESS STEEL BALL / FLANGED PN16

VC50



SIZE	PRICE	LENGTH MM	WEIGHT KG
1/2"	£99.00	35	1.3
3/4"	£110.50	40	1.9
1"	£123.50	46	2.7
1 1/4"	£158.00	54	4.2
1 1/2"	£187.88	63	5.7
2"	£238.50	82	7.5
2 1/2"	£342.88	103	13.2
3"	£438.00	122	18.2
4"	£716.38	152	29.5
5"	£1,117.63	196	40
6"	£1,802.50	232	73
8"	£4,340.00	317	79

Please call the sales team for your discount on this product

VALVE TYPE	Ball, Wafer Pattern
BODY MATERIAL	Carbon Steel, Stainless Steel Ball
END CONNECTION	Flanged PN16, we also keep this item undrilled
SEAT/SEALS	PTFE
RATED	PN16
OPERATION	Lever

Full specification sheet available on request

BALL, WAFER PATTERN / CARBON STEEL, STAINLESS STEEL BALL / FLANGED ANSI 150

VC51



SIZE	PRICE	LENGTH MM	WEIGHT KG
1/2"	£99.00	35	1.3
3/4"	£110.50	40	1.9
1"	£123.50	46	2.7
1 1/4"	£158.00	54	4.2
1 1/2"	£187.88	63	5.7
2"	£238.50	82	7.5
2 1/2"	£342.88	103	13.2
3"	£438.00	122	18.2
4"	£716.38	152	29.5
5"	£1,117.63	196	40
6"	£1,802.50	232	73

Please call the sales team for your discount on this product

VALVE TYPE	Ball, Wafer Pattern
BODY MATERIAL	Carbon Steel, Stainless Steel Ball
END CONNECTION	Flanged ANSI 150, we also keep this item undrilled
SEAT/SEALS	PTFE
RATED	ANSI 150
OPERATION	Lever

Full specification sheet available on request

BALL, WAFER PATTERN / CARBON STEEL, STAINLESS STEEL BALL / FLANGED PN40

VC52



SIZE	PRICE	LENGTH MM	WEIGHT KG
1/2"	£113.50	35	1.3
3/4"	£127.38	40	1.9
1"	£138.88	46	2.7
1 1/4"	£172.63	54	4.2
1 1/2"	£204.75	63	5.7
2"	£240.88	82	7.5
2 1/2"	£361.25	103	13.2
3"	£441.88	122	18.2
4"	£996.38	152	29.5
5"	£1,957.50	196	40
6"	£1,895.38	232	73
8"	£5,363.75	317	79

Please call the sales team for your discount on this product

VALVE TYPE	Ball, Wafer Pattern
BODY MATERIAL	Carbon Steel, Stainless Steel Ball
END CONNECTION	Flanged PN40, we also keep this item undrilled
SEAT/SEALS	PTFE
RATED	PN40
OPERATION	Lever

Full specification sheet available on request

The above items are from Valve Center's standard range. Please contact us on 01744 759460 if you can't find what you are looking for.

BALL, FULL BORE / CARBON STEEL / FLANGED PN16
VC45


SIZE	PRICE	LENGTH MM	WEIGHT KG
1/2"	£105.50	115	2.4
3/4"	£131.25	120	3.2
1"	£126.63	125	4.2
1 1/4"	£166.38	130	5.5
1 1/2"	£206.25	140	6.9
2"	£274.25	150	9.5
2 1/2"	£384.38	170	13.8
3"	£518.00	180	17.7
4"	£745.38	190	25.2
5"	£1,328.75	325	60
6"	£1,842.25	350	71.8
8"	£3,091.38	400	127

Please call the sales team for your discount on this product

VALVE TYPE	Ball, Full Bore
BODY MATERIAL	Carbon Steel
END CONNECTION	Flanged PN16, we also keep this item undrilled
SEAT/SEALS	PTFE
RATED	PN16
OPERATION	Lever up to 3, T-Bar 3" to 6", 8" Bareshaft (Gearbox can be supplied on request)
OTHER	Direct Mount

Full specification sheet available on request

BALL, FULL BORE / CARBON STEEL / FLANGED PN40
VC46


SIZE	PRICE	LENGTH MM	WEIGHT KG
2 1/2"	£478.13	170	13.8
3"	£616.38	180	17.8
4"	£766.38	190	30.5
5"	£1,516.38	325	62.5
6"	£2,165.63	350	73.8
8"	£3,564.88	400	152

Please call the sales team for your discount on this product

VALVE TYPE	Ball, Full Bore
BODY MATERIAL	Carbon Steel
END CONNECTION	Flanged PN40, we also keep this item undrilled
SEAT/SEALS	PTFE
RATED	PN40
OPERATION	Lever up to 3, T-Bar 3" to 6", 8" Bareshaft (Gearbox can be supplied on request)
OTHER	Direct Mount

Full specification sheet available on request

BALL, FULL BORE / CARBON STEEL / FLANGED ANSI 150
VC47


SIZE	PRICE	LENGTH MM	WEIGHT KG
1/2"	£93.75	108	1.7
3/4"	£105.50	117	2.2
1"	£107.88	127	2.9
1 1/2"	£185.13	165	5.9
2"	£241.38	178	8.4
3"	£560.13	203	17.8
4"	£946.88	229	30.5
6"	£2,161.00	394	72
8"	£3,967.50	457	131.4

Please call the sales team for your discount on this product

VALVE TYPE	Ball, Full Bore
BODY MATERIAL	Carbon Steel
END CONNECTION	Flanged ANSI 150, we also keep this item undrilled
SEAT/SEALS	PTFE
RATED	ANSI 150
OPERATION	Lever up to 3, T-Bar 3" to 6", 8" Bareshaft (Gearbox can be supplied on request)
OTHER	Direct Mount

Full specification sheet available on request

The above items are from Valve Center's standard range. Please contact us on 01744 759460 if you can't find what you are looking for.

BALL VALVES

BALL, FULL BORE / CARBON STEEL / FLANGED ANSI 300

VC48



SIZE	PRICE	LENGTH MM	WEIGHT KG
1/2"	£105.50	108	1.7
3/4"	£136.00	117	2.2
1"	£173.50	127	2.9
1 1/2"	£278.88	165	5.9
2"	£351.63	178	8.4
3"	£700.75	203	17.8
4"	£1,134.38	229	30.5
6"	£3,079.75	394	72
8"	£6,042.25	457	131.4

Please call the sales team for your discount on this product

VALVE TYPE	Ball, Full Bore
BODY MATERIAL	Carbon Steel
END CONNECTION	Flanged ANSI 300, we also keep this item undrilled
SEAT/SEALS	PTFE
RATED	ANSI 300
OPERATION	Lever up to 3, T-Bar 3" to 6", 8" Bareshaft (Gearbox can be supplied on request)
OTHER	Direct Mount

Full specification sheet available on request

3-WAY BALL / CAST STEEL WCB / FLANGED ANSI 150

VC404



SIZE	PRICE	LENGTH MM	WEIGHT KG
1"	£617.50	212	8
1 1/2"	£832.50	262	17
2"	£982.50	290	25
3"	£1,655.00	370	51
4"	£2,337.50	430	77
6"	£4,537.50	500	138

Please call the sales team for your discount on this product

VALVE TYPE	3-way Ball
BODY MATERIAL	Cast Steel WCB
END CONNECTION	Flanged ANSI 150, we also keep this item undrilled
SEAT/SEAL	PTFE
RATED	Class 150
OPERATION	Lever Op (actuated is also available—please enquire)
OTHER	L or T port (please advise), Atex compliant

Full specification sheet available on request

PNEUMATIC ACTUATED BALL / BRASS NICKEL PLATED / BSP FEMALE / DOUBLE ACTING

VC173



SIZE	PRICE	LENGTH MM	WEIGHT KG
1/4"	£145.92	On request	0.88
3/8"	£145.92	On request	0.88
1/2"	£145.92	On request	0.88
3/4"	£158.86	On request	0.98
1"	£172.05	On request	1.23
1 1/4"	£180.30	On request	1.58
1 1/2"	£191.52	On request	2.49
2"	£233.28	On request	3.3
2 1/2"	£459.00	On request	On request
3"	£534.00	On request	On request
4"	£819.00	On request	On request

Please call the sales team for your discount on this product

VALVE TYPE	Pneumatic Actuated Ball
BODY MATERIAL	Brass Nickel Plated
END CONNECTION	Screwed BSP Female
SEAT/SEAL	PTFE
RATED	10 Bar
OPERATION	Double acting actuator
OTHER	Std and Atex Switch-boxes, solenoids, indicators and other accessories are available.

Full specification sheet available on request

The above items are from Valve Center's standard range. Please contact us on 01744 759460 if you can't find what you are looking for.

PNEUMATIC ACTUATED BALL / BRASS NICKEL PLATED / BSP FEMALE / SPRING RETURN
VCI174


SIZE	PRICE	LENGTH MM	WEIGHT KG
1/4"	£175.40	On request	0.96
3/8"	£175.40	On request	0.96
1/2"	£175.40	On request	0.98
3/4"	£182.16	On request	1.09
1"	£191.94	On request	1.34
1 1/4"	£220.58	On request	1.68
1 1/2"	£254.40	On request	2.69
2"	£288.74	On request	3.5
2 1/2"	£490.50	On request	On request
3"	£565.50	On request	On request
4"	£849.00	On request	On request

Please call the sales team for your discount on this product

VALVE TYPE	Pneumatic Actuated Ball
BODY MATERIAL	Brass Nickel Plated
END CONNECTION	Screwed BSP Female
SEAT/SEAL	PTFE
RATED	10 Bar
OPERATION	Spring return actuator. Please specify fail close / open.
OTHER	Std and Atex Switch-boxes, solenoids, indicators and other accessories are available.

Full specification sheet available on request

ELECTRIC ACTUATED BALL / BRASS NICKEL PLATED / SCREWED BSP FEMALE
VCI175


SIZE	PRICE	LENGTH MM	WEIGHT KG
1/2"	£489.89	On request	1.87
3/4"	£496.89	On request	1.92
1"	£509.49	On request	2.07
1 1/4"	£633.36	On request	2.47
1 1/2"	£659.96	On request	3.32
2"	£690.57	On request	3.87
2 1/2"	£778.50	On request	On request
3"	£877.50	On request	On request
4"	£1,239.00	On request	On request

Please call the sales team for your discount on this product

VALVE TYPE	Electric Actuated Ball
BODY MATERIAL	Brass Nickel Plated
END CONNECTION	Screwed BSP Female
SEAT/SEAL	PTFE
RATED	10 Bar
OPERATION	Electric Actuator 24V, 110V & 240V, 2 Microswitches IP65 – AC and DC available.
OTHER	Ball. Atex approved (please enquire).

Full specification sheet available on request

PNEUMATIC ACTUATED BALL 3-WAY / BRASS NICKEL PLATED / BSP FEMALE / DOUBLE ACTING
VCI176


SIZE	PRICE	LENGTH MM	WEIGHT KG
1/4"	£198.32	On request	2.68
3/8"	£198.32	On request	2.64
1/2"	£210.68	On request	2.75
3/4"	£252.84	On request	3.07
1"	£272.66	On request	4.46
1 1/4"	£309.84	On request	5.13
1 1/2"	£421.40	On request	8.47
2"	£516.86	On request	15.1
2 1/2"	£577.50	On request	18.6

Please call the sales team for your discount on this product

VALVE TYPE	Pneumatic Actuated Ball 3-way
BODY MATERIAL	Brass Nickel Plated
END CONNECTION	Screwed BSP Female
SEAT/SEAL	PTFE
RATED	based on 6 Bar
OPERATION	Double acting actuator
OTHER	Std and Atex Switch-boxes, solenoids, indicators and other accessories are available.

Full specification sheet available on request

The above items are from Valve Center's standard range. Please contact us on 01744 759460 if you can't find what you are looking for.

BALL VALVES

PNEUMATIC ACTUATED BALL 3-WAY / BRASS NICKEL PLATED / BSP FEMALE / SPRING RETURN

VCI177



SIZE	PRICE	LENGTH MM	WEIGHT KG
1/4"	£223.11	On request	2.89
3/8"	£223.11	On request	2.86
1/2"	£235.49	On request	2.96
3/4"	£379.37	On request	3.23
1"	£414.93	On request	5.05
1 1/4"	£450.50	On request	7.43
1 1/2"	£497.93	On request	15.47
2"	£627.74	On request	26.11
2 1/2"	£687.90	On request	28

Please call the sales team for your discount on this product

VALVE TYPE	Pneumatic Actuated Ball 3-way
BODY MATERIAL	Brass Nickel Plated
END CONNECTION	Screwed BSP Female
SEAT/SEAL	PTFE
RATED	based on 6 Bar
OPERATION	Spring return actuator. Please specify fail close / open.
OTHER	Std and Atex Switch-boxes, solenoids, indicators and other accessories are available.

Full specification sheet available on request

PNEUMATIC ACTUATED BALL / STAINLESS STEEL / BSP FEMALE / DOUBLE ACTING

VCI178



SIZE	PRICE	LENGTH MM	WEIGHT KG
1/2"	£178.13	On request	1.24
3/4"	£211.44	On request	4.45
1"	£233.86	On request	2.49
1 1/4"	£277.40	On request	3.23
1 1/2"	£360.83	On request	3.98
2"	£430.85	On request	5.48

Please call the sales team for your discount on this product

VALVE TYPE	Pneumatic Actuated Ball
BODY MATERIAL	Stainless Steel
END CONNECTION	Screwed BSP Female
SEAT/SEAL	PTFE
RATED	10 Bar
OPERATION	Double acting actuator
OTHER	Std and Atex Switch-boxes, solenoids, indicators and other accessories are available.

Full specification sheet available on request

PNEUMATIC ACTUATED BALL / STAINLESS STEEL / BSP FEMALE / SPRING RETURN

VCI179



SIZE	PRICE	LENGTH MM	WEIGHT KG
1/2"	£187.93	On request	2.06
3/4"	£234.93	On request	2.27
1"	£249.09	On request	2.63
1 1/4"	£316.73	On request	3.43
1 1/2"	£416.06	On request	4.19
2"	£484.22	On request	7.49

Please call the sales team for your discount on this product

VALVE TYPE	Pneumatic Actuated Ball
BODY MATERIAL	Stainless Steel
END CONNECTION	Screwed BSP Female
SEAT/SEAL	PTFE
RATED	10 Bar
OPERATION	Spring return actuator. Please specify fail close / open.
OTHER	Std and Atex Switch-boxes, solenoids, indicators and other accessories are available.

Full specification sheet available on request

The above items are from Valve Center's standard range. Please contact us on 01744 759460 if you can't find what you are looking for.

ELECTRIC ACTUATED BALL 3-PIECE / STAINLESS STEEL / SCREWED BSP FEMALE
VCI180


SIZE	PRICE	LENGTH MM	WEIGHT KG
1/2"	£577.50	On request	2.06
3/4"	£584.33	On request	2.25
1"	£610.65	On request	2.6
1 1/4"	£772.35	On request	3.55
1 1/2"	£826.20	On request	4.25
2"	£889.50	On request	8.85

Please call the sales team for your discount on this product

VALVE TYPE	Electric Actuated Ball 3-piece
BODY MATERIAL	Stainless Steel
END CONNECTION	Screwed BSP Female
SEAT/SEAL	PTFE
RATED	10 Bar
OPERATION	Electric Actuator, 24V, 110V, 240V with 2 Microswitches IP65 – AC and DC available.
OTHER	Manual Override. Atex approved (please enquire).

Full specification sheet available on request

PNEUMATIC ACTUATED BALL 3-WAY / STAINLESS STEEL / BSP FEMALE / DOUBLE ACTING
VCI181


SIZE	PRICE	LENGTH MM	WEIGHT KG
1/2"	£245.03	On request	2.73
3/4"	£288.57	On request	2.83
1"	£348.18	On request	3.79
1 1/4"	£455.40	On request	4.76
1 1/2"	£526.61	On request	7.86
2"	£655.77	On request	12.13

Please call the sales team for your discount on this product

VALVE TYPE	Pneumatic Actuated Ball 3-way
BODY MATERIAL	Stainless Steel
END CONNECTION	Screwed BSP Female
SEAT/SEAL	PTFE
RATED	10 Bar
OPERATION	Double acting actuator
OTHER	Std and Atex Switch-boxes, solenoids, indicators and other accessories are available.

Full specification sheet available on request

PNEUMATIC ACTUATED BALL 3-WAY / STAINLESS STEEL / BSP FEMALE / SPRING RETURN
VCI182


SIZE	PRICE	LENGTH MM	WEIGHT KG
1/2"	£321.26	On request	2.87
3/4"	£355.74	On request	4.12
1"	£413.39	On request	4.98
1 1/4"	£515.46	On request	6.97
1 1/2"	£631.95	On request	13.91
2"	£800.25	On request	18.22

Please call the sales team for your discount on this product

VALVE TYPE	Pneumatic Actuated Ball 3-way
BODY MATERIAL	Stainless Steel
END CONNECTION	Screwed BSP Female
SEAT/SEAL	PTFE
RATED	10 Bar
OPERATION	Spring return actuator. Please specify fail close / open.
OTHER	Std and Atex Switch-boxes, solenoids, indicators and other accessories are available.

Full specification sheet available on request

The above items are from Valve Center's standard range. Please contact us on 01744 759460 if you can't find what you are looking for.

BALL VALVES

PNEUMATIC ACTUATED BALL / STAINLESS STEEL / FLANGED PN16 / DOUBLE ACTING

VCI190



SIZE	PRICE	LENGTH MM	WEIGHT KG
1"	£410.40	On request	On request
1 1/4"	£462.96	On request	On request
1 1/2"	£499.68	On request	On request
2"	£691.85	On request	On request
2 1/2"	£849.39	On request	On request
3"	£1,024.89	On request	On request
4"	£1,324.64	On request	On request

Please call the sales team for your discount on this product

VALVE TYPE	Pneumatic Actuated Ball
BODY MATERIAL	Stainless Steel
END CONNECTION	Flanged PN16, we also keep this item undrilled
SEAT/SEAL	PTFE
RATED	16 Bar
OPERATION	Double acting actuator
OTHER	Std and Atex Switch-boxes, solenoids, indicators and other accessories are available.

Full specification sheet available on request

PNEUMATIC ACTUATED BALL / STAINLESS STEEL / FLANGED PN16 / SPRING RETURN

VCI191



SIZE	PRICE	LENGTH MM	WEIGHT KG
1"	£502.50	On request	On request
1 1/4"	£549.75	On request	On request
1 1/2"	£582.30	On request	On request
2"	£774.09	On request	On request
2 1/2"	£942.42	On request	On request
3"	£1,195.50	On request	On request
4"	£1,495.50	On request	On request

Please call the sales team for your discount on this product

VALVE TYPE	Pneumatic Actuated Ball
BODY MATERIAL	Stainless Steel
END CONNECTION	Flanged PN16, we also keep this item undrilled
SEAT/SEAL	PTFE
RATED	16 Bar
OPERATION	Spring return actuator. Please specify fail close / open.
OTHER	Std and Atex Switch-boxes, solenoids, indicators and other accessories are available.

Full specification sheet available on request

PNEUMATIC ACTUATED BALL / STAINLESS STEEL / FLANGED ANSI 150 / DOUBLE ACTING

VCI192



SIZE	PRICE	LENGTH MM	WEIGHT KG
1"	£399.00	On request	On request
1 1/4"	£519.90	On request	On request
1 1/2"	£544.83	On request	On request
2"	£682.58	On request	On request
2 1/2"	£845.40	On request	On request
3"	£1,040.58	On request	On request
4"	£1,393.94	On request	On request

Please call the sales team for your discount on this product

VALVE TYPE	Pneumatic Actuated Ball
BODY MATERIAL	Stainless Steel
END CONNECTION	Flanged ANSI 150, we also keep this item undrilled
SEAT/SEAL	PTFE
OPERATION	Double acting actuator
OTHER	Std and Atex Switch-boxes, solenoids, indicators and other accessories are available.

Full specification sheet available on request

The above items are from Valve Center's standard range. Please contact us on 01744 759460 if you can't find what you are looking for.

PNEUMATIC ACTUATED BALL / STAINLESS STEEL / FLANGED ANSI 150 / SPRING RETURN
VCI93


SIZE	PRICE	LENGTH MM	WEIGHT KG
1"	£486.45	On request	On request
1 1/4"	£562.59	On request	On request
1 1/2"	£585.15	On request	On request
2"	£786.75	On request	On request
2 1/2"	£929.19	On request	On request
3"	£1,126.59	On request	On request
4"	£1,534.08	On request	On request

Please call the sales team for your discount on this product

VALVE TYPE	Pneumatic Actuated Ball
BODY MATERIAL	Stainless Steel
END CONNECTION	Flanged ANSI 150, we also keep this item undrilled
SEAT/SEAL	PTFE
OPERATION	Spring return actuator. Please specify fail close / open.
OTHER	Std and Atex Switch-boxes, solenoids, indicators and other accessories are available.

Full specification sheet available on request

ELECTRIC ACTUATED BALL / STAINLESS STEEL / FLANGED PNI6
VCI94


SIZE	PRICE	LENGTH MM	WEIGHT KG
2"	£949.50	On request	On request
2 1/2"	£1,534.50	On request	On request
3"	£2,070.00	On request	On request
4"	£2,497.50	On request	On request

Please call the sales team for your discount on this product

VALVE TYPE	Electric Actuated Ball
BODY MATERIAL	Stainless Steel
END CONNECTION	Flanged PNI6, we also keep this item undrilled
SEAT/SEAL	PTFE
OPERATION	Electric Actuator 24V, 110V, 240V available – AC and DC available.
OTHER	Atex approved (please enquire).

Full specification sheet available on request

ELECTRIC ACTUATED BALL / STAINLESS STEEL / FLANGED ANSI 150
VC391


SIZE	PRICE	LENGTH MM	WEIGHT KG
2"	£996.00	On request	On request
2 1/2"	£1,611.00	On request	On request
3"	£2,136.00	On request	On request
4"	£2,532.00	On request	On request

Please call the sales team for your discount on this product

VALVE TYPE	Electric Actuated Ball
BODY MATERIAL	Stainless Steel
END CONNECTION	Flanged ANSI 150, we also keep this item undrilled
SEAT/SEAL	PTFE
OPERATION	Electric Actuator 24V, 110V, 240V available – AC and DC available.
OTHER	Atex approved (please enquire).

Full specification sheet available on request

The above items are from Valve Center's standard range. Please contact us on 01744 759460 if you can't find what you are looking for.

BALL VALVES

PNEUMATIC ACTUATED BALL 3-WAY / STAINLESS STEEL / FLANGED PN16 / DOUBLE ACTING

VCI95



SIZE	PRICE	LENGTH MM	WEIGHT KG
2"	£1,299.00	On request	On request
2 1/2"	£1,458.00	On request	On request
3"	£1,867.50	On request	On request
4"	£2,320.50	On request	On request
6"	£5,572.50	On request	On request

Please call the sales team for your discount on this product

VALVE TYPE	Pneumatic Actuated Ball 3-way
BODY MATERIAL	Stainless Steel
END CONNECTION	Flanged PN16, we also keep this item undrilled
SEAT/SEAL	PTFE
OPERATION	Double acting actuator
OTHER	Std and Atex Switch-boxes, solenoids, indicators and other accessories are available.

Full specification sheet available on request

PNEUMATIC ACTUATED BALL 3-WAY / STAINLESS STEEL / FLANGED PN16 / SPRING RETURN

VCI96



SIZE	PRICE	LENGTH MM	WEIGHT KG
2"	£1,351.50	On request	On request
2 1/2"	£1,521.00	On request	On request
3"	£1,953.00	On request	On request
4"	£2,394.00	On request	On request
6"	£5,875.50	On request	On request

Please call the sales team for your discount on this product

VALVE TYPE	Pneumatic Actuated Ball 3-way
BODY MATERIAL	Stainless Steel
END CONNECTION	Flanged PN16, we also keep this item undrilled
SEAT/SEAL	PTFE
OPERATION	Spring return actuator. Please specify fail close / open.
OTHER	Std and Atex Switch-boxes, solenoids, indicators and other accessories are available.

Full specification sheet available on request

ELECTRIC ACTUATED BALL 3-WAY / STAINLESS STEEL / FLANGED PN16, ANSI 150 AVAILABLE

VCI97



SIZE	PRICE	LENGTH MM	WEIGHT KG
2"	£1,720.50	On request	On request
2 1/2"	£1,906.50	On request	On request
3"	£2,404.50	On request	On request
4"	£2,905.50	On request	On request
6"	£6,582.00	On request	On request

Please call the sales team for your discount on this product

VALVE TYPE	Electric Actuated Ball 3-way
BODY MATERIAL	Stainless Steel
END CONNECTION	Flanged PN16, ANSI 150 available, we also keep this item undrilled
SEAT/SEAL	PTFE
OPERATION	Electric Actuator 24V, 110V, 240V available – AC and DC available.
OTHER	L & T Port available. Atex approved (please enquire).

Full specification sheet available on request

PNEUMATIC ACTUATED BALL 3-WAY / CAST IRON, S/S BALL / FLANGED PN16 / DOUBLE ACTING
VCI188


SIZE	PRICE	LENGTH MM	WEIGHT KG
2"	£957.00	On request	On request
2 1/2"	£1,068.00	On request	On request
3"	£1,258.50	On request	On request
4"	£1,677.00	On request	On request
6"	£4,036.50	On request	On request

Please call the sales team for your discount on this product

VALVE TYPE	Pneumatic Actuated Ball 3-way
BODY MATERIAL	Cast Iron, S/S Ball
END CONNECTION	Flanged PN16, we also keep this item undrilled
SEAT/SEAL	PTFE
RATED	16 Bar
OPERATION	Double acting actuator
OTHER	Std and Atex Switch-boxes, solenoids, indicators and other accessories are available.

Full specification sheet available on request

PNEUMATIC ACTUATED BALL 3-WAY / CAST IRON, S/S BALL / FLANGED PN16 / SPRING RETURN
VCI189


SIZE	PRICE	LENGTH MM	WEIGHT KG
2"	£1,009.50	On request	On request
2 1/2"	£1,120.50	On request	On request
3"	£1,342.50	On request	On request
4"	£1,750.50	On request	On request
6"	£4,339.50	On request	On request

Please call the sales team for your discount on this product

VALVE TYPE	Pneumatic Actuated Ball 3-way
BODY MATERIAL	Cast Iron, S/S Ball
END CONNECTION	Flanged PN16, we also keep this item undrilled
SEAT/SEAL	PTFE
RATED	16 Bar
OPERATION	Spring return actuator. Please specify fail close / open.
OTHER	Std and Atex Switch-boxes, solenoids, indicators and other accessories are available.

Full specification sheet available on request

ELECTRIC ACTUATED BALL 3-WAY / CAST IRON, S/S BALL / FLANGED PN16
VCI187


SIZE	PRICE	LENGTH MM	WEIGHT KG
2"	£1,333.50	On request	On request
2 1/2"	£1,446.00	On request	On request
3"	£1,795.50	On request	On request
4"	£2,262.00	On request	On request
5"	£4,822.50	On request	On request

Please call the sales team for your discount on this product

VALVE TYPE	Electric Actuated Ball 3-way
BODY MATERIAL	Cast Iron, S/S Ball
END CONNECTION	Flanged PN16, we also keep this item undrilled
SEAT/SEAL	PTFE
RATED	16 Bar
OPERATION	Electric Actuator 24V, 110V, 240V available – AC and DC available.
OTHER	L & T Port available. Atex approved (please enquire).

Full specification sheet available on request

The above items are from Valve Center's standard range. Please contact us on 01744 759460 if you can't find what you are looking for.

BALL VALVES

PNEUMATIC ACTUATED BALL / CAST IRON, CHROME BALL / FLANGED PN16 / DOUBLE ACTING

VCI183



SIZE	PRICE	LENGTH MM	WEIGHT KG
1"	£329.63	125	On request
1 1/4"	£351.13	130	On request
1 1/2"	£209.63	140	On request
2"	£222.50	150	On request
2 1/2"	£286.75	170	On request
3"	£372.50	180	On request
4"	£469.25	190	On request
5"	£736.38	200	On request
6"	£946.88	210	On request
8"	£2,575.75	400	On request

Please call the sales team for your discount on this product

VALVE TYPE	Pneumatic Actuated Ball
BODY MATERIAL	Cast Iron, Chrome Ball
END CONNECTION	Flanged PN16, we also keep this item undrilled
SEAT/SEAL	PTFE
RATED	16 Bar
OPERATION	Double acting actuator

Full specification sheet available on request

PNEUMATIC ACTUATED BALL / CAST IRON, CHROME BALL / FLANGED PN16 / SPRING RETURN

VCI184



SIZE	PRICE	LENGTH MM	WEIGHT KG
1"	£367.13	125	On request
1 1/4"	£388.63	130	On request
1 1/2"	£421.00	140	On request
2"	£433.75	150	On request
2 1/2"	£539.13	170	On request
3"	£703.13	180	On request
4"	£765.75	190	On request
5"	£1,155.63	200	On request
6"	£1,553.75	210	On request
8"	£3,424.38	400	On request

Please call the sales team for your discount on this product

VALVE TYPE	Pneumatic Actuated Ball
BODY MATERIAL	Cast Iron, Chrome Ball
END CONNECTION	Flanged PN16, we also keep this item undrilled
SEAT/SEAL	PTFE
RATED	16 Bar
OPERATION	Spring return actuator. Please specify fail close / open.

Full specification sheet available on request

ELECTRIC ACTUATED BALL / CAST IRON, CHROME BALL / FLANGED PN16

VCI185



SIZE	PRICE	LENGTH MM	WEIGHT KG
1"	£450.00	125	On request
1 1/4"	£471.50	130	On request
1 1/2"	£776.88	140	On request
2"	£803.00	150	On request
2 1/2"	£1,342.13	170	On request
3"	£1,395.75	180	On request
4"	£1,591.50	190	On request

Please call the sales team for your discount on this product

VALVE TYPE	Electric Actuated Ball
BODY MATERIAL	Cast Iron, Chrome Ball
END CONNECTION	Flanged PN16, we also keep this item undrilled
SEAT/SEAL	PTFE
RATED	16 Bar
OPERATION	Electric Actuator 24V, 110V, 240V available – AC and DC available.

Full specification sheet available on request

ELECTRIC ACTUATED BALL / CAST IRON, S/S BALL / FLANGED PN16

VCI186



SIZE	PRICE	LENGTH MM	WEIGHT KG
1 1/2"	£797.63	140	On request
2"	£819.88	150	On request
2 1/2"	£1,391.13	170	On request
3"	£1,445.63	180	On request
4"	£1,698.13	190	On request

Please call the sales team for your discount on this product

VALVE TYPE	Electric Actuated Ball
BODY MATERIAL	Cast Iron, S/S Ball
END CONNECTION	Flanged PN16, we also keep this item undrilled
SEAT/SEAL	PTFE
RATED	16 Bar
OPERATION	Electric Actuator 24V, 110V, 240V available – AC and DC available.

Full specification sheet available on request

The above items are from Valve Center's standard range. Please contact us on 01744 759460 if you can't find what you are looking for.



BELLOWS

Rubber Expansion Joint / EPDM with Galvanised Malleable Iron Threaded Adaptor / Screwed BSP Female..... 35
Rubber Expansion Joint / Nitrile with Cast Iron Threaded Adaptor / Screwed BSP Female..... 35
Rubber Expansion Joint / EPDM with Galvanised Steel Flanges / Flanged PN10/16..... 35

Rubber Expansion Joint / Nitrile with Galvanised Steel Flanges / Flanged PN10/16..... 36
Tied Rubber Expansion Joint / EPDM with Zinc Plated Carbon Steel Oval Flanges / Flanged PN10/16..... 36
Tied Rubber Expansion Joint / Nitrile with Zinc Plated Carbon Steel Oval Flanges / Flanged PN10/16..... 36



BELLOWS

RUBBER EXPANSION JOINT / EPDM WITH GALVANISED MALLEABLE IRON THREADED ADAPTOR / SCREWED BSP FEMALE

VC231



SIZE	PRICE	LENGTH MM	WEIGHT KG
1/2"	£22.00	200	0.7
3/4"	£26.00	200	0.9
1"	£28.00	200	1.15
1 1/4"	£31.40	200	1.4
1 1/2"	£38.50	200	1.65
2"	£48.25	200	2.25
2 1/2"	£70.52	245	3.25
3"	£89.45	245	4.2

Please call the sales team for your discount on this product

VALVE TYPE	Rubber Expansion Joint
BODY MATERIAL	EPDM with Galvanised Malleable Iron threaded adaptor
END CONNECTION	Screwed BSP Female

Full specification sheet available on request

RUBBER EXPANSION JOINT / NITRILE WITH CAST IRON THREADED ADAPTOR / SCREWED BSP FEMALE

VC232



SIZE	PRICE	LENGTH MM	WEIGHT KG
1/2"	£22.00	200	0.7
3/4"	£26.00	200	0.9
1"	£28.00	200	1.15
1 1/4"	£31.40	200	1.4
1 1/2"	£38.50	200	1.65
2"	£48.25	200	2.25
2 1/2"	£70.52	245	3.25
3"	£89.45	245	4.2

Please call the sales team for your discount on this product

VALVE TYPE	Rubber Expansion Joint
BODY MATERIAL	Nitrile with Cast Iron Threaded Adaptor
END CONNECTION	Screwed BSP Female

Full specification sheet available on request

RUBBER EXPANSION JOINT / EPDM WITH GALVANISED STEEL FLANGES / FLANGED PN10/16

VC228



SIZE	PRICE	LENGTH MM	WEIGHT KG
1 1/4"	£41.47	130	1.94
1 1/2"	£43.83	130	2.14
2"	£48.10	130	2.67
2 1/2"	£69.53	130	3.14
3"	£82.93	130	3.57
4"	£103.38	130	4.1
5"	£156.80	130	5.56
6"	£181.28	130	6.7
8"	£313.58	130	8.9
10"	£416.90	130	9.96
12"	£512.50	130	15.93
14"	£1,071.88	265	50
16"	£1,391.63	265	60
18"	£1,589.38	265	70
20"	£1,953.50	265	88.64
24"	£3,326.25	254	95

Please call the sales team for your discount on this product

VALVE TYPE	Rubber Expansion Joint
BODY MATERIAL	EPDM with Galvanised Steel Flanges
END CONNECTION	Flanged PN10/16, we also keep this item undrilled

Full specification sheet available on request

RUBBER EXPANSION JOINT / NITRILE WITH GALVANISED STEEL FLANGES / FLANGED PN10/16
VC229


SIZE	PRICE	LENGTH MM	WEIGHT KG
1 1/4"	£41.47	130	1.94
1 1/2"	£43.83	130	2.14
2"	£48.10	130	2.67
2 1/2"	£69.53	130	3.14
3"	£82.93	130	3.57
4"	£103.38	130	4.1
5"	£156.80	130	5.56
6"	£181.28	130	6.7
8"	£313.58	130	8.9
10"	£416.90	130	9.96
12"	£512.50	130	15.93
14"	£1,070.88	265	50
16"	£1,391.63	265	60
18"	£1,589.38	265	70
20"	£1,953.50	265	88.64
24"	£3,326.25	254	95

Please call the sales team for your discount on this product

VALVE TYPE	Rubber Expansion Joint
BODY MATERIAL	Nitrile with Galvanised Steel Flanges
END CONNECTION	Flanged PN10/16, we also keep this item undrilled

Full specification sheet available on request

TIED RUBBER EXPANSION JOINT / EPDM WITH ZINC PLATED CARBON STEEL OVAL FLANGES / FLANGED PN10/16
VC230


SIZE	PRICE	LENGTH MM	WEIGHT KG
2 1/2"	£108.28	130	8.1
3"	£129.28	130	9.6
4"	£161.08	130	10.8
5"	£244.25	130	14.8
6"	£282.43	130	17.1
8"	£488.48	130	22.8
10"	£649.55	130	34
12"	£798.38	130	41.9

Please call the sales team for your discount on this product

VALVE TYPE	Tied Rubber Expansion Joint
BODY MATERIAL	EPDM with Zinc Plated Carbon Steel Oval Flanges
END CONNECTION	Flanged PN10/16, we also keep this item undrilled

Full specification sheet available on request

TIED RUBBER EXPANSION JOINT / NITRILE WITH ZINC PLATED CARBON STEEL OVAL FLANGES / FLANGED PN10/16
VC405


SIZE	PRICE	LENGTH MM	WEIGHT KG
2 1/2"	£108.28	130	8.1
3"	£129.28	130	9.6
4"	£161.08	130	10.8
5"	£244.25	130	14.8
6"	£282.43	130	17.1
8"	£488.48	130	22.8
10"	£649.55	130	34
12"	£798.38	130	41.9

Please call the sales team for your discount on this product

VALVE TYPE	Tied Rubber Expansion Joint
BODY MATERIAL	Nitrile with Zinc Plated Carbon Steel Oval Flanges
END CONNECTION	Flanged PN10/16, we also keep this item undrilled

Full specification sheet available on request



INDUSTRIAL VALVE STOCKIST, ACTUATORS & RELATED EQUIPMENT

Customer service is paramount, but don't just take our word for it

"I am an inventory manager at the MOD and found it very easy to do business with your company. Quotations have been dealt with quickly and professionally and members of your staff are helpful and informative. I would hope to deal with you in the future."—Rob, UK Ministry of Defence.





BUTTERFLY VALVES

Butterfly, Wafer Pattern / Ductile Iron, Epoxy Coated / Nickel Plated Ductile Iron	39
Butterfly, Wafer Pattern / Ductile Iron, Epoxy Coated / Stainless Steel	39
Butterfly, Lugged & Tapped / Ductile Iron Epoxy Coated / Stainless Steel	40
Butterfly, Wafer Type Multi-Flanged / Ductile Iron / Epoxy Coated Disc	40
Butterfly, Wafer Type Multi-Flanged / Ductile Iron / Epoxy Coated Disc	41
Butterfly, Wafer Type Multi-Flanged / Ductile Iron / Stainless Steel	41
Butterfly, Wafer Type Multi-Flanged / Ductile Iron / Stainless Steel	41
Butterfly, Wafer Type Multi-Flanged / Aluminium Epoxy Coated / Brass Up to 4", Epoxy Coated Up to 8"	42
Butterfly Wafer Pattern / Cast Iron Epoxy Coated / Stainless Steel	42
Butterfly Wafer Pattern / Cast Iron Epoxy Coated / Aluminium Bronze	42
Butterfly Wafer Pattern / Cast Iron Epoxy Coated / Stainless Steel	43
Butterfly Lugged Pattern / Cast Iron Epoxy Coated / Stainless Steel	43
Butterfly Lugged Pattern / Cast Iron Epoxy Coated / Aluminium Bronze	43

Butterfly Lugged Pattern / Cast Iron Epoxy Coated / Stainless Steel	44
Butterfly, Double Flanged / Ductile Iron / Coated Ductile Iron	44
Butterfly, Wafer Pattern / Stainless Steel	44
Firesafe High Performance Butterfly, Wafer Type / Carbon Steel / Stainless Steel	45
Firesafe High Performance Butterfly, Lugged Type / Carbon Steel / Stainless Steel	45
Pneumatic Butterfly, Wafer / Ductile Iron / Stainless Steel / Double Acting	45
Pneumatic Butterfly, Wafer / Ductile Iron / Stainless Steel / Spring Return	46
Electric Actuated Butterfly, Wafer Pattern / Ductile Iron / Stainless Steel	46
Pneumatic Butterfly, Lugged / Ductile Iron / Stainless Steel / Double Acting	46
Pneumatic Butterfly, Lugged / Ductile Iron / Stainless Steel / Spring Return	47
Electric Actuated Butterfly, Fully Lugged / Ductile Iron / Stainless Steel	47



BUTTERFLY VALVES

**BUTTERFLY, WAFER PATTERN / DUCTILE IRON, EPOXY COATED / NICKEL PLATED
DUCTILE IRON**

VC53



SIZE	PRICE	LENGTH MM	WEIGHT KG
2"	£50.07	42	3.8
2 1/2"	£52.77	45	4.4
3"	£64.04	45	5
4"	£68.82	52	7
5"	£86.13	54	8
6"	£100.20	56	10
8"	£176.46	61	16.2
10"	£299.15	66	24.8
12"	£398.07	77	37
14"	£650.81	80	52
16"	£1,383.72	90	101
18"	£1,635.81	110	119
20"	£2,130.57	120	168
24"	£4,251.00	160	198

Please call the sales team for your discount on this product

VALVE TYPE	Butterfly, Wafer Pattern
BODY MATERIAL	Ductile Iron, Epoxy Coated
DISC MATERIAL	Nickle Plated Ductile Iron
END CONNECTION	To suit Flanges PN10/16, we also keep this item undrilled
LINER	EPDM
RATED	16 Bar
OPERATION	Lever up to 14", Above Gear box operated
OTHER	Other discs and Liners available

Full specification sheet available on request

BUTTERFLY, WAFER PATTERN / DUCTILE IRON, EPOXY COATED / STAINLESS STEEL

VC54



SIZE	PRICE	LENGTH MM	WEIGHT KG
2"	£61.99	42	3.8
2 1/2"	£68.91	45	4.4
3"	£78.56	45	5
4"	£96.84	52	7
5"	£135.95	54	8
6"	£169.58	56	10
8"	£298.73	61	16.2

Please call the sales team for your discount on this product

VALVE TYPE	Butterfly, Wafer Pattern
BODY MATERIAL	Ductile Iron, Epoxy Coated
DISC MATERIAL	Stainless Steel
END CONNECTION	To suit Flanges PN10/16, we also keep this item undrilled
LINER	BUNA
RATED	16 Bar
OPERATION	Lever up to 14", Above Gear box operated
OTHER	Other discs and Liners available

Full specification sheet available on request

BUTTERFLY, WAFER PATTERN / DUCTILE IRON, EPOXY COATED / STAINLESS STEEL

VC55



SIZE	PRICE	LENGTH MM	WEIGHT KG
1 1/2"	£55.49	33	3.02
2"	£61.99	42	3.8
2 1/2"	£68.91	45	4.4
3"	£78.56	45	5
4"	£96.84	52	7
5"	£135.95	54	8
6"	£169.58	56	10
8"	£298.73	61	16.2
10"	£558.48	66	24.8
12"	£844.58	77	37
14"	£1,318.14	80	52
16"	£2,312.15	90	101
18"	£3,060.81	110	119
20"	£4,193.25	120	168
24"	£6,347.82	160	198

Please call the sales team for your discount on this product

VALVE TYPE	Butterfly, Wafer Pattern
BODY MATERIAL	Ductile Iron, Epoxy Coated
DISC MATERIAL	Stainless Steel
END CONNECTION	To suit Flanges PN10/16, we also keep this item undrilled
LINER	EPDM
RATEDV	16 Bar
OPERATION	Lever up to 14", Above Gear box operated
OTHER	Other discs and Liners available

Full specification sheet available on request

The above items are from Valve Center's standard range. Please contact us on 01744 759460 if you can't find what you are looking for.

BUTTERFLY, LUGGED & TAPPED / DUCTILE IRON EPOXY COATED / STAINLESS STEEL
VC56


SIZE	PRICE	LENGTH MM	WEIGHT KG
2"	£75.47	42	3.8
2 1/2"	£87.69	45	4.2
3"	£99.39	45	4.7
4"	£122.99	52	9
5"	£164.19	54	10.9
6"	£187.08	56	14.2
8"	£364.95	61	18.2

Please call the sales team for your discount on this product

VALVE TYPE	Butterfly, Lugged & Tapped
BODY MATERIAL	Ductile Iron Epoxy Coated
DISC MATERIAL	Stainless Steel
END CONNECTION	To suit Flanges PN16 (PN10 available on 8"), we also keep this item undrilled
LINER	BUNA
RATED	PN16
OPERATION	Lever up to 14", above gearbox operated
OTHER	Other Discs and Liners available

Full specification sheet available on request

BUTTERFLY, LUGGED & TAPPED / DUCTILE IRON EPOXY COATED / STAINLESS STEEL
VC57


SIZE	PRICE	LENGTH MM	WEIGHT KG
2"	£75.47	42	3.8
2 1/2"	£87.69	45	4.2
3"	£99.39	45	4.7
4"	£122.99	52	9
5"	£164.19	54	10.9
6"	£187.08	56	14.2
8"	£364.95	61	18.2

Please call the sales team for your discount on this product

VALVE TYPE	Butterfly, Lugged & Tapped
BODY MATERIAL	Ductile Iron Epoxy Coated
DISC MATERIAL	Stainless Steel
END CONNECTION	To suit Flanges PN16 (PN10 available on 8"), we also keep this item undrilled
LINER	EPDM
RATED	PN16
OPERATION	Lever up to 14", above gearbox operated
OTHER	Other Discs and Liners available

Full specification sheet available on request

BUTTERFLY, WAFER TYPE MULTI-FLANGED / DUCTILE IRON / EPOXY COATED DISC
VC58


SIZE	PRICE	LENGTH MM	WEIGHT KG
2 1/2"	£99.41	46	3
3"	£103.70	46	3.3
4"	£120.21	52	4.8
5"	£162.59	56	6.8
6"	£188.13	56	8.5
8"	£261.41	60	13.5
10"	£472.34	68	22

Please call the sales team for your discount on this product

VALVE TYPE	Butterfly, Wafer Type Multi-Flanged
BODY MATERIAL	Ductile Iron
DISC MATERIAL	Epoxy Coated Disc
END CONNECTION	Can be drilled to suit PN6/10/16 / ANSI 150 / Table D/E and JIS 5K / 10K
LINER	BUNA (replaceable)
RATED	16 Bar
OPERATION	Lever up to 12", above gearbox operated
OTHER	Direct Mount ISO 5211

Full specification sheet available on request

The above items are from Valve Center's standard range. Please contact us on 01744 759460 if you can't find what you are looking for.

BUTTERFLY VALVES

BUTTERFLY, WAFER TYPE MULTI-FLANGED / DUCTILE IRON / EPOXY COATED DISC

VC59



SIZE	PRICE	LENGTH MM	WEIGHT KG
2 1/2"	£95.94	46	3
3"	£100.34	46	3.3
4"	£111.27	52	4.8
5"	£154.01	56	6.8
6"	£169.44	56	8.5
8"	£237.99	60	13.5
10"	£413.78	68	22
12"	£663.74	78	38

Please call the sales team for your discount on this product

VALVE TYPE	Butterfly, Wafer Type Multi-Flanged
BODY MATERIAL	Ductile Iron
DISC MATERIAL	Epoxy Coated Disc
END CONNECTION	Can be drilled to suit PN6/10/16 / ANSI 150 / Table D/E and JIS 5K / 10K
LINER	EPDM (replaceable)
RATED	16 Bar
OPERATION	Lever up to 12", above gearbox operated
OTHER	Direct Mount ISO 5211

Full specification sheet available on request

BUTTERFLY, WAFER TYPE MULTI-FLANGED / DUCTILE IRON / STAINLESS STEEL

VC60



SIZE	PRICE	LENGTH MM	WEIGHT KG
1 1/2"	£87.98	33	1.5
2"	£91.70	43	21.2
2 1/2"	£111.59	46	3
3"	£116.24	46	3.3
4"	£141.27	52	4.8
5"	£219.17	56	6.8
6"	£273.53	56	8.5
8"	£372.95	60	13.5
10"	£722.67	68	22
12"	£1,070.40	78	38

Please call the sales team for your discount on this product

VALVE TYPE	Butterfly, Wafer Type Multi-Flanged
BODY MATERIAL	Ductile Iron
DISC MATERIAL	Stainless Steel
END CONNECTION	Can be drilled to suit PN6/10/16 / ANSI 150 / Table D/E and JIS 5K / 10K
LINER	BUNA (replaceable)
RATED	16 Bar
OPERATION	Lever up to 12", above gearbox operated
OTHER	Direct Mount ISO 5211

Full specification sheet available on request

BUTTERFLY, WAFER TYPE MULTI-FLANGED / DUCTILE IRON / STAINLESS STEEL

VC61



SIZE	PRICE	LENGTH MM	WEIGHT KG
1 1/2"	£81.63	33	1.5
2"	£88.68	43	2.2
2 1/2"	£103.44	46	3
3"	£115.52	46	3.3
4"	£132.50	52	4.8
5"	£207.87	56	6.8
6"	£258.72	56	8.5
8"	£349.68	60	13.5
10"	£685.76	68	22
12"	£1,007.28	78	38

Please call the sales team for your discount on this product

VALVE TYPE	Butterfly, Wafer Type Multi-Flanged
BODY MATERIAL	Ductile Iron
DISC MATERIAL	Stainless Steel
END CONNECTION	Can be drilled to suit PN6/10/16 / ANSI 150 / Table D/E and JIS 5K / 10K
LINER	EPDM (replaceable)
RATED	16 Bar
OPERATION	Lever up to 12", above gearbox operated
OTHER	Direct Mount ISO 5211

Full specification sheet available on request

The above items are from Valve Center's standard range. Please contact us on 01744 759460 if you can't find what you are looking for.

BUTTERFLY, WAFER TYPE MULTI-FLANGED / ALUMINIUM EPOXY COATED / BRASS UP TO 4", EPOXY COATED UP TO 8"
VC62


SIZE	PRICE	LENGTH MM	WEIGHT KG
1 1/2"	£65.51	33	0.5
2"	£68.04	43	0.72
2 1/2"	£74.34	46	1.18
3"	£80.79	46	1.35
4"	£99.83	52	2.3
5"	£128.87	56	3
6"	£170.43	56	4.3
8"	£203.97	58	6.4

Please call the sales team for your discount on this product

VALVE TYPE	Butterfly, Wafer Type Multi-Flanged
BODY MATERIAL	Aluminium Epoxy Coated
DISC MATERIAL	Brass up to 4", Epoxy Coated up to 8"
END CONNECTION	Can be drilled to suit PN6/10/16 / ANSI 150 / Table D/E and JIS 5K / 10K
LINER	EPDM
RATED	16 Bar
OPERATION	Lever up to 12", above gearbox operated
OTHER	Extended Neck for Pipe Lagging

Full specification sheet available on request

BUTTERFLY WAFER PATTERN / CAST IRON EPOXY COATED / STAINLESS STEEL
VC291


SIZE	PRICE	LENGTH MM	WEIGHT KG
1 1/2"	£149.47	33	2.2
2"	£149.47	43	3
2 1/2"	£168.11	46	3.5
3"	£205.47	46	4
4"	£264.60	52	6
5"	£370.46	56	7.2
6"	£479.43	56	9.5
8"	£772.07	60	16
10"	£1,233.54	68	22
12"	£1,578.54	78	30

Please call the sales team for your discount on this product

VALVE TYPE	Butterfly Wafer Pattern
BODY MATERIAL	Cast Iron Epoxy Coated
DISC MATERIAL	Stainless Steel
END CONNECTION	To suit PN10/16
SEAT/SEAL	Viton Seal
RATED	16 BAR
OPERATION	Bareshaft. Lever / gearbox on request

Full specification sheet available on request

BUTTERFLY WAFER PATTERN / CAST IRON EPOXY COATED / ALUMINIUM BRONZE
VC293


SIZE	PRICE	LENGTH MM	WEIGHT KG
1 1/2"	£133.44	33	2.2
2"	£133.44	43	3
2 1/2"	£143.21	46	3.5
3"	£159.48	46	4
4"	£196.37	52	6
5"	£292.92	56	7.2
6"	£335.24	56	9.5
8"	£563.07	60	16
10"	£930.86	68	22
12"	£1,171.70	78	30

Please call the sales team for your discount on this product

VALVE TYPE	Butterfly Wafer Pattern
BODY MATERIAL	Cast Iron Epoxy Coated
DISC MATERIAL	Aluminium Bronze
END CONNECTION	To suit PN10/16
SEAT/SEAL	NBR or EPDM
RATED	16 BAR
OPERATION	Bareshaft. Lever / gearbox on request

Full specification sheet available on request

The above items are from Valve Center's standard range. Please contact us on 01744 759460 if you can't find what you are looking for.

BUTTERFLY VALVES

BUTTERFLY WAFER PATTERN / CAST IRON EPOXY COATED / STAINLESS STEEL

VC295



SIZE	PRICE	LENGTH MM	WEIGHT KG
2"	£146.46	43	3
2 1/2"	£175.76	46	3.5
3"	£207.56	46	4
4"	£250.62	52	6
5"	£335.24	56	7.2
6"	£400.32	56	9.5
8"	£631.41	60	16
10"	£940.50	68	22
12"	£1,233.54	78	30

Please call the sales team for your discount on this product

VALVE TYPE	Butterfly Wafer Pattern
BODY MATERIAL	Cast Iron Epoxy Coated
DISC MATERIAL	Stainless Steel
END CONNECTION	To suit PN10/16
SEAT/SEAL	Silicon
RATED	16 BAR
OPERATION	Bareshaft. Lever / gearbox on request

Full specification sheet available on request

BUTTERFLY LUGGED PATTERN / CAST IRON EPOXY COATED / STAINLESS STEEL

VC292



SIZE	PRICE	LENGTH MM	WEIGHT KG
1 1/2"	£173.49	33	2.6
2"	£173.49	43	3.7
2 1/2"	£199.32	46	4.4
3"	£230.36	46	6.7
4"	£295.74	52	7.6
5"	£404.70	56	9.7
6"	£526.13	56	11.3
8"	£865.47	60	22
10"	£1,337.69	68	29
12"	£1,777.08	78	43

Please call the sales team for your discount on this product

VALVE TYPE	Butterfly Lugged Pattern
BODY MATERIAL	Cast Iron Epoxy Coated
DISC MATERIAL	Stainless Steel
END CONNECTION	To suit PN10/16
SEAT/SEAL	Viton Seal
RATED	16 BAR
OPERATION	Bareshaft. Lever / gearbox on request

Full specification sheet available on request

BUTTERFLY LUGGED PATTERN / CAST IRON EPOXY COATED / ALUMINIUM BRONZE

VC294



SIZE	PRICE	LENGTH MM	WEIGHT KG
1 1/2"	£149.72	33	2.6
2"	£149.72	43	3.7
2 1/2"	£162.74	46	4.4
3"	£185.52	46	6.7
4"	£227.84	52	7.6
5"	£328.73	56	9.7
6"	£384.06	56	11.3
8"	£660.71	60	22
10"	£1,035.00	68	29
12"	£1,370.24	78	43

Please call the sales team for your discount on this product

VALVE TYPE	Butterfly Lugged Pattern
BODY MATERIAL	Cast Iron Epoxy Coated
DISC MATERIAL	Aluminium Bronze
END CONNECTION	To suit PN10/16
SEAT/SEAL	NBR or EPDM
RATED	16 BAR
OPERATION	Bareshaft. Lever / gearbox on request

Full specification sheet available on request

The above items are from Valve Center's standard range. Please contact us on 01744 759460 if you can't find what you are looking for.

BUTTERFLY LUGGED PATTERN / CAST IRON EPOXY COATED / STAINLESS STEEL
VC296


SIZE	PRICE	LENGTH MM	WEIGHT KG
2"	£162.65	43	3.7
2 1/2"	£195.29	46	4.4
3"	£233.60	46	6.7
4"	£283.17	52	7.6
5"	£371.03	56	9.7
6"	£449.15	56	11.3
8"	£729.06	60	22
10"	£1,044.77	68	29
12"	£1,432.08	78	43

Please call the sales team for your discount on this product

VALVE TYPE	Butterfly Lugged Pattern
BODY MATERIAL	Cast Iron Epoxy Coated
DISC MATERIAL	Stainless Steel
END CONNECTION	To suit PN10/16
SEAT/SEAL	Silicon
RATED	16 BAR
OPERATION	Bareshaft. Lever / gearbox on request

Full specification sheet available on request

BUTTERFLY, DOUBLE FLANGED / DUCTILE IRON / COATED DUCTILE IRON
VC330


SIZE	PRICE	LENGTH MM	WEIGHT KG
3"	£1,057.50	180	22
4"	£1,120.00	190	26
5"	£1,490.00	200	30
6"	£1,465.00	210	39
8"	£1,685.00	270	51
10"	£1,955.00	290	76
12"	£2,177.50	340	95
14"	£3,210.00	400	175

Please call the sales team for your discount on this product

VALVE TYPE	Butterfly, Double Flanged
BODY MATERIAL	Ductile Iron
DISC MATERIAL	Coated Ductile Iron
END CONNECTION	Flanged PN16, we also keep this item undrilled
SEAT/SEAL	EPDM
RATED	16 Bar
OPERATION	Cap Top (Gearbox available)
OTHER	WRC Approved

Full specification sheet available on request

BUTTERFLY, WAFER PATTERN / STAINLESS STEEL
VC63


SIZE	PRICE	LENGTH MM	WEIGHT KG
2"	£227.46	43	2.6
2 1/2"	£281.22	46	3.6
3"	£362.87	46	5.3
4"	£422.30	52	8
5"	£517.29	56	10
6"	£652.86	56	12.8
8"	£978.51	60	16.1

Please call the sales team for your discount on this product

VALVE TYPE	Butterfly, Wafer Pattern
BODY MATERIAL	Stainless Steel
DISC MATERIAL	Stainless Steel
END CONNECTION	To suit PN10 / PN16 / ANSI 150 Flanges, we also keep this item undrilled
LINER	EPDM Backed PTFE
RATED	PN10
OPERATION	Lever up to 8", above gearbox operated.
OTHER	Iso Mounted

Full specification sheet available on request

The above items are from Valve Center's standard range. Please contact us on 01744 759460 if you can't find what you are looking for.

BUTTERFLY VALVES

FIRESAFE HIGH PERFORMANCE BUTTERFLY, WAFER TYPE / CARBON STEEL / STAINLESS STEEL

VC352



SIZE	PRICE	LENGTH MM	WEIGHT KG
2 1/2"	£497.50	48	13
3"	£547.50	48	16
4"	£727.50	52	20
5"	£930.00	57	26
6"	£1,067.50	57	33
8"	£1,375.00	61	46
10"	£2,027.50	70	79
12"	£2,900.00	78	123

Please call the sales team for your discount on this product

VALVE TYPE	Firesafe High Performance Butterfly, Wafer Type
BODY MATERIAL	Carbon Steel (others available, contact office)
DISC	Stainless Steel (others available, contact office)
END CONNECTION	To suit ANSI 150 and PNI6
SEAT/SEAL	RTFE (others available, contact office)
RATED	19.6 Bar (Class 150)
OPERATION	Lever upto 6", Gearbox 8"to 12"

Full specification sheet available on request
FIRESAFE HIGH PERFORMANCE BUTTERFLY, LUGGED TYPE / CARBON STEEL / STAINLESS STEEL

VC353



SIZE	PRICE	LENGTH MM	WEIGHT KG
2 1/2"	£615.00	48	14
3"	£665.00	48	15
4"	£787.50	52	23
5"	£1,030.00	57	34
6"	£1,187.50	57	47
8"	£1,592.50	61	54
10"	£2,267.50	70	94
12"	£3,060.00	78	136

Please call the sales team for your discount on this product

VALVE TYPE	Firesafe High Performance Butterfly, Lugged Type
BODY MATERIAL	Carbon Steel (others available, contact office)
DISC	Stainless Steel (others available, contact office)
END CONNECTION	ANSI 150 or PNI6 (please specify)
SEAT/SEAL	RTFE (others available, contact office)
RATED	19.6 Bar (Class 150)
OPERATION	Lever upto 6", Gearbox 8"to 12"

Full specification sheet available on request
PNEUMATIC BUTTERFLY, WAFER / DUCTILE IRON / STAINLESS STEEL / DOUBLE ACTING

VC198



SIZE	PRICE	LENGTH MM	WEIGHT KG
2"	£178.13	43	On request
2 1/2"	£183.38	46	On request
3"	£231.50	46	On request
4"	£394.38	52	On request
5"	£436.88	54	On request
6"	£596.38	56	On request
8"	£782.13	59	On request
10"	£901.63	On request	On request
12"	£1,581.00	On request	On request

Please call the sales team for your discount on this product

VALVE TYPE	Pneumatic Actuated Butterfly, Wafer Pattern
BODY MATERIAL	Ductile Iron
DISC	Stainless Steel (Other Discs available)
END CONNECTION	Wafer to suit PN6, PNI6, PNI16, ANSI 150, Table D/E, JIS5K/10K On request
SEAT/SEAL	EPDM (Other Liners available)
RATED	10–16 Bar
OPERATION	Double Acting Pneumatic Actuator
OTHER	Std and Atex Switch-boxes, solenoids, indicators and other accessories are available.

Full specification sheet available on request
The above items are from Valve Center's standard range. Please contact us on 01744 759460 if you can't find what you are looking for.

PNEUMATIC BUTTERFLY, WAFER / DUCTILE IRON / STAINLESS STEEL / SPRING RETURN
VC199


SIZE	PRICE	LENGTH MM	WEIGHT KG
2"	£205.38	43	On request
2 1/2"	£210.75	46	On request
3"	£269.00	46	On request
4"	£493.25	52	On request
5"	£535.75	54	On request
6"	£732.75	56	On request
8"	£1,327.63	59	On request
10"	£1,518.75	On request	On request
12"	£2,597.88	On request	On request

Please call the sales team for your discount on this product

VALVE TYPE	Pneumatic Actuated Butterfly, Wafer Pattern
BODY MATERIAL	Ductile Iron
DISC	Stainless Steel (Other Discs available)
END CONNECTION	Wafer to suit PN6, PN10, PN16, ANSI 150, Table D/E, JIS5K/10K On request
SEAT/SEAL	EPDM (Other Liners available)
RATED	10–16 Bar
OPERATION	Spring Return Actuator (please specify fail open / close)
OTHER	Std and Atex Switch-boxes, solenoids, indicators and other accessories are available.

Full specification sheet available on request

ELECTRIC ACTUATED BUTTERFLY, WAFER PATTERN / DUCTILE IRON / STAINLESS STEEL
VC200


SIZE	PRICE	LENGTH MM	WEIGHT KG
2"	£417.75	43	On request
2 1/2"	£423.13	46	On request
3"	£568.75	46	On request
4"	£756.50	52	On request
5"	£799.00	54	On request
6"	£1,305.50	56	On request
8"	£1,585.00	59	On request
10"	£1,776.13	On request	On request

Please call the sales team for your discount on this product

VALVE TYPE	Electric Actuated Butterfly, Wafer Pattern
BODY MATERIAL	Ductile Iron
DISC	Stainless Steel (Other Discs available)
END CONNECTION	Wafer to suit PN6, PN10, PN16, ANSI 150, Table D/E, JIS5K/10K On request
SEAT/SEAL	EPDM (Other Liners available)
RATED	16 Bar
OPERATION	Electric Actuated 24V, 110V, 240V available – AC and DC available
OTHER	Atex approved available (please enquire)

Full specification sheet available on request

PNEUMATIC BUTTERFLY, LUGGED / DUCTILE IRON / STAINLESS STEEL / DOUBLE ACTING
VC201


SIZE	PRICE	LENGTH MM	WEIGHT KG
2"	£194.00	43	On request
2 1/2"	£194.00	46	On request
3"	£247.38	46	On request
4"	£410.38	52	On request
5"	£458.13	54	On request
6"	£619.13	56	On request
8"	£843.88	59	On request
10"	£1,242.13	On request	On request
12"	£1,954.88	On request	On request

Please call the sales team for your discount on this product

VALVE TYPE	Pneumatic Actuated Butterfly, Fully Lugged
BODY MATERIAL	Ductile Iron
DISC	Stainless Steel (Other Discs available)
END CONNECTION	To suit PN16 Flanges, we also keep this item undrilled
SEAT/SEAL	EPDM (Other Liners available)
RATED	16 Bar
OPERATION	Double Acting Pneumatic Actuator
OTHER	Std and Atex Switch-boxes, solenoids, indicators and other accessories are available.

Full specification sheet available on request

The above items are from Valve Center's standard range. Please contact us on 01744 759460 if you can't find what you are looking for.

BUTTERFLY VALVES

PNEUMATIC BUTTERFLY, LUGGED / DUCTILE IRON / STAINLESS STEEL / SPRING RETURN

VC202



SIZE	PRICE	LENGTH MM	WEIGHT KG
2"	£221.25	43	On request
2 1/2"	£221.25	46	On request
3"	£284.88	46	On request
4"	£509.25	52	On request
5"	£557.00	54	On request
6"	£748.63	56	On request
8"	£1,382.50	59	On request
10"	£1,447.13	On request	On request
12"	£2,971.63	On request	On request

Please call the sales team for your discount on this product

VALVE TYPE	Pneumatic Actuated Butterfly, Fully Lugged
BODY MATERIAL	Ductile Iron
DISC	Stainless Steel (Other Discs available)
END CONNECTION	To suit PN16 Flanges, we also keep this item undrilled
SEAT/SEAL	EPDM (Other Liners available)
RATED	16 Bar
OPERATION	Spring Return Actuator (please specify fail open / close)
OTHER	Std and Atex Switch-boxes, solenoids, indicators and other accessories are available.

Full specification sheet available on request

ELECTRIC ACTUATED BUTTERFLY, FULLY LUGGED / DUCTILE IRON / STAINLESS STEEL

VC203



SIZE	PRICE	LENGTH MM	WEIGHT KG
2"	£435.00	43	On request
2 1/2"	£442.50	46	On request
3"	£607.50	46	On request
4"	£798.75	52	On request
5"	£840.00	54	On request
6"	£1,380.00	56	On request
8"	£1,597.50	59	On request
10"	£1,875.00	On request	On request

Please call the sales team for your discount on this product

VALVE TYPE	Electric Actuated Butterfly, Fully Lugged
BODY MATERIAL	Ductile Iron
DISC	Stainless Steel (Other Discs available)
END CONNECTION	To suit PN16 Flanges, we also keep this item undrilled
SEAT/SEAL	EPDM (Other Liners available)
RATED	16 Bar
OPERATION	Electric Actuator 24V, 110V, 240V available – AC and DC available
OTHER	Atex approved available (please enquire)

Full specification sheet available on request

Visit our Website
www.valvecenter.co.uk

The above items are from Valve Center's standard range. Please contact us on 01744 759460 if you can't find what you are looking for.



DIAPHRAGM VALVES

Diaphragm Weir Type Unlined / Ductile Iron / Screwed BSP Female	49
Diaphragm Weir Type Unlined / Ductile Iron / Flanged PN10/16	49
Diaphragm Weir Type Hard Rubber Lined / Ductile Iron / Flanged PN10/16	49
Diaphragm Straight Through Type Unlined / Ductile Iron / Flanged PN10/16	50

Diaphragm Straight Through Type Hard Rubber Lined / Ductile Iron / Flanged PN10/16	50
Diaphragm Weir Type / Stainless Steel / Screwed BSP	50



DIAPHRAGM VALVES

DIAPHRAGM WEIR TYPE UNLINED / DUCTILE IRON / SCREWED BSP FEMALE

VC204



SIZE	PRICE	LENGTH MM	WEIGHT KG
1/2"	£51.96	64	0.8
3/4"	£56.21	83	1.2
1"	£71.58	108	2
1 1/4"	£92.78	121	3.5
1 1/2"	£116.63	140	4
2"	£134.58	165	6

Please call the sales team for your discount on this product

VALVE TYPE	Diaphragm Weir Type Unlined
BODY MATERIAL	Ductile Iron
END CONNECTION	Screwed BSP Female
SEAT/SEAL	Standard Natural Rubber Diaphragm (Other Diaphragm Materials available)
RATED	16 Bar
OPERATION	Handwheel
OTHER	Saunders Brand are available

Full specification sheet available on request

DIAPHRAGM WEIR TYPE UNLINED / DUCTILE IRON / FLANGED PN10/16

VC205



SIZE	PRICE	LENGTH MM	WEIGHT KG
1"	£115.82	127	3.5
1 1/4"	£146.25	146	4.5
1 1/2"	£181.28	159	7.6
2"	£211.52	190	10.5
2 1/2"	£299.25	216	16
3"	£377.78	254	22
4"	£579.42	305	33
5"	£988.83	356	60
6"	£941.75	406	75

Please call the sales team for your discount on this product

VALVE TYPE	Diaphragm Weir Type Unlined
BODY MATERIAL	Ductile Iron
END CONNECTION	Flanged PN10/16 (ANSI 150/300, Table D/E also available), we also keep this item undrilled
SEAT/SEAL	Standard Natural Rubber Diaphragm (Other Diaphragm Materials available)
RATED	16 Bar
OPERATION	Handwheel
OTHER	Saunders Brand, pneumatic and electric actuation also available.

Full specification sheet available on request

DIAPHRAGM WEIR TYPE HARD RUBBER LINED / DUCTILE IRON / FLANGED PN10/16

VC206



SIZE	PRICE	LENGTH MM	WEIGHT KG
1"	£198.80	133	3.6
1 1/4"	£276.53	152	4.6
1 1/2"	£292.44	165	7.6
2"	£363.54	196	10.6
2 1/2"	£524.93	222	16.76
3"	£565.50	260	22.2
4"	£850.14	313	33.2
6"	£1,517.82	414	75

Please call the sales team for your discount on this product

VALVE TYPE	Diaphragm Weir Type Hard Rubber Lined
BODY MATERIAL	Ductile Iron
END CONNECTION	Flanged PN10/16 (ANSI 150/300, Table D/E also available), we also keep this item undrilled
SEAT/SEAL	Standard Natural Rubber Diaphragm (Other Diaphragm Materials available)
RATED	16 Bar
OPERATION	Handwheel
OTHER	Saunders Brand, pneumatic and electric actuation also available.

Full specification sheet available on request

The above items are from Valve Center's standard range. Please contact us on 01744 759460 if you can't find what you are looking for.

DIAPHRAGM STRAIGHT THROUGH TYPE UNLINED / DUCTILE IRON / FLANGED PN10/16
VC207


SIZE	PRICE	LENGTH MM	WEIGHT KG
1"	£220.75	127	3.5
1 1/2"	£254.48	159	6.5
2"	£278.21	190	10.5
2 1/2"	£425.42	216	16.7
3"	£499.53	254	22
4"	£845.34	305	33
6"	£1,273.01	406	75

Please call the sales team for your discount on this product

VALVE TYPE	Diaphragm Straight Through Type Unlined
BODY MATERIAL	Ductile Iron
END CONNECTION	Flanged PN10/16 (ANSI 150/300, Table D/E also available), we also keep this item undrilled
SEAT/SEAL	Standard Natural Rubber Diaphragm (Other Diaphragm Materials available)
RATED	16 Bar
OPERATION	Handwheel
OTHER	Saunders Brand, pneumatic and electric actuation also available.

Full specification sheet available on request

DIAPHRAGM STRAIGHT THROUGH TYPE HARD RUBBER LINED / DUCTILE IRON / FLANGED PN10/16
VC208


SIZE	PRICE	LENGTH MM	WEIGHT KG
1"	£234.75	133	3.5
1 1/2"	£288.74	165	6.5
2"	£435.95	196	10.5
2 1/2"	£601.68	222	16.7
3"	£659.31	260	22
4"	£970.10	313	33

Please call the sales team for your discount on this product

VALVE TYPE	Diaphragm Straight Through Type Hard Rubber Lined
BODY MATERIAL	Ductile Iron
END CONNECTION	Flanged PN10/16 (ANSI 150/300, Table D/E also available), we also keep this item undrilled
SEAT/SEAL	Standard Natural Rubber Diaphragm (Other Diaphragm Materials available)
RATED	16 Bar
OPERATION	Handwheel
OTHER	Saunders Brand, pneumatic and electric actuation also available.

Full specification sheet available on request

DIAPHRAGM WEIR TYPE / STAINLESS STEEL / SCREWED BSP
VC363


SIZE	PRICE	LENGTH MM	WEIGHT KG
1/4"	£144.73	49	0.11
3/8"	£144.73	49	0.15
1/2"	£151.28	64	0.45
3/4"	£236.25	83	0.9
1"	£326.15	111	1.13
1 1/4"	£488.98	125	1.8
1 1/2"	£497.13	145	2.7
2"	£625.55	168	5

Please call the sales team for your discount on this product

VALVE TYPE	Diaphragm Weir Type
BODY MATERIAL	Stainless Steel
END CONNECTION	Screwed BSP (NPT and welds ends also available)
SEAT/SEAL	Grade 425-Ethylene Propylene Rubber, Plastic Bonnet
OPERATION	Rising Handwheel
OTHER	Saunders Brand are available

Full specification sheet available on request

The above items are from Valve Center's standard range. Please contact us on 01744 759460 if you can't find what you are looking for.



INDUSTRIAL VALVE STOCKIST, ACTUATORS & RELATED EQUIPMENT

Customer service is paramount, but don't just take our word for it

Knowledge—Great news! In a recent survey, 100% of our customers that took part were more than confident in us to deliver the products and services that they require.





FIRE VALVES

Dry Riser / Bronze / Flanged Table D	53
Dry Riser / Bronze / Flanged PN16	53
Dry Riser / Bronze / Screwed BSP	53
Wet Riser Oblique Pattern / Bronze / Flanged Table D	54
Wet Riser Oblique Pattern / Bronze / Flanged PN16	54
Wet Riser Right Angle Pattern / Bronze / Flanged Table D	54
Wet Riser Right Angle Pattern / Bronze / Flanged PN16	55
Wet Riser Horizontal Pattern / Bronze / Flanged Table D	55
Wet Riser Horizontal Pattern / Bronze / Flanged PN16	55
Wet Riser Bib Nose Pattern / Bronze / Flanged Table D	56
Wet Riser Bib Nose Pattern / Bronze / Flanged PN16	56
Gate, Resilient Wedge / Cast Iron / Flanged PN16	56
Gate, Resilient Wedge / Ductile Iron / Flanged PN16	57
Gate, Resilient Wedge, OS&Y / Ductile Iron / Flanged PN16	57
Gate, Resilient Wedge, OS&Y / Ductile Iron / Flanged PN10/16, ANSI I25	57
Gate, Resilient Wedge / Ductile Iron, Fusion Bonded Coated Interior and Exterior / Flanged PN10/16, ANSI I25	58
Butterfly, UI Listed/FM Approved / Bronze / NPT Screwed 1 1/4 & 1 1/2", Grooved 2" Only	58
Grooved Butterfly, UI Listed/FM Approved / Ductile Iron EPDM Encapsulated	58
Wafer Type Butterfly, UI/FM Approved / Ductile Iron EPDM Encapsulated / to Suit ANSI I25 and PN16 Flanges	59
Wafer Type Butterfly, WOG / Cast Iron / to Suit ANSI I25, PN16 and Table D/E Flanges	59
Grooved Butterfly WOG / Ductile Iron FBE Coated / Grooved Ends ..	59
Swing Check Valve, Grooved / Ductile Iron Epoxy Coated Red / Grooved	60
Swing Check Valve, Resilient Seated / Ductile Iron Fusion Bonded Epoxy Coated Interior and Exterior / Flanged PN10/16, ANSI I25	60
Double Door Check Valve / Cast Iron Body, Stainless Steel Disc / Wafer to Suit ANSI I25	60
Y-Type Strainer / Cast Iron Body, Stainless Steel Screen / Wafer to Suit ANSI I25	61
Y-Type Strainer / Ductile Iron Body, Stainless Steel Screen / Grooved ..	61
Dry Barrel Fire Hydrant, 3-Way / Cast Iron Body / Flanged ANSI or PN16	61
Underground Fire Hydrant Type 2 / Ductile Iron Body / Flanged Table D/E	61



FIRE VALVES

DRY RISER / BRONZE / FLANGED TABLE D

VC266



SIZE	PRICE	LENGTH MM	WEIGHT KG
2 1/2"	£232.50	150	7.5

Please call the sales team for your discount on this product

VALVE TYPE	Dry Riser
BODY MATERIAL	Bronze
END CONNECTION	Flanged Table D, we also keep this item undrilled
OPERATION	Handwheel
OTHER	With Instantaneous Coupling

Full specification sheet available on request

DRY RISER / BRONZE / FLANGED PN16

VC267



SIZE	PRICE	LENGTH MM	WEIGHT KG
2 1/2"	£232.50	150	7

Please call the sales team for your discount on this product

VALVE TYPE	Dry Riser
BODY MATERIAL	Bronze
END CONNECTION	Flanged PN16, we also keep this item undrilled
OPERATION	Handwheel
OTHER	With Instantaneous Coupling

Full specification sheet available on request

DRY RISER / BRONZE / SCREWED BSP

VC268



SIZE	PRICE	LENGTH MM	WEIGHT KG
2 1/2"	£212.50	150	6

Please call the sales team for your discount on this product

VALVE TYPE	Dry Riser
BODY MATERIAL	Bronze
END CONNECTION	Screwed BSP
OPERATION	Handwheel
OTHER	With Instantaneous Coupling

Full specification sheet available on request

WET RISER OBLIQUE PATTERN / BRONZE / FLANGED TABLE D
VC269


SIZE	PRICE	LENGTH MM	WEIGHT KG
2 1/2"	£718.10	150	9
3"	£695.93	150	9

Please call the sales team for your discount on this product

VALVE TYPE	Wet Riser Oblique Pattern
BODY MATERIAL	Bronze
END CONNECTION	Flanged Table D, we also keep this item undrilled
OPERATION	Handwheel
OTHER	With Instantaneous Coupling

Full specification sheet available on request

WET RISER OBLIQUE PATTERN / BRONZE / FLANGED PN16
VC270


SIZE	PRICE	LENGTH MM	WEIGHT KG
2 1/2"	£718.10	150	9

Please call the sales team for your discount on this product

VALVE TYPE	Wet Riser Oblique Pattern
BODY MATERIAL	Bronze
END CONNECTION	Flanged PN16, we also keep this item undrilled
OPERATION	Handwheel
OTHER	With Instantaneous Coupling

Full specification sheet available on request

WET RISER RIGHT ANGLE PATTERN / BRONZE / FLANGED TABLE D
VC271


SIZE	PRICE	LENGTH MM	WEIGHT KG
2 1/2"	£954.08	110	9
3"	£918.08	110	9

Please call the sales team for your discount on this product

VALVE TYPE	Wet Riser Right Angle Pattern
BODY MATERIAL	Bronze
END CONNECTION	Flanged Table D, we also keep this item undrilled
OPERATION	Handwheel
OTHER	With Instantaneous Coupling

Full specification sheet available on request

The above items are from Valve Center's standard range. Please contact us on 01744 759460 if you can't find what you are looking for.

FIRE VALVES

WET RISER RIGHT ANGLE PATTERN / BRONZE / FLANGED PN16

VC272



SIZE	PRICE	LENGTH MM	WEIGHT KG
2 1/2"	£954.08	110	9

Please call the sales team for your discount on this product

VALVE TYPE	Wet Riser Right Angle Pattern
BODY MATERIAL	Bronze
END CONNECTION	Flanged PN16, we also keep this item undrilled
OPERATION	Handwheel
OTHER	With Instantaneous Coupling

Full specification sheet available on request

WET RISER HORIZONTAL PATTERN / BRONZE / FLANGED TABLE D

VC273



SIZE	PRICE	LENGTH MM	WEIGHT KG
2 1/2"	£722.30	190	9

Please call the sales team for your discount on this product

VALVE TYPE	Wet Riser Horizontal Pattern
BODY MATERIAL	Bronze
END CONNECTION	Flanged Table D, we also keep this item undrilled
OPERATION	Handwheel
OTHER	With Instantaneous Coupling

Full specification sheet available on request

WET RISER HORIZONTAL PATTERN / BRONZE / FLANGED PN16

VC274



SIZE	PRICE	LENGTH MM	WEIGHT KG
2 1/2"	£701.65	190	9

Please call the sales team for your discount on this product

VALVE TYPE	Wet Riser Horizontal Pattern
BODY MATERIAL	Bronze
END CONNECTION	Flanged PN16, we also keep this item undrilled
OPERATION	Handwheel
OTHER	With Instantaneous Coupling

Full specification sheet available on request

WET RISER BIB NOSE PATTERN / BRONZE / FLANGED TABLE D
VC275


SIZE	PRICE	LENGTH MM	WEIGHT KG
2 1/2"	£927.23	225	9
3"	£892.53	225	9

Please call the sales team for your discount on this product

VALVE TYPE	Wet Riser Bib Nose Pattern
BODY MATERIAL	Bronze
END CONNECTION	Flanged Table D, we also keep this item undrilled
OPERATION	Handwheel
OTHER	With Instantaneous Coupling

Full specification sheet available on request

WET RISER BIB NOSE PATTERN / BRONZE / FLANGED PN16
VC276


SIZE	PRICE	LENGTH MM	WEIGHT KG
2 1/2"	£892.45	225	9

Please call the sales team for your discount on this product

VALVE TYPE	Wet Riser Bib Nose Pattern
BODY MATERIAL	Bronze
END CONNECTION	Flanged PN16, we also keep this item undrilled
OPERATION	Handwheel
OTHER	With Instantaneous Coupling

Full specification sheet available on request

GATE, RESILIENT WEDGE / CAST IRON / FLANGED PN16
VC340


SIZE	PRICE	LENGTH MM	WEIGHT KG
2 1/2"	£217.50	190	19
3"	£255.00	203	21
4"	£277.50	229	28
6"	£442.50	267	50
8"	£840.00	292	75
10"	£1,320.00	330	122
12"	£1,575.00	356	140
14"	POA		275
16"	POA		600

Please call the sales team for your discount on this product

VALVE TYPE	Gate, Resilient Wedge
BODY MATERIAL	Cast Iron
END CONNECTION	Flanged PN16, we also keep this item undrilled
SEAT/SEAL	EPDM Coated Wedge
RATED	16 Bar
OPERATION	Handwheel
OTHER	Non-Rising Stem, Position Indicator

Full specification sheet available on request

The above items are from Valve Center's standard range. Please contact us on 01744 759460 if you can't find what you are looking for.

DRY AND WET RISER VALVES

GATE, RESILIENT WEDGE / DUCTILE IRON / FLANGED PN16

VC341



SIZE	PRICE	LENGTH MM	WEIGHT KG
3"	£450.00	203	31
4"	£540.00	229	55
6"	£840.00	267	81
8"	£1,305.00	292	115
10"	£1,890.00	330	186
12"	£2,625.00	356	290

Please call the sales team for your discount on this product

VALVE TYPE	Gate, Resilient Wedge
BODY MATERIAL	Ductile Iron
END CONNECTION	Flanged PN16, we also keep this item undrilled
SEAT/SEAL	EPDM O-Ring
RATED	17.2 Bar
OPERATION	Handwheel
OTHER	Non-Rising Stem, UL Listed

Full specification sheet available on request

GATE, RESILIENT WEDGE, OS&Y / DUCTILE IRON / FLANGED PN16

VC342



SIZE	PRICE	LENGTH MM	WEIGHT KG
2 1/2"	£442.50	191	25.5
3"	£510.00	203	31.5
4"	£585.00	229	47
6"	£900.00	267	78.5
8"	£1,410.00	292	110
10"	£1,950.00	330	195
12"	£2,962.50	356	310

Please call the sales team for your discount on this product

VALVE TYPE	Gate, Resilient Wedge, OS&Y
BODY MATERIAL	Ductile Iron
END CONNECTION	Flanged PN16, we also keep this item undrilled
SEAT/SEAL	EPDM O-Ring
RATED	17.2 Bar
OPERATION	Handwheel
OTHER	UL Listed, FM Approved 4"-8"

Full specification sheet available on request

GATE, RESILIENT WEDGE, OS&Y / DUCTILE IRON / FLANGED PN10/16, ANSI I25

VC343



SIZE	PRICE	LENGTH MM
2 1/2"	POA	191
3"	POA	203
4"	POA	229
5"	POA	254
6"	POA	267
8"	POA	292
10"	POA	356
12"	POA	356

Please call the sales team for your discount on this product

VALVE TYPE	Gate, Resilient Wedge, OS&Y
BODY MATERIAL	Ductile Iron
END CONNECTION	Flanged PN10/16, ANSI I25, we also keep this item undrilled
SEAT/SEAL	EPDM Gasket, Graphite Packing
RATED	20.7 Bar
OPERATION	Handwheel
OTHER	UL Listed, FM Approved

Full specification sheet available on request

GATE, RESILIENT WEDGE / DUCTILE IRON, FUSION BONDED COATED INTERIOR AND EXTERIOR / FLANGED PN10/16, ANSI 125
VC344


SIZE	PRICE	LENGTH MM	WEIGHT KG
4"	POA	229	55
5"	POA	254	
6"	POA	267	81
8"	POA	292	115
10"	POA	330	186
12"	POA	356	290

Please call the sales team for your discount on this product

VALVE TYPE	Gate, Resilient Wedge
BODY MATERIAL	Ductile Iron, Fusion Bonded Coated Interior and Exterior
END CONNECTION	Flanged PN10/16, ANSI 125, we also keep this item undrilled
SEAT/SEAL	EPDM O-Ring
RATED	20.7 Bar
OPERATION	Handwheel
OTHER	Non-Rising Stem, UL Listed FM Approved

Full specification sheet available on request
BUTTERFLY, UL LISTED/FM APPROVED / BRONZE / NPT SCREWED 1 1/4 & 1 1/2", GROOVED 2"ONLY
VC338


SIZE	PRICE	LENGTH MM	WEIGHT KG
1 1/4"	£262.50	67	1.7
1 1/2"	£315.00	73	1.9
2"	£367.50	114	2.3

Please call the sales team for your discount on this product

VALVE TYPE	Butterfly, UL Listed/FM Approved
BODY MATERIAL	Bronze
END CONNECTION	NPT Screwed 1 1/4 & 1 1/2", Grooved 2"Only
DISC	Bronze EPDM Encapsulated
SEAT/SEAL	EPDM
RATED	12 Bar
OPERATION	Factory Installed UL Listed Double Tamper Switch

Full specification sheet available on request
GROOVED BUTTERFLY, UL LISTED/FM APPROVED / DUCTILE IRON EPDM ENCAPSULATED
VC339


SIZE	PRICE	LENGTH MM	WEIGHT KG
2 1/2"	£375.00	96	9.5
3"	£390.00	96	10
4"	£450.00	115	12
6"	£622.50	132	17
8"	£840.00	147	22

Please call the sales team for your discount on this product

VALVE TYPE	Grooved Butterfly, UL Listed/FM Approved
BODY MATERIAL	Ductile Iron EPDM Encapsulated
DISC	Ductile Iron EPDM Encapsulated
SEAT/SEAL	EPDM
RATED	20.7 Bar
OPERATION	Gear box with Factory Installed UL Listed Double Tamper Switch
OTHER	Size 200mm UL Listed Only

Full specification sheet available on request

The above items are from Valve Center's standard range. Please contact us on 01744 759460 if you can't find what you are looking for.

FIRE VALVES

WAFER TYPE BUTTERFLY, UL/FM APPROVED / DUCTILE IRON EPDM ENCAPSULATED / TO SUIT ANSI I25 AND PN16 FLANGES



VC335

SIZE	PRICE	LENGTH MM	WEIGHT KG
2 1/2"	£345.00	46	8.3
3"	£360.00	46	9.2
4"	£420.00	52	10.1
6"	£577.50	56	14.5
8"	£787.50	58	19.5

Please call the sales team for your discount on this product

VALVE TYPE	Wafer Type Butterfly, UL/FM Approved
BODY MATERIAL	Ductile Iron EPDM Encapsulated
END CONNECTION	To suit ANSI I25 and PN16 Flanges, we also keep this item undrilled
DISC	Ductile Iron Nylon Coated
SEAT/SEAL	EPDM
RATED	20.7 Bar
OPERATION	Handwheel, Factory Installed Double Tamper Switch
OTHER	Size 200mm UL listed only

Full specification sheet available on request

WAFER TYPE BUTTERFLY, WOG / CAST IRON / TO SUIT ANSI I25, PN16 AND TABLE D/E FLANGES



VC336

SIZE	PRICE	LENGTH MM	WEIGHT KG
2"	£217.50	42	8.3
2 1/2"	£217.50	45	8.3
3"	£225.00	45	9.1
4"	£247.50	50	10.2
6"	£352.50	56	13.9
8"	£480.00	60	24.7
10"	£720.00	68	33.4
12"	POA	80	42.3
14"	POA	80	50.6

Please call the sales team for your discount on this product

VALVE TYPE	Wafer Type Butterfly, WOG
BODY MATERIAL	Cast Iron
END CONNECTION	To suit ANSI I25, PN16 and Table D/E Flanges, we also keep this item undrilled
DISC	Stainless Steel
SEAT/SEAL	EPDM
RATED	16 Bar
OPERATION	Gearbox with Position Indicator and Tamper Switch

Full specification sheet available on request

GROOVED BUTTERFLY WOG / DUCTILE IRON FBE COATED / GROOVED ENDS



VC337

SIZE	PRICE	LENGTH MM	WEIGHT KG
2 1/2"	£270.00	96	7.2
3"	£285.00	96	7.8
4"	£315.00	118	9.8
6"	£450.00	145	15.7
8"	£607.50	134	24.1
10"	£900.00	160	37
12"	POA	166	43.3

Please call the sales team for your discount on this product

VALVE TYPE	Grooved Butterfly WOG
BODY MATERIAL	Ductile Iron FBE Coated
END CONNECTION	Grooved ends
DISC	Ductile Iron EPDM Encapsulated
SEAT/SEAL	EPDM
RATED	20 Bar
OPERATION	Gearbox with Position Indicator and Tamper Switch

Full specification sheet available on request

SWING CHECK VALVE, GROOVED / DUCTILE IRON EPOXY COATED RED / GROOVED
VC345


SIZE	PRICE	LENGTH MM	WEIGHT KG
2"	£198.75	169	3.6
2 1/2"	£206.25	183	3.8
3"	£247.50	198	6.2
4"	£307.50	218	9
6"	£465.00	270	26
8"	£840.00	325	32

Please call the sales team for your discount on this product

VALVE TYPE	Swing Check Valve, Grooved
BODY MATERIAL	Ductile Iron Epoxy Coated Red
END CONNECTION	Grooved
SEAT/SEAL	304 Stainless Steel Seat Ring
RATED	20.7 Bar
OTHER	FM Approved(all Sizes), UL Listed(2 1/2"to 8")

Full specification sheet available on request

SWING CHECK VALVE, RESILIENT SEATED / DUCTILE IRON FUSION BONDED EPOXY COATED INTERIOR AND EXTERIOR / FLANGED PN10/16, ANSI 125
VC346


SIZE	PRICE	LENGTH MM
2"	£262.50	203
2 1/2"	£330.00	254
3"	£408.75	279
4"	£600.00	330
6"	£948.75	406
8"	£1,477.50	495
10"	£2,505.00	559
12"	£3,930.00	660

Please call the sales team for your discount on this product

VALVE TYPE	Swing Check Valve, Resilient Seated
BODY MATERIAL	Ductile Iron Fusion Bonded Epoxy Coated Interior and Exterior
END CONNECTION	Flanged PN10/16, ANSI 125, we also keep this item undrilled
SEAT/SEAL	Bronze Seat Ring
RATED	20.7 Bar
OTHER	FM Approved, UL Listed

Full specification sheet available on request

DOUBLE DOOR CHECK VALVE / CAST IRON BODY, STAINLESS STEEL DISC / WAFER TO SUIT ANSI 125
VC347


SIZE	PRICE	LENGTH MM
4"	POA	93
6"	POA	105
8"	POA	121
10"	POA	154
12"	POA	187

Please call the sales team for your discount on this product

VALVE TYPE	Double Door Check Valve
BODY MATERIAL	Cast Iron Body, Stainless Steel Disc
END CONNECTION	Wafer to suit ANSI 125
SEAT/SEAL	EPDM Seat
RATED	12 Bar
OTHER	UL Listed

Full specification sheet available on request

The above items are from Valve Center's standard range. Please contact us on 01744 759460 if you can't find what you are looking for.

FIRE VALVES

Y-TYPE STRAINER / CAST IRON BODY, STAINLESS STEEL SCREEN / WAFER TO SUIT ANSI I25

VC348



SIZE	PRICE	LENGTH MM	WEIGHT KG
2 1/2"	£232.50	237	16
3"	£273.75	295	23.5
4"	£390.00	352	34
6"	£810.00	470	70
8"	£1,140.00	543	110
10"	£2,070.00	660	185
12"	£2,595.00	762	295

Please call the sales team for your discount on this product

VALVE TYPE	Y-Type Strainer
BODY MATERIAL	Cast Iron Body, Stainless Steel Screen
END CONNECTION	Wafer to suit ANSI I25
SEAT/SEAL	PTFE/Graphite Gasket
RATED	12 Bar

Full specification sheet available on request

Y-TYPE STRAINER / DUCTILE IRON BODY, STAINLESS STEEL SCREEN / GROOVED

VC349



SIZE	PRICE	LENGTH MM	WEIGHT KG
4"	£438.75	375	26
6"	£922.50	502	65
8"	£1,290.00	640	113
10"	£2,325.00	710	196

Please call the sales team for your discount on this product

VALVE TYPE	Y-Type Strainer
BODY MATERIAL	Ductile Iron Body, Stainless Steel Screen
END CONNECTION	Grooved
SEAT/SEAL	PTFE/Graphite Gasket
RATED	12 Bar

Full specification sheet available on request

DRY BARREL FIRE HYDRANT, 3-WAY / CAST IRON BODY / FLANGED ANSI OR PNI6

VC350



SIZE	PRICE	LENGTH MM	WEIGHT KG
5 1/4"	£3,337.50	N/A	TBA

Please call the sales team for your discount on this product

VALVE TYPE	Dry Barrel Fire Hydrant, 3-way
BODY MATERIAL	Cast Iron Body
END CONNECTION	Flanged ANSI or PNI6, we also keep this item undrilled
SEAT/SEAL	Resilient Seated, Bronze
RATED	250 PSI

Full specification sheet available on request

UNDERGROUND FIRE HYDRANT TYPE 2 / DUCTILE IRON BODY / FLANGED TABLE D/E

VC351



SIZE	PRICE	LENGTH MM	WEIGHT KG
3"	£258.75	283	12.5

Please call the sales team for your discount on this product

VALVE TYPE	Underground Fire Hydrant Type 2
BODY MATERIAL	Ductile Iron Body
END CONNECTION	Flanged Table D/E (PN25 available), we also keep this item undrilled
SEAT/SEAL	NBR
RATED	16 Bar

Full specification sheet available on request

The above items are from Valve Center's standard range. Please contact us on 01744 759460 if you can't find what you are looking for.



FLAME ARRESTORS

Flame Arrestor / Carbon Steel / Screwed NPT or BSP 63
Flame Arrestor / Stainless Steel / Screwed NPT or BSP 63

Flame Arrestor / Carbon Steel / Flanged 64
Flame Arrestor / Stainless Steel / Flanged 65



FLAME ARRESTORS

FLAME ARRESTOR / CARBON STEEL / SCREWED NPT OR BSP

VC451



SIZE	PRICE	LENGTH MM	WEIGHT KG
1/2"	On Request	On Request	On Request
3/4"	On Request	On Request	On Request

For prices and other details, please contact the office and we will ensure the correct product is specified for duty

VALVE TYPE	Flame Arrestor
BODY MATERIAL	Carbon Steel
END CONNECTION	Screwed NPT or BSP
OPERATION	Inline

Full specification sheet available on request

FLAME ARRESTOR / CARBON STEEL / SCREWED NPT OR BSP

VC452



SIZE	PRICE	LENGTH MM	WEIGHT KG
1/2"	On Request	On Request	On Request
3/4"	On Request	On Request	On Request

For prices and other details, please contact the office and we will ensure the correct product is specified for duty

VALVE TYPE	Flame Arrestor
BODY MATERIAL	Carbon Steel
END CONNECTION	Screwed NPT or BSP
OPERATION	End-of-Line

Full specification sheet available on request

FLAME ARRESTOR / STAINLESS STEEL / SCREWED NPT OR BSP

VC453



SIZE	PRICE	LENGTH MM	WEIGHT KG
1/2"	On Request	On Request	On Request
3/4"	On Request	On Request	On Request

For prices and other details, please contact the office and we will ensure the correct product is specified for duty

VALVE TYPE	Flame Arrestor
BODY MATERIAL	Stainless Steel
END CONNECTION	Screwed NPT or BSP
OPERATION	Inline

Full specification sheet available on request

FLAME ARRESTOR / STAINLESS STEEL / SCREWED NPT OR BSP

VC454



SIZE	PRICE	LENGTH MM	WEIGHT KG
1/2"	On Request	On Request	On Request
3/4"	On Request	On Request	On Request

For prices and other details, please contact the office and we will ensure the correct product is specified for duty

VALVE TYPE	Flame Arrestor
BODY MATERIAL	Stainless Steel
END CONNECTION	Screwed NPT or BSP
OPERATION	End-of-Line

Full specification sheet available on request

FLAME ARRESTOR / CARBON STEEL / FLANGED

VC455



SIZE	PRICE	LENGTH MM	WEIGHT KG
1/2"	On Request	On Request	On Request
3/4"	On Request	On Request	On Request
1"	On Request	On Request	On Request
1 1/4"	On Request	On Request	On Request
1 1/2"	On Request	On Request	On Request
2"	On Request	On Request	On Request
2 1/2"	On Request	On Request	On Request
3"	On Request	On Request	On Request
4"	On Request	On Request	On Request
5"	On Request	On Request	On Request
6"	On Request	On Request	On Request
8"	On Request	On Request	On Request
10"	On Request	On Request	On Request
12"	On Request	On Request	On Request
14"	On Request	On Request	On Request
16"	On Request	On Request	On Request

For prices and other details, please contact the office and we will ensure the correct product is specified for duty

VALVE TYPE	Flame Arrestor
BODY MATERIAL	Carbon Steel
END CONNECTION	Flanged
OPERATION	Inline

Full specification sheet available on request

FLAME ARRESTOR / CARBON STEEL / FLANGED

VC456



SIZE	PRICE	LENGTH MM	WEIGHT KG
1/2"	On Request	On Request	On Request
3/4"	On Request	On Request	On Request
1"	On Request	On Request	On Request
1 1/4"	On Request	On Request	On Request
1 1/2"	On Request	On Request	On Request
2"	On Request	On Request	On Request
2 1/2"	On Request	On Request	On Request
3"	On Request	On Request	On Request
4"	On Request	On Request	On Request
5"	On Request	On Request	On Request
6"	On Request	On Request	On Request
8"	On Request	On Request	On Request
10"	On Request	On Request	On Request
12"	On Request	On Request	On Request
14"	On Request	On Request	On Request
16"	On Request	On Request	On Request

For prices and other details, please contact the office and we will ensure the correct product is specified for duty

VALVE TYPE	Flame Arrestor
BODY MATERIAL	Carbon Steel
END CONNECTION	Flanged
OPERATION	End-Of-Line

Full specification sheet available on request

The above items are from Valve Center's standard range. Please contact us on 01744 759460 if you can't find what you are looking for.

FLAME ARRESTORS

FLAME ARRESTOR / STAINLESS STEEL / FLANGED



VALVE TYPE	Flame Arrestor
BODY MATERIAL	Stainless Steel
END CONNECTION	Flanged
OPERATION	Inline

Full specification sheet available on request

VC457

SIZE	PRICE	LENGTH MM	WEIGHT KG
1/2"	On Request	On Request	On Request
3/4"	On Request	On Request	On Request
1"	On Request	On Request	On Request
1 1/4"	On Request	On Request	On Request
1 1/2"	On Request	On Request	On Request
2"	On Request	On Request	On Request
2 1/2"	On Request	On Request	On Request
3"	On Request	On Request	On Request
4"	On Request	On Request	On Request
5"	On Request	On Request	On Request
6"	On Request	On Request	On Request
8"	On Request	On Request	On Request
10"	On Request	On Request	On Request
12"	On Request	On Request	On Request
14"	On Request	On Request	On Request
16"	On Request	On Request	On Request

For prices and other details, please contact the office and we will ensure the correct product is specified for duty

FLAME ARRESTOR / STAINLESS STEEL / FLANGED



VALVE TYPE	Flame Arrestor
BODY MATERIAL	Stainless Steel
END CONNECTION	Flanged
OPERATION	End-Of-Line

Full specification sheet available on request

VC458

SIZE	PRICE	LENGTH MM	WEIGHT KG
1/2"	On Request	On Request	On Request
3/4"	On Request	On Request	On Request
1"	On Request	On Request	On Request
1 1/4"	On Request	On Request	On Request
1 1/2"	On Request	On Request	On Request
2"	On Request	On Request	On Request
2 1/2"	On Request	On Request	On Request
3"	On Request	On Request	On Request
4"	On Request	On Request	On Request
5"	On Request	On Request	On Request
6"	On Request	On Request	On Request
8"	On Request	On Request	On Request
10"	On Request	On Request	On Request
12"	On Request	On Request	On Request
14"	On Request	On Request	On Request
16"	On Request	On Request	On Request

For prices and other details, please contact the office and we will ensure the correct product is specified for duty

FLAME ARRESTOR / CARBON STEEL / FLANGED



VALVE TYPE	Flame Arrestor
BODY MATERIAL	Carbon Steel
END CONNECTION	Flanged
OPERATION	Inline Detonation

Full specification sheet available on request

VC459

SIZE	PRICE	LENGTH MM	WEIGHT KG
1/2"	On Request	On Request	On Request
3/4"	On Request	On Request	On Request
1"	On Request	On Request	On Request
1 1/4"	On Request	On Request	On Request
1 1/2"	On Request	On Request	On Request
2"	On Request	On Request	On Request
2 1/2"	On Request	On Request	On Request
3"	On Request	On Request	On Request
4"	On Request	On Request	On Request
5"	On Request	On Request	On Request
6"	On Request	On Request	On Request
8"	On Request	On Request	On Request

For prices and other details, please contact the office and we will ensure the correct product is specified for duty

FLAME ARRESTOR / STAINLESS STEEL / FLANGED



VALVE TYPE	Flame Arrestor
BODY MATERIAL	Stainless Steel
END CONNECTION	Flanged
OPERATION	Inline Detonation

Full specification sheet available on request

VC460

SIZE	PRICE	LENGTH MM	WEIGHT KG
1/2"	On Request	On Request	On Request
3/4"	On Request	On Request	On Request
1"	On Request	On Request	On Request
1 1/4"	On Request	On Request	On Request
1 1/2"	On Request	On Request	On Request
2"	On Request	On Request	On Request
2 1/2"	On Request	On Request	On Request
3"	On Request	On Request	On Request
4"	On Request	On Request	On Request
5"	On Request	On Request	On Request
6"	On Request	On Request	On Request
8"	On Request	On Request	On Request

For prices and other details, please contact the office and we will ensure the correct product is specified for duty



GATE VALVES

Gate / Brass / Screwed BSPT	67
Gate / Brass / Screwed NPT Female	67
Gate / Brass / Screwed BSPT Female / Lockshield.....	67
Gate / Bronze LG2 / Screwed BSP	68
Gate / Bronze / Screwed BSP Female / Lockshield	68
Gate / Bronze / Flanged Available In PN6, PN10, PN16, ANSI 150 and Table D/E.....	68
Gate / Gunmetal / Flanged PN16	69
Gate / Gunmetal / Flanged ANSI 150.....	69
Gate / Stainless Steel / Screwed BSP Female.....	69
Gate / Stainless Steel / Flanged PN16.....	70
Gate / Stainless Steel / Flanged ANSI 150	70
Gate / Cast Iron / Flanged PN10/16.....	70
Gate BS 5163 / Cast Iron Epoxy Coated / Flanged PN16	71
Gate DIN 3352 / Ductile Iron, Epoxy Coated / Flanged PN16.....	71
Gate / Cast Iron / Flanged PN10/16.....	71
Gate / Cast Iron / Flanged ANSI 150	72
Gate BS 5150 / Cast Iron / Flanged PN16.....	72
Gate / Cast Iron / Flanged Table E	72
Gate / Cast Iron / Flanged Table D.....	73
Gate BS 5163 / Ductile Iron, Epoxy Coated / Flanged PN10/16.....	73
Gate / Cast Iron / Can Be Drilled to Suit PN6/10/16, ANSI 150, Table D/E, JIS 5K/10K	73
Gate / Forged Steel A105 / Screwed BSP Female	74
Gate / Cast Steel (WCB) / Flanged ANSI 150	75
Gate / Cast Steel (WCB) / Flanged ANSI 300	75
Gate / Cast Steel (WCB) / Flanged PN16	75
Gate / Cast Steel / Flanged PN40 upto 6", PN25 upto 12".....	75

GATE VALVES

GATE / BRASS / SCREWED BSPT

VC64



SIZE	PRICE	LENGTH MM	WEIGHT KG
1/4"	£5.30	35	0.18
3/8"	£5.30	36	0.18
1/2"	£5.87	42	0.2
3/4"	£7.99	45	0.32
1"	£10.61	51	0.42
1 1/4"	£16.23	55	0.66
1 1/2"	£21.11	58	0.86
2"	£30.09	64	1.28
2 1/2"	£51.65	77	2.5
3"	£70.34	85	3.5
4"	£123.99	100	5.5

Please call the sales team for your discount on this product

VALVE TYPE	Gate
BODY MATERIAL	Brass
END CONNECTION	Screwed BSPT
RATED	PN20
OPERATION	Handwheel

Full specification sheet available on request

GATE / BRASS / SCREWED NPT FEMALE

VC65



SIZE	PRICE	LENGTH MM	WEIGHT KG
1/4"	£7.25	35	0.18
3/8"	£7.25	36	0.18
1/2"	£7.61	42	0.2
3/4"	£10.70	45	0.32
1"	£14.34	51	0.42
1 1/4"	£22.08	55	0.66
1 1/2"	£28.35	58	0.86
2"	£43.58	64	1.28

Please call the sales team for your discount on this product

VALVE TYPE	Gate
BODY MATERIAL	Brass
END CONNECTION	Screwed NPT Female
RATED	Class 150
OPERATION	Handwheel

Full specification sheet available on request

GATE / BRASS / SCREWED BSPT FEMALE / LOCKSHIELD

VC66



SIZE	PRICE	LENGTH MM	WEIGHT KG
1/2"	£29.12	52	0.27
3/4"	£35.90	53	0.37
1"	£54.06	65	0.64
1 1/4"	£81.33	73	0.99
1 1/2"	£117.14	76	1.28
2"	£162.09	90	2

Please call the sales team for your discount on this product

VALVE TYPE	Gate
BODY MATERIAL	Brass
END CONNECTION	Screwed BSPT Female
RATED	PN20
OPERATION	Lockshield

Full specification sheet available on request

GATE / BRONZE LG2 / SCREWED BSP
VC68


SIZE	PRICE	LENGTH MM	WEIGHT KG
1/2"	£12.66	46	0.31
3/4"	£17.81	50	0.42
1"	£22.76	55	0.54
1 1/4"	£33.29	61	0.76
1 1/2"	£45.02	63	1.03
2"	£65.66	71	1.51
2 1/2"	£123.32	88	2.7
3"	£182.37	99	4.08
4"	£311.07	118	9.62

Please call the sales team for your discount on this product

VALVE TYPE	Gate
BODY MATERIAL	Bronze LG2
END CONNECTION	Screwed BSP
RATED	PN20
OPERATION	Handwheel

Full specification sheet available on request

GATE / BRONZE / SCREWED BSP FEMALE / LOCKSHIELD
VC69


SIZE	PRICE	LENGTH MM	WEIGHT KG
1/2"	£12.66	46	0.31
3/4"	£17.81	50	0.42
1"	£22.76	55	0.54
1 1/4"	£33.29	61	0.76
1 1/2"	£45.02	63	1.03
2"	£65.66	71	1.51

Please call the sales team for your discount on this product

VALVE TYPE	Gate
BODY MATERIAL	Bronze
END CONNECTION	Screwed BSP Female
RATED	PN20
OPERATION	Lockshield

Full specification sheet available on request

GATE / BRONZE / FLANGED AVAILABLE IN PN6, PN10, PN16, ANSI 150 AND TABLE D/E
VC67


SIZE	PRICE	LENGTH MM	WEIGHT KG
1/2"	£99.98	75	1.2
3/4"	£108.45	85	1.78
1"	£127.10	87	2.2
1 1/4"	£179.31	99	3.4
1 1/2"	£229.17	113	4.2
2"	£296.10	125	5.6
2 1/2"	£474.95	145	7.4
3"	£576.74	162	10
4"	£1,006.35	190	15.8

Please call the sales team for your discount on this product

VALVE TYPE	Gate
BODY MATERIAL	Bronze
END CONNECTION	Flanged available in PN6, PN10, PN16, ANSI 150 and Table D/E, we also keep this item undrilled
RATED	PN16
OPERATION	Handwheel
OTHER	Prices apply to PN16 Drilled

Full specification sheet available on request

The above items are from Valve Center's standard range. Please contact us on 01744 759460 if you can't find what you are looking for.

GATE VALVES

GATE / GUNMETAL / FLANGED PN16

VC373



SIZE	PRICE	LENGTH MM	WEIGHT KG
2"	£757.50	178	On request
2 1/2"	£925.00	190	On request
3"	£1,262.50	203	On request
4"	£1,507.55	229	On request
5"	£2,212.50	254	On request
6"	£3,237.50	267	On request

Please call the sales team for your discount on this product

VALVE TYPE	Gate
BODY MATERIAL	Gunmetal
END CONNECTION	Flanged PN16, we also keep this item undrilled
SEAT/SEAL	Gunmetal
RATED	16 Bar
OPERATION	Handwheel operated
OTHER	Bolted Bonnet, Inside Screw, Non-Rising Stem

Full specification sheet available on request

GATE / GUNMETAL / FLANGED ANSI 150

VC374



SIZE	PRICE	LENGTH MM	WEIGHT KG
2"	£757.50	178	On request
2 1/2"	£925.00	190	On request
3"	£1,262.50	203	On request
4"	£1,507.55	229	On request
5"	£2,212.50	254	On request
6"	£3,237.50	267	On request

Please call the sales team for your discount on this product

VALVE TYPE	Gate
BODY MATERIAL	Gunmetal
END CONNECTION	Flanged ANSI 150, we also keep this item undrilled
SEAT/SEAL	Gunmetal
RATED	150lb
OPERATION	Handwheel operated
OTHER	Bolted Bonnet, Inside Screw, Non-Rising Stem

Full specification sheet available on request

GATE / STAINLESS STEEL / SCREWED BSP FEMALE

VC70



SIZE	PRICE	LENGTH MM	WEIGHT KG
1/2"	£52.77	54	0.4
3/4"	£62.13	58	0.5
1"	£78.30	65	0.75
1 1/4"	£97.02	74	1.1
1 1/2"	£144.32	78	1.45
2"	£174.87	87	2.1

Please call the sales team for your discount on this product

VALVE TYPE	Gate
BODY MATERIAL	Stainless Steel
END CONNECTION	Screwed BSP Female
RATED	200 PSI
OPERATION	Handwheel
OTHER	Inside Screw, Non-Rising Stem

Full specification sheet available on request

GATE / STAINLESS STEEL / FLANGED PN16
VC71


SIZE	PRICE	LENGTH MM	WEIGHT KG
1"	£342.21	127	4.72
1 1/2"	£436.68	165	7.96
2"	£470.27	178	11.6
2 1/2"	£725.55	190	16.2
3"	£800.31	203	22
4"	£1,115.25	229	33
6"	£1,830.62	267	63.5

Please call the sales team for your discount on this product

VALVE TYPE	Gate
BODY MATERIAL	Stainless Steel
END CONNECTION	Flanged PN16, we also keep this item undrilled
SEAT/SEAL	PTFE Gasket
OPERATION	Handwheel
OTHER	Bolted Bonnet, Rising Stem

Full specification sheet available on request

GATE / STAINLESS STEEL / FLANGED ANSI 150
VC72


SIZE	PRICE	LENGTH MM	WEIGHT KG
1"	£342.21	127	4.72
1 1/2"	£436.68	165	7.96
2"	£470.27	178	11
3"	£800.31	203	21.08
4"	£1,115.25	229	32.67
6"	£2,042.61	267	56.52

Please call the sales team for your discount on this product

VALVE TYPE	Gate
BODY MATERIAL	Stainless Steel
END CONNECTION	Flanged ANSI 150, we also keep this item undrilled
SEAT/SEAL	PTFE Gasket
OPERATION	Handwheel
OTHER	Bolted Bonnet, Rising Stem

Full specification sheet available on request

GATE / CAST IRON / FLANGED PN10/16
VC73


SIZE	PRICE	LENGTH MM	WEIGHT KG
1 1/2"	£119.81	140	9
2"	£138.62	150	11
2 1/2"	£172.68	170	15
3"	£202.05	180	18
4"	£256.07	190	22
5"	£363.84	200	31
6"	£426.39	210	40
7"	£683.63	220	51
8"	£683.63	230	60
10"	£1,144.80	250	85
12"	£1,487.76	270	135

Please call the sales team for your discount on this product

VALVE TYPE	Gate
BODY MATERIAL	Cast Iron
END CONNECTION	Flanged PN10/16, we also keep this item undrilled
SEAT/SEAL	Cast Brass Seat
RATED	PN10
OPERATION	Handwheel
OTHER	Inside Screw, Non-Rising Stem

Full specification sheet available on request

The above items are from Valve Center's standard range. Please contact us on 01744 759460 if you can't find what you are looking for.

GATE VALVES

GATE BS 5163 / CAST IRON EPOXY COATED / FLANGED PN16

VC78



SIZE	PRICE	LENGTH MM	WEIGHT KG
2"	£217.38	178	13
2 1/2"	£236.55	190	16
3"	£259.58	203	21.5
4"	£334.23	229	26
6"	£563.60	267	52
8"	£950.18	292	80

Please call the sales team for your discount on this product

VALVE TYPE	Gate BS 5163
BODY MATERIAL	Cast Iron Epoxy Coated
END CONNECTION	Flanged PN16, we also keep this item undrilled
SEAT/SEAL	Bronze Trim
RATED	16 Bar
OPERATION	Handwheel operated
OTHER	Inside Screw, Non Return, Water-Works use

Full specification sheet available on request

GATE DIN 3352 / DUCTILE IRON, EPOXY COATED / FLANGED PN16

VC80



SIZE	PRICE	LENGTH MM	WEIGHT KG
2"	£126.72	150	11
2 1/2"	£150.21	170	14
3"	£180.57	180	17
4"	£218.33	190	21
5"	£346.77	200	29
6"	£369.60	210	35
8"	£649.44	230	53
10"	£971.25	250	78
12"	£1,373.46	270	102

Please call the sales team for your discount on this product

VALVE TYPE	Gate DIN 3352
BODY MATERIAL	Ductile Iron, Epoxy Coated
END CONNECTION	Flanged PN16, we also keep this item undrilled
SEAT/SEAL	Resilient Seated
OPERATION	Handwheel operated
OTHER	Inside Screw, Non-Rising Stem, Water-Works use

Full specification sheet available on request

GATE / CAST IRON / FLANGED PN10/16

VC81



SIZE	PRICE	LENGTH MM	WEIGHT KG
1 1/2"	£90.08	140	10.4
2"	£105.53	150	11
2 1/2"	£134.40	170	12.8
3"	£150.35	180	16.7
4"	£202.64	190	23.5
5"	£268.26	200	36
6"	£340.77	210	43
8"	£525.38	230	63
10"	£917.37	250	97
12"	£1,175.90	270	132

Please call the sales team for your discount on this product

VALVE TYPE	Gate
BODY MATERIAL	Cast Iron
END CONNECTION	Flanged PN10/16, we also keep this item undrilled
SEAT/SEAL	Cast Brass Seat
RATED	16 Bar
OPERATION	Handwheel
OTHER	Inside Screw, Non-Rising Stem

Full specification sheet available on request

GATE / CAST IRON / FLANGED ANSI 150
VC74


SIZE	PRICE	LENGTH MM	WEIGHT KG
2"	£218.33	178	12
3"	£229.55	203	22
4"	£390.50	229	30
6"	£771.51	267	53
8"	£1,341.27	292	83
10"	£2,553.54	330	125
12"	£2,904.90	356	171

Please call the sales team for your discount on this product

VALVE TYPE	Gate
BODY MATERIAL	Cast Iron
END CONNECTION	Flanged ANSI 150, we also keep this item undrilled
SEAT/SEAL	Cast Bronze Wedge
RATED	13 Bar
OPERATION	Handwheel
OTHER	Non-Rising Stem

Full specification sheet available on request

GATE BS 5150 / CAST IRON / FLANGED PN16
VC75


SIZE	PRICE	LENGTH MM	WEIGHT KG
2"	£153.74	178	12
2 1/2"	£173.90	190	19
3"	£197.37	203	24
4"	£281.99	229	35
5"	£151.20	254	45
6"	£493.89	267	62
8"	£687.96	292	117
10"	£1,120.77	330	185
12"	£1,557.44	356	233

Please call the sales team for your discount on this product

VALVE TYPE	Gate BS 5150
BODY MATERIAL	Cast Iron
END CONNECTION	Flanged PN16, we also keep this item undrilled
SEAT/SEAL	Bronze Trim
OPERATION	Handwheel
OTHER	Inside Screw, Non-Rising Stem

Full specification sheet available on request

GATE / CAST IRON / FLANGED TABLE E
VC76


SIZE	PRICE	LENGTH MM	WEIGHT KG
2"	£168.48	146	12.5
2 1/2"	£187.94	159	18
3"	£215.36	165	23
4"	£295.47	171	40
5"	£489.39	191	49
6"	£540.56	210	59
8"	£872.39	241	94

Please call the sales team for your discount on this product

VALVE TYPE	Gate
BODY MATERIAL	Cast Iron
END CONNECTION	Flanged Table E (also available PN10/16, ANSI 150), we also keep this item undrilled
SEAT/SEAL	Bronze Trim
OPERATION	Handwheel
OTHER	Inside Screw, Non-Rising Stem

Full specification sheet available on request

The above items are from Valve Center's standard range. Please contact us on 01744 759460 if you can't find what you are looking for.

GATE VALVES



GATE / CAST IRON / FLANGED TABLE D

VC77

SIZE	PRICE	LENGTH MM	WEIGHT KG
4"	£319.10	171	40

Please call the sales team for your discount on this product

VALVE TYPE	Gate
BODY MATERIAL	Cast Iron
END CONNECTION	Flanged Table D, we also keep this item undrilled
SEAT/SEAL	Bronze Trim
OPERATION	Handwheel operated
OTHER	Inside Screw, Non-Rising Stem

Full specification sheet available on request

GATE BS 5163 / DUCTILE IRON, EPOXY COATED / FLANGED PN10/16

VC79



SIZE	PRICE	LENGTH MM	WEIGHT KG
2"	£184.44	178	10
2 1/2"	£218.42	190	12.5
3"	£257.27	203	17
4"	£277.70	229	21
6"	£382.80	267	38
8"	£802.23	292	58
10"	£1,235.79	330	86
12"	£1,599.29	356	121

Please call the sales team for your discount on this product

VALVE TYPE	Gate BS 5163
BODY MATERIAL	Ductile Iron, Epoxy Coated
END CONNECTION	Flanged PN10/16, we also keep this item undrilled
SEAT/SEAL	EPDM Covered Resilient Seal
OPERATION	Cap Top (Handwheel available)
OTHER	WRAS Approved, Clockwise Closing (Anti-Clockwise on request)

Full specification sheet available on request

GATE / CAST IRON / CAN BE DRILLED TO SUIT PN6/10/16, ANSI 150, TABLE D/E, JIS 5K/10K

VC393



SIZE	PRICE	LENGTH MM	WEIGHT KG
2"	£312.50	150	18
2 1/2"	£362.50	170	21
3"	£450.00	180	28
4"	£562.50	190	35
5"	£750.00	200	51
6"	£937.50	210	67
8"	£1,250.00	230	105
10"	£2,500.00	250	166
12"	£3,000.00	270	221

Please call the sales team for your discount on this product

VALVE TYPE	Gate
BODY MATERIAL	Cast Iron
END CONNECTION	Can be drilled to suit PN6/10/16, ANSI 150, Table D/E, JIS 5K/10K
SEAT/SEAL	Bronze Seat Ring
OPERATION	Handwheel Operated
OTHER	Non Rising Stem, Inside Screw

Full specification sheet available on request

GATE / CAST IRON / CAN BE DRILLED TO SUIT PN6/10/16, ANSI 150, TABLE D/E, JIS 5K/10K
VC394


SIZE	PRICE	LENGTH MM	WEIGHT KG
2"	£625.00	216	On request
2 1/2"	£687.50	229	On request
3"	£750.00	229	On request
4"	£962.50	254	On request
5"	£1,250.00	267	On request
6"	£1,500.00	280	On request
8"	£2,125.00	318	On request
10"	£3,250.00	356	On request
12"	£3,750.00	381	On request

Please call the sales team for your discount on this product

VALVE TYPE	Gate
BODY MATERIAL	Cast Iron
END CONNECTION	Can be drilled to suit PN6/10/16, ANSI 150, Table D/E, JIS 5K/10K
SEAT/SEAL	Bronze Seat Ring
OPERATION	Handwheel Operated
OTHER	Non Rising Stem, Inside Screw

Full specification sheet available on request

GATE / CAST IRON / CAN BE DRILLED TO SUIT PN6/10/16, ANSI 150, TABLE D/E, JIS 5K/10K
VC395


SIZE	PRICE	LENGTH MM	WEIGHT KG
2"	£450.00	178	On request
2 1/2"	£562.50	190	On request
3"	£750.00	203	On request
4"	£962.50	229	On request
5"	£1,250.00	254	On request
6"	£1,500.00	267	On request
8"	£2,125.00	292	On request
10"	£3,250.00	330	On request
12"	£3,750.00	356	On request

Please call the sales team for your discount on this product

VALVE TYPE	Gate
BODY MATERIAL	Cast Iron
END CONNECTION	Can be drilled to suit PN6/10/16, ANSI 150, Table D/E, JIS 5K/10K
SEAT/SEAL	Bronze Seat Ring
OPERATION	Handwheel Operated
OTHER	Outside Screw and Yoke. Also available as inside screw.

Full specification sheet available on request

GATE / FORGED STEEL AI05 / SCREWED BSP FEMALE
VC82


SIZE	PRICE	LENGTH MM	WEIGHT KG
1/2"	£51.20	79	1.9
3/4"	£61.17	92	2.1
1"	£75.14	111	3.5
1 1/2"	£150.18	152	6.4
2"	£200.55	171	11.5

Please call the sales team for your discount on this product

VALVE TYPE	Gate
BODY MATERIAL	Forged Steel AI05
END CONNECTION	Screwed BSP Female
SEAT/SEAL	Trim 13% Cr + Hard Faced Seat No.8
RATED	Class 800 (Class 1500 available)
OPERATION	Handwheel
OTHER	SW and NPT available

Full specification sheet available on request

The above items are from Valve Center's standard range. Please contact us on 01744 759460 if you can't find what you are looking for.

GATE VALVES

GATE / CAST STEEL (WCB) / FLANGED ANSI 150



VC83

SIZE	PRICE	LENGTH MM	WEIGHT KG
2"	£175.50	178	20
2 1/2"	£247.50	190	30
3"	£272.25	203	36
4"	£360.00	229	53
6"	£551.25	267	85
8"	£846.00	292	128
10"	£1,251.00	330	195
12"	£1,653.75	356	298

Please call the sales team for your discount on this product

VALVE TYPE	Gate
BODY MATERIAL	Cast Steel (WCB)
END CONNECTION	Flanged ANSI 150, we also keep this item undrilled
SEAT/SEAL	Trim 13% CR + Hard Faced Seat
RATED	ANSI 150
OPERATION	Handwheel

Full specification sheet available on request

GATE / CAST STEEL (WCB) / FLANGED ANSI 300



VC327

SIZE	PRICE	LENGTH MM	WEIGHT KG
2"	£229.50	216	24
2 1/2"	£324.00	241	44
3"	£366.75	283	52
4"	£438.75	305	76
6"	£785.25	403	146
8"	£1,275.75	419	218
10"	£2,092.50	457	352
12"	£4,873.50	502	472

Please call the sales team for your discount on this product

VALVE TYPE	Gate
BODY MATERIAL	Cast Steel (WCB)
END CONNECTION	Flanged ANSI 300, we also keep this item undrilled
SEAT/SEAL	13% CR + Hard Faced Seats
RATED	ANSI 300
OPERATION	Handwheel operated

Full specification sheet available on request

GATE / CAST STEEL (WCB) / FLANGED PN16



VC402

SIZE	PRICE	LENGTH MM	WEIGHT KG
2"	£226.37	178	20
2 1/2"	£346.86	190	30
3"	£375.11	203	36
4"	£504.86	229	53
6"	£802.35	267	85
8"	£1,208.87	292	128
10"	£1,720.62	330	195

Please call the sales team for your discount on this product

VALVE TYPE	Gate
BODY MATERIAL	Cast Steel (WCB)
END CONNECTION	Flanged PN16, we also keep this item undrilled
SEAT/SEAL	Trim 13% CR + Hard Faced Seat
RATED	16 bar
OPERATION	Handwheel

Full specification sheet available on request

GATE / CAST STEEL / FLANGED PN40 UPTO 6", PN25 UPTO 12"



VC329

SIZE	PRICE	LENGTH MM	WEIGHT KG
2"	£487.50	230	15.1
2 1/2"	£710.00	290	26
3"	£862.50	310	33
4"	£1,005.00	350	44
6"	£1,922.50	480	100
8"	£3,010.00	600	170
10"	£4,830.00	730	283
12"	£7,287.50	850	414

Please call the sales team for your discount on this product

VALVE TYPE	Gate
BODY MATERIAL	Cast Steel
END CONNECTION	Flanged PN40 upto 6", PN25 upto 12", we also keep this item undrilled
SEAT/SEAL	Stainless Steel Seat
RATED	PN25
OPERATION	Handwheel operated

Full specification sheet available on request

The above items are from Valve Center's standard range. Please contact us on 01744 759460 if you can't find what you are looking for.



GLOBE VALVES

Globe / Bronze / Screwed BSP Female	77
Globe SDNR / Bronze / Screwed BSP Female	77
Globe / Bronze LG2 / Screwed BSP Female	77
Globe / Bronze / Screwed BSPT Female / PN32	78
Globe / Bronze / Flanged PN16	78
Globe SDNR / Bronze / Flanged PN16	78
Globe / Bronze / Flanged Table F	79
Globe Angle Pattern / Bronze / Flanged PN16	79
Globe Angle Pattern SDNR / Bronze / Flanged PN16	79
Globe / Stainless Steel / Screwed BSP Female	80
Globe / Stainless Steel / Flanged PN16	80
Globe / Stainless Steel / Flanged ANSI 150	80

Globe / Cast Iron / Flanged PN16	81
Globe SDNR / Cast Iron / Flanged PN16	81
Globe Bellow Seal Type / Cast Iron / Flanged PN16	81
Globe Angle Pattern / Cast Iron / Flanged PN16	82
Globe / Forged Steel A105 / Screwed BSP Female	82
Globe / Cast Steel WCB / Flanged ANSI 150 RF	82
Globe / Cast Steel WCB / Flanged ANSI 300 RF	83
Globe / Cast Steel WCB / Flanged PN16	83
Globe / Cast Steel / Flanged PN25/40	83
Globe SDNR / Cast Steel / Flanged PN25/40	84
Globe Bellow Seal / Cast Steel / Flanged PN25/40	84
Globe Angle Pattern / Cast Steel / Flanged PN25/40	84

GLOBE VALVES

GLOBE / BRONZE / SCREWED BSP FEMALE

VC84



SIZE	PRICE	LENGTH MM	WEIGHT KG
3/8"	£23.06	45	0.15
1/2"	£23.06	50	0.25
3/4"	£27.50	60	0.37
1"	£34.88	70	0.52
1 1/4"	£50.51	85	0.87
1 1/2"	£72.09	90	1.15
2"	£90.78	110	1.9

Please call the sales team for your discount on this product

VALVE TYPE	Globe
BODY MATERIAL	Bronze
END CONNECTION	Screwed BSP Female
SEAT/SEAL	PTFE disc Seat
RATED	PN16
OPERATION	Handwheel operated

Full specification sheet available on request

GLOBE SDNR / BRONZE / SCREWED BSP FEMALE

VC88



SIZE	PRICE	LENGTH MM	WEIGHT KG
1/2"	£40.68	60	0.42
3/4"	£52.86	70	0.57
1"	£65.24	80	0.92
1 1/4"	£96.42	95	1.3
1 1/2"	£113.64	105	1.65
2"	£165.33	130	2.9

Please call the sales team for your discount on this product

VALVE TYPE	Globe SDNR
BODY MATERIAL	Bronze
END CONNECTION	Screwed BSP Female
SEAT/SEAL	PTFE Seat (Metal Seat available)
RATED	PN16
OPERATION	Handwheel

Full specification sheet available on request

GLOBE / BRONZE LG2 / SCREWED BSP FEMALE

VC92



SIZE	PRICE	LENGTH MM	WEIGHT KG
1/4"	£17.03	53	0.33
3/8"	£17.03	53	0.35
1/2"	£20.12	55	0.45
3/4"	£31.26	67	0.66
1"	£50.40	79	0.98
1 1/4"	£70.49	88	1.37
1 1/2"	£100.07	101	2.05
2"	£157.17	123	2.66

Please call the sales team for your discount on this product

VALVE TYPE	Globe
BODY MATERIAL	Bronze LG2
END CONNECTION	Screwed BSP Female
SEAT/SEAL	Integral
RATED	PN32
OPERATION	Handwheel

Full specification sheet available on request

The above items are from Valve Center's standard range. Please contact us on 01744 759460 if you can't find what you are looking for.

GLOBE / BRONZE / SCREWED BSPT FEMALE / PN32
VC93


SIZE	PRICE	LENGTH MM	WEIGHT KG
1/4"	£62.97	48	0.22
3/8"	£62.97	48	0.22
1/2"	£62.97	57	0.38
3/4"	£85.04	65	0.52
1"	£121.05	78	0.84
1 1/4"	£179.09	89	1.34
1 1/2"	£247.58	100	1.82
2"	£392.12	121	2.62

Please call the sales team for your discount on this product

VALVE TYPE	Globe
BODY MATERIAL	Bronze
END CONNECTION	Screwed BSPT Female
SEAT/SEAL	Non Metallic, Renewable Disc
RATED	PN32
OPERATION	Handwheel

Full specification sheet available on request

GLOBE / BRONZE / FLANGED PN16
VC90


SIZE	PRICE	LENGTH MM	WEIGHT KG
1/2"	£99.02	70	1.35
3/4"	£137.06	90	2
1"	£166.83	98	2.5
1 1/4"	£249.49	110	3.8
1 1/2"	£284.58	130	4.6
2"	£370.38	150	6.4
2 1/2"	£563.06	190	10.5
3"	£702.30	210	13
4"	£1,341.74	220	18.5

Please call the sales team for your discount on this product

VALVE TYPE	Globe
BODY MATERIAL	Bronze
END CONNECTION	Flanged PN16 (Also available Undrilled, PN6, PN10, ANSI 150, Table D/E), we also keep this item undrilled
SEAT/SEAL	Graphite
OPERATION	Handwheel
OTHER	Prices Apply to PN16 Drilled)

Full specification sheet available on request

GLOBE SDNR / BRONZE / FLANGED PN16
VC89


SIZE	PRICE	LENGTH MM	WEIGHT KG
1/2"	£140.01	70	1.35
3/4"	£193.83	90	2
1"	£235.91	98	2.5
1 1/4"	£347.18	110	3.8
1 1/2"	£399.75	130	4.6
2"	£524.82	150	6.4
2 1/2"	£795.34	190	10.5
3"	£997.49	210	13
4"	£1,492.41	220	18.5

Please call the sales team for your discount on this product

VALVE TYPE	Globe SDNR
BODY MATERIAL	Bronze
END CONNECTION	Flanged PN16 (Also available Undrilled, PN6, PN10, ANSI 150, Table D/E)
SEAT/SEAL	Graphite
OPERATION	Handwheel
OTHER	Prices apply to PN16 Drilled)

Full specification sheet available on request

The above items are from Valve Center's standard range. Please contact us on 01744 759460 if you can't find what you are looking for.

GLOBE VALVES

GLOBE / BRONZE / FLANGED TABLE F

VC91



SIZE	PRICE	LENGTH MM	WEIGHT KG
1/2"	£108.90	55	1.32
3/4"	£150.77	64	1.91
1"	£183.48	76	2.45
1 1/4"	£270.06	83	3.7
1 1/2"	£312.89	98	4.4
2"	£407.45	110	6.17
2 1/2"	£619.35	156	10.32
3"	£771.48	162	13.1
4"	£1,388.93	197	18.25

Please call the sales team for your discount on this product

VALVE TYPE	Globe
BODY MATERIAL	Bronze
END CONNECTION	Flanged Table F, we also keep this item undrilled
SEAT/SEAL	Graphite/PTFE
OPERATION	Handwheel
OTHER	LG2 Body, Bonnet

Full specification sheet available on request

GLOBE ANGLE PATTERN / BRONZE / FLANGED PN16

VC85



SIZE	PRICE	LENGTH MM	WEIGHT KG
1/2"	£93.02	62	1.8
3/4"	£132.42	65	2.15
1"	£156.69	72	3.1
1 1/4"	£215.34	85	4.5
1 1/2"	£261.42	90	5.2
2"	£380.10	103	7.5
2 1/2"	£585.60	116	10.7
3"	£679.10	122	12.8
4"	£1,065.63	140	16

Please call the sales team for your discount on this product

VALVE TYPE	Globe Angle Pattern
BODY MATERIAL	Bronze
END CONNECTION	Flanged PN16 (Also available Undrilled, PN6, PN10, ANSI 150, Table D/E), we also keep this item undrilled
SEAT/SEAL	Graphite
OPERATION	Handwheel
OTHER	Prices apply to PN16 Drilled

Full specification sheet available on request

GLOBE ANGLE PATTERN SDNR / BRONZE / FLANGED PN16

VC86



SIZE	PRICE	LENGTH MM	WEIGHT KG
1/2"	£128.34	62	1.8
3/4"	£177.69	65	2.15
1"	£216.24	72	3.1
1 1/4"	£318.24	85	4.5
1 1/2"	£366.44	90	5.2
2"	£480.20	103	7.5
2 1/2"	£729.98	116	10.7
3"	£914.36	122	12.8
4"	£1,368.05	140	16

Please call the sales team for your discount on this product

VALVE TYPE	Globe Angle Pattern SDNR
BODY MATERIAL	Bronze
END CONNECTION	Flanged PN16 (Also available Undrilled, PN6, PN10, ANSI 150, Table D/E)
SEAT/SEAL	Graphite
OPERATION	Handwheel
OTHER	Prices apply to PN16 Drilled

Full specification sheet available on request

GLOBE / STAINLESS STEEL / SCREWED BSP FEMALE
VC94


SIZE	PRICE	LENGTH MM	WEIGHT KG
1/2"	£70.73	52	0.4
3/4"	£79.79	60	0.5
1"	£100.43	72	0.7
1 1/4"	£132.99	80	0.9
1 1/2"	£162.23	90	1.35
2"	£220.74	106	1.65

Please call the sales team for your discount on this product

VALVE TYPE	Globe
BODY MATERIAL	Stainless Steel
END CONNECTION	Screwed BSP Female
SEAT/SEAL	Integral
RATED	200 PSI
OPERATION	Handwheel
OTHER	Screw on Bonnet, Rising Stem

Full specification sheet available on request

GLOBE / STAINLESS STEEL / FLANGED PN16
VC95


SIZE	PRICE	LENGTH MM	WEIGHT KG
1"	£429.96	127	3.9
1 1/2"	£537.45	165	7.17
2"	£627.03	203	11.3
2 1/2"	£859.98	216	21.5
3"	£967.41	241	34.2
4"	£1,300.98	292	62

Please call the sales team for your discount on this product

VALVE TYPE	Globe
BODY MATERIAL	Stainless Steel
END CONNECTION	Flanged PN16, we also keep this item undrilled
SEAT/SEAL	Stainless Steel Seat Ring, PTFE Gasket
OPERATION	Handwheel
OTHER	Bolted Bonnet

Full specification sheet available on request

GLOBE / STAINLESS STEEL / FLANGED ANSI 150
VC96


SIZE	PRICE	LENGTH MM	WEIGHT KG
1"	£398.10	127	3.9
1 1/2"	£497.64	165	7.17
2"	£580.59	203	11.3
2 1/2"	£796.28	216	21.5
3"	£895.74	241	34.2
4"	£1,204.62	292	62

Please call the sales team for your discount on this product

VALVE TYPE	Globe
BODY MATERIAL	Stainless Steel
END CONNECTION	Flanged ANSI 150, we also keep this item undrilled
SEAT/SEAL	Stainless Steel Seat Ring, PTFE Gasket
OPERATION	Handwheel
OTHER	Bolted Bonnet

Full specification sheet available on request

The above items are from Valve Center's standard range. Please contact us on 01744 759460 if you can't find what you are looking for.

GLOBE VALVES

GLOBE / CAST IRON / FLANGED PN16



VALVE TYPE	Globe
BODY MATERIAL	Cast Iron
END CONNECTION	Flanged PN16, we also keep this item undrilled
SEAT/SEAL	Seat Ring X12Cr13, Graphite Packing
OPERATION	Handwheel

Full specification sheet available on request

VC97

SIZE	PRICE	LENGTH MM	WEIGHT KG
1/2"	£86.10	130	3.3
3/4"	£92.49	150	3.9
1"	£135.54	160	5
1 1/4"	£163.44	180	6.6
1 1/2"	£175.40	200	8.4
2"	£304.16	230	12
2 1/2"	£351.35	290	17.3
3"	£411.28	310	22.7
4"	£545.61	350	35.6
5"	£919.88	400	52.8
6"	£1,018.82	480	74.2
8"	£1,973.27	600	126

Please call the sales team for your discount on this product

GLOBE SDNR / CAST IRON / FLANGED PN16



VALVE TYPE	Globe SDNR
BODY MATERIAL	Cast Iron
END CONNECTION	Flanged PN16, we also keep this item undrilled
SEAT/SEAL	Seat Ring X12Cr13, Graphite Packing
OPERATION	Handwheel

Full specification sheet available on request

VC98

SIZE	PRICE	LENGTH MM	WEIGHT KG
1/2"	£98.49	130	3.3
3/4"	£108.68	150	3.9
1"	£157.05	160	5
1 1/4"	£191.01	180	6.6
1 1/2"	£259.10	200	8.4
2"	£343.31	230	12
2 1/2"	£396.57	290	17.3
3"	£464.19	310	22.7
4"	£615.84	350	35.6
5"	£1,038.26	400	52.8
6"	£1,149.95	480	74.2
8"	£2,164.62	600	126

Please call the sales team for your discount on this product

GLOBE (SHORT PATTERN) / CAST IRON / ANSI 150 OR PN16



VALVE TYPE	Globe (Short Pattern)
BODY MATERIAL	Cast Iron
END CONNECTION	Flanged ANSI 150 / PN16 we also keep this item undrilled
SEAT/SEAL	Brass / Bronze
RATED	16 Bar
OPERATION	Handwheel Operated
OTHER	Bolted Bonnet, OS&Y

Full specification sheet available on request

VC461

SIZE	PRICE	LENGTH MM	WEIGHT KG
2"	£189.00	203	12
2 1/2"	£270.00	216	17.3
3"	£321.75	241	22.7
4"	£420.75	292	35.6
5"	£450.00	330	52.8
6"	£731.25	356	74.2
8"	£1,237.50	495	126
10"	£1,890.40	622	308

Please call the sales team for your discount on this product

GLOBE BELLOW SEAL TYPE / CAST IRON / FLANGED PN16



VALVE TYPE	Globe Below Seal Type
BODY MATERIAL	Cast Iron
END CONNECTION	Flanged PN16, we also keep this item undrilled
SEAT/SEAL	Seat Ring X12Cr13, Graphite Packing
OPERATION	Handwheel

SIZE	PRICE	LENGTH MM	WEIGHT KG
1/2"	£199.52	130	3.3
3/4"	£216.48	150	3.9
1"	£241.95	160	5
1 1/4"	£284.40	180	6.6
1 1/2"	£322.61	200	8.4
2"	£338.18	230	12
2 1/2"	£415.13	290	17.3
3"	£525.74	310	22.7
4"	£792.88	350	35.6
5"	£1,106.54	400	52.8
6"	£1,395.90	480	74.2
8"	£2,365.78	600	126

Please call the sales team for your discount on this product

Full specification sheet available on request

VC99

GLOBE ANGLE PATTERN / CAST IRON / FLANGED PN16
VCI00


SIZE	PRICE	LENGTH MM	WEIGHT KG
2"	£404.82	125	11.8
2 1/2"	£467.64	145	14
3"	£547.40	155	20.5
4"	£725.67	175	32.2
5"	£1,222.71	200	46
6"	£1,356.87	225	62
8"	£2,623.50	275	106

Please call the sales team for your discount on this product

VALVE TYPE	Globe Angle Pattern
BODY MATERIAL	Cast Iron
END CONNECTION	Flanged PN16, we also keep this item undrilled
SEAT/SEAL	Seat Ring X12Cr13, Graphite Packing
OPERATION	Handwheel

Full specification sheet available on request

GLOBE / FORGED STEEL AI05 / SCREWED BSP FEMALE
VCI01


SIZE	PRICE	LENGTH MM	WEIGHT KG
1/2"	£49.91	79	1.9
3/4"	£58.73	92	2.1
1"	£70.92	111	3.5
1 1/2"	£164.49	152	6.4
2"	£194.40	171	11.5

Please call the sales team for your discount on this product

VALVE TYPE	Globe
BODY MATERIAL	Forged Steel AI05
END CONNECTION	Screwed BSP Female
SEAT/SEAL	Trim 13% CR + Hard Faced Seat No 8
RATED	Class 800 (1500 Also available)
OPERATION	Handwheel
OTHER	SV & NPT Also available

Full specification sheet available on request

GLOBE / CAST STEEL WCB / FLANGED ANSI 150 RF
VCI02


SIZE	PRICE	LENGTH MM	WEIGHT KG
2"	£189.00	203	21
2 1/2"	£270.00	216	32
3"	£321.75	241	41
4"	£420.75	292	63
6"	£731.25	406	105
8"	£1,237.50	495	168
10"	£1,890.40	622	308

Please call the sales team for your discount on this product

VALVE TYPE	Globe
BODY MATERIAL	Cast Steel WCB
END CONNECTION	Flanged ANSI 150 RF, we also keep this item undrilled
SEAT/SEAL	Trim 13% CR + Hard Faced Seat
RATED	ANSI 150 RF
OPERATION	Handwheel
OTHER	Bolted Bonnet, OS&Y

Full specification sheet available on request

The above items are from Valve Center's standard range. Please contact us on 01744 759460 if you can't find what you are looking for.

GLOBE VALVES

GLOBE / CAST STEEL WCB / FLANGED ANSI 300 RF

VC328



SIZE	PRICE	LENGTH MM	WEIGHT KG
2"	£247.50	267	31
2 1/2"	£363.38	292	40
3"	£384.75	318	58
4"	£506.26	356	86
6"	£1,076.63	446	150

Please call the sales team for your discount on this product

VALVE TYPE	Globe
BODY MATERIAL	Cast Steel WCB
END CONNECTION	Flanged ANSI 300 RF, we also keep this item undrilled
SEAT/SEAL	Trim 13% CR + Hard Faced Seat
RATED	ANSI 300 RF
OPERATION	Handwheel
OTHER	Bolted Bonnet, OS&Y

Full specification sheet available on request

GLOBE / CAST STEEL WCB / FLANGED PN16

VC403



SIZE	PRICE	LENGTH MM	WEIGHT KG
2"	£198.00	203	21
2 1/2"	£303.75	216	32
3"	£326.25	241	41
4"	£443.25	292	63
6"	£821.25	406	105

Please call the sales team for your discount on this product

VALVE TYPE	Globe
BODY MATERIAL	Cast Steel WCB
END CONNECTION	Flanged PN16, we also keep this item undrilled
SEAT/SEAL	Trim 13% CR + Hard Faced Seat
RATED	16 Bar
OPERATION	Handwheel Operated
OTHER	Bolted Bonnet, OS&Y

Full specification sheet available on request

GLOBE / CAST STEEL / FLANGED PN25/40

VCI03



SIZE	PRICE	LENGTH MM	WEIGHT KG
1/2"	£248.44	130	4
3/4"	£274.27	150	5.3
1"	£443.13	160	5.7
1 1/4"	£487.21	180	10
1 1/2"	£495.39	200	13.3
2"	£557.79	230	15.3
2 1/2"	£726.23	290	25.2
3"	£850.62	310	32.9
4"	£1,105.34	350	50.5
5"	£2,275.89	400	78
6"	£2,766.36	480	104
8"	£4,099.71	600	118

Please call the sales team for your discount on this product

VALVE TYPE	Globe
BODY MATERIAL	Cast Steel
END CONNECTION	Flanged PN25/40, we also keep this item undrilled
SEAT/SEAL	Seat Ring X12Cr13, Graphite Packing
OPERATION	Handwheel

Full specification sheet available on request

GLOBE SDNR / CAST STEEL / FLANGED PN25/40
VCI04


SIZE	PRICE	LENGTH MM	WEIGHT KG
1/2"	£237.59	130	4
3/4"	£261.56	150	5.3
1"	£469.16	160	5.7
1 1/4"	£516.44	180	10
1 1/2"	£525.18	200	13.3
2"	£591.24	230	15.3
2 1/2"	£813.38	290	25.2
3"	£928.52	310	32.9
4"	£1,244.69	350	50.5
5"	£2,471.03	400	78
6"	£3,153.03	480	104
8"	£4,198.23	600	118

Please call the sales team for your discount on this product

VALVE TYPE	Globe SDNR
BODY MATERIAL	Cast Steel
END CONNECTION	Flanged PN25/40, we also keep this item undrilled
SEAT/SEAL	Seat Ring X12Cr13, Graphite Packing
OPERATION	Handwheel

Full specification sheet available on request

GLOBE BELLOW SEAL / CAST STEEL / FLANGED PN25/40
VCI05


SIZE	PRICE	LENGTH MM	WEIGHT KG
1/2"	£276.83	130	4
3/4"	£307.07	150	5.3
1"	£481.67	160	5.7
1 1/4"	£529.58	180	10
1 1/2"	£557.54	200	13.3
2"	£685.61	230	15.3
2 1/2"	£964.38	290	25.2
3"	£1,310.96	310	32.9
4"	£1,612.32	350	50.5
5"	£3,116.40	400	78
6"	£3,565.19	480	104

Please call the sales team for your discount on this product

VALVE TYPE	Globe Bellow Seal
BODY MATERIAL	Cast Steel
END CONNECTION	Flanged PN25/40, we also keep this item undrilled
SEAT/SEAL	Seat Ring X12Cr13, Graphite Packing
OPERATION	Handwheel

Full specification sheet available on request

GLOBE ANGLE PATTERN / CAST STEEL / FLANGED PN25/40
VCI06


SIZE	PRICE	LENGTH MM	WEIGHT KG
2"	£698.25	125	15.3
2 1/2"	£907.79	145	25.2
3"	£1,062.81	155	32.9
4"	£1,380.60	175	50.5
5"	£2,692.47	200	78
6"	£3,272.72	225	104
8"	£4,062.45	275	174

Please call the sales team for your discount on this product

VALVE TYPE	Globe Angle Pattern
BODY MATERIAL	Cast Steel
END CONNECTION	Flanged PN25/40, we also keep this item undrilled
SEAT/SEAL	Seat Ring X12Cr13, Graphite Packing
OPERATION	Handwheel

Full specification sheet available on request

The above items are from Valve Center's standard range. Please contact us on 01744 759460 if you can't find what you are looking for.



INDUSTRIAL VALVE STOCKIST, ACTUATORS & RELATED EQUIPMENT

Customer service is paramount, but don't just take our word for it

"For a number of years Valve Center have been my company of choice to source valves that are not a stock item in our stores. Working at a forty year old power station means that when we need to replace original installation valves they are usually obsolescent, Valve Center have always been able to quote us for a direct replacement, more often than not at a price and delivery that beats any of the other valve companies that we have to try under our procurement rules." — Trevor, Scottish and Southern Energy.





HYGIENIC VALVES

Encapsulated 3-Way Ball, Hygienic / Stainless Steel / Butt Weld, RJT, IDF, Clamp, ILC and / L Port	87
Encapsulated 3-Way Ball, Hygienic / Stainless Steel / Butt Weld, RJT, IDF, Clamp, ILC and DIN All Available / T Port	87
Encapsulated 3-Piece Ball, Hygienic / Stainless Steel / Butt Weld, RJT, IDF, Clamp, ILC and DIN All Available	87
Actuator, Hygienic / Stainless Steel / Direct Mounting / Spring Return ..	88
Actuator, Hygienic / Stainless Steel / Direct Mounting / Double Acting ..	88
Switchbox	88
Miniature Relief, Hygienic / Stainless Steel / Clamp, ILC, Weld and BSP All Available	89
Pressure Relief, Hygienic / Stainless Steel / Plain Ended, Full Bore / Air Operated	89
Pressure Relief, Hygienic / Stainless Steel / Fitted Ends, Full Bore / Air Operated	89
Single Seat, Hygienic / Stainless Steel / Plain Ended / Actuated	90
Single Seat, Hygienic / Stainless Steel / Fitted Ends / Actuated	90
Switchbox	90
Non-Return, Hygienic / Stainless Steel / Available In Clamp, RJT, IDF, ILC, DIN, SMS, Flange and Butt Weld	91
Butterfly, Hygienic / Stainless Steel / RJT, IDF, ILC / Plastic Lever / Viton / Lever	91
Butterfly, Hygienic / Stainless Steel / RJT, IDF, ILC / Plastic Lever / Nitrile	91
Butterfly, Hygienic / Stainless Steel / RJT, IDF, ILC / Plastic Lever / Silicone	92
Butterfly, Hygienic / Stainless Steel / RJT, IDF, ILC / Plastic Lever / EPDM	92
Butterfly, Hygienic / Stainless Steel / RJT, IDF, ILC / Bareshaft / EPDM	92
Butterfly, Hygienic / Stainless Steel / RJT, IDF, ILC / Bareshaft / Viton / Bareshaft	93
Butterfly, Hygienic / Stainless Steel / RJT, IDF, ILC / Bareshaft / Nitrile / Bareshaft	93
Butterfly, Hygienic / Stainless Steel / RJT, IDF, ILC / Bareshaft / Silicone / Bareshaft	93
Butterfly, Hygienic / Stainless Steel / RJT, IDF, ILC / Stainless Steel Multi Stop Lever / EPDM / SS Lever	94
Butterfly, Hygienic / Stainless Steel / RJT, IDF, ILC / Stainless Steel Multi Stop Lever / Viton / SS Lever	94
Butterfly, Hygienic / Stainless Steel / RJT, IDF, ILC / Stainless Steel Multi Stop Lever / Nitrile / SS Lever	94
Butterfly, Hygienic / Stainless Steel / RJT, IDF, ILC / Stainless Steel / Silicone / SS Lever	95

HYGIENIC VALVES

ENCAPSULATED 3-WAY BALL, HYGIENIC / STAINLESS STEEL / BUTT WELD, RJT, IDF, CLAMP, ILC AND / L PORT

VC366



SIZE	PRICE	LENGTH MM	WEIGHT KG
1/2"	£180.75	59	On request
3/4"	£223.25	64	On request
1"	£294.20	76	On request
1 1/2"	£482.20	88	On request
2"	£751.85	95	On request
2 1/2"	£1,285.22	114	On request
3"	£1,852.62	130	On request

Please call the sales team for your discount on this product

VALVE TYPE	Encapsulated 3-way Ball, Hygienic
BODY MATERIAL	Stainless Steel
END CONNECTION	Butt Weld, RJT, IDF, Clamp, ILC and DIN all available
SEAT/SEAL	PTFE
RATED	10 Bar
OPERATION	Lever
OTHER	L-Port (T-Port available), Price based on Plain Ends

Full specification sheet available on request

ENCAPSULATED 3-WAY BALL, HYGIENIC / STAINLESS STEEL / BUTT WELD, RJT, IDF, CLAMP, ILC AND DIN ALL AVAILABLE / T PORT

VC383



SIZE	PRICE	LENGTH MM	WEIGHT KG
1/2"	£176.47	59	On request
3/4"	£213.62	64	On request
1"	£290.90	76	On request
1 1/2"	£471.14	88	On request
2"	£699.32	95	On request
2 1/2"	£1,244.70	114	On request
3"	£1,830.08	130	On request

Please call the sales team for your discount on this product

VALVE TYPE	Encapsulated 3-way Ball, Hygienic
BODY MATERIAL	Stainless Steel
END CONNECTION	Butt Weld, RJT, IDF, Clamp, ILC and DIN all available
SEAT/SEAL	PTFE
RATED	10 Bar
OPERATION	Lever
OTHER	T-Port (L-Port available), Price based on Plain Ends

Full specification sheet available on request

ENCAPSULATED 3-PIECE BALL, HYGIENIC / STAINLESS STEEL / BUTT WELD, RJT, IDF, CLAMP, ILC AND DIN ALL AVAILABLE

VC384



SIZE	PRICE	LENGTH MM	WEIGHT KG
1/2"	£50.87	On request	On request
3/4"	£58.40	On request	On request
1"	£81.30	On request	On request
1 1/2"	£132.25	On request	On request
2"	£192.32	On request	On request
2 1/2"	£424.70	On request	On request
3"	£565.87	On request	On request

Please call the sales team for your discount on this product

VALVE TYPE	Encapsulated 3-piece Ball, Hygienic
BODY MATERIAL	Stainless Steel
END CONNECTION	Butt Weld, RJT, IDF, Clamp, ILC and DIN all available
SEAT/SEAL	PTFE
RATED	10 Bar
OPERATION	Lever

Full specification sheet available on request

The above items are from Valve Center's standard range. Please contact us on 01744 759460 if you can't find what you are looking for.

ACTUATOR, HYGIENIC / STAINLESS STEEL / DIRECT MOUNTING / SPRING RETURN
VC377


SIZE	PRICE	LENGTH MM	WEIGHT KG
1"	£187.50	134	On request
1 1/2"	£187.50	134	On request
2"	£187.50	134	On request
2 1/2"	£187.50	134	On request
3"	£250.00	134	On request
4"	£250.00	157	On request

Please call the sales team for your discount on this product

VALVE TYPE	Actuator, Hygienic
BODY MATERIAL	Stainless Steel
END CONNECTION	Direct Mounting
RATED	IP65
OPERATION	Pneumatic Spring Return

Full specification sheet available on request

ACTUATOR, HYGIENIC / STAINLESS STEEL / DIRECT MOUNTING / DOUBLE ACTING
VC382


SIZE	PRICE	LENGTH MM	WEIGHT KG
1"	£175.00	134	On request
1 1/2"	£175.00	134	On request
2"	£175.00	134	On request
2 1/2"	£175.00	134	On request

Please call the sales team for your discount on this product

VALVE TYPE	Actuator, Hygienic
BODY MATERIAL	Stainless Steel
END CONNECTION	Direct Mounting
SEAT/SEAL	N/A
RATED	IP65
OPERATION	Pneumatic Double Acting

Full specification sheet available on request

SWITCHBOX
SEE TABLE

PART NO	SWITCHBOX TYPE	PRICE
VC378	2 Microswitches	£209.85
VC379	2 Proximity Switches and Solenoid	£482.40
VC380	2 Proximity Switches	£321.65
VC381	2 Proximity Switches and Solenoid, 3 Wire	£662.12

Full specification sheet available on request

Please call the sales team for your discount on this product

The above items are from Valve Center's standard range. Please contact us on 01744 759460 if you can't find what you are looking for.

HYGIENIC VALVES

MINIATURE RELIEF, HYGIENIC / STAINLESS STEEL / CLAMP, ILC, WELD AND BSP ALL AVAILABLE

VC368

SIZE	PRICE	LENGTH MM	LENGTH MM	LENGTH MM	LENGTH MM	LENGTH MM	WEIGHT KG
		Clamp	ILC	BSP Female	BSP Male	Plain	
1/2"	£510.05	41	35	35	25	20	On request
3/4"	£510.05	26	23.5	N/A	40	5	On request

Full specification sheet available on request



VALVE TYPE	Miniature Relief, Hygienic
BODY MATERIAL	Stainless Steel
END CONNECTION	Clamp, ILC, Weld and BSP all available
SEAT/SEAL	Dependent on Media
RATED	0.5 Bar to 10 Bar
OTHER	Tamper Proof Setting (price based on fitted ends)

Please call the sales team for your discount on this product

PRESSURE RELIEF, HYGIENIC / STAINLESS STEEL / PLAIN ENDED, FULL BORE / AIR OPERATED

VC389



SIZE	PRICE	LENGTH MM	WEIGHT KG
1"	£900.95	52	On request
1 1/2"	£981.07	75	On request
2"	£1,007.67	79	On request
2 1/2"	£1,863.22	95	On request
3"	£1,730.42	99	On request

Please call the sales team for your discount on this product

VALVE TYPE	Pressure Relief, Hygienic
BODY MATERIAL	Stainless Steel
END CONNECTION	Plain Ended, Full Bore
SEAT/SEAL	Profiled Seat Seal
RATED	0-2.7 Bar, 0-4.4 Bar, 0-6.8 Bar, 0-10.2 Bar all available
OPERATION	Air operated
OTHER	Tamper Proof Pressure Setting

Full specification sheet available on request

PRESSURE RELIEF, HYGIENIC / STAINLESS STEEL / FITTED ENDS, FULL BORE / AIR OPERATED

VC390



SIZE	PRICE	LENGTH MM	WEIGHT KG
1"	£1,020.75	52	On request
1 1/2"	£1,091.57	75	On request
2"	£1,118.70	79	On request
2 1/2"	£1,982.20	95	On request
3"	£1,859.30	99	On request

Please call the sales team for your discount on this product

VALVE TYPE	Pressure Relief, Hygienic
BODY MATERIAL	Stainless Steel
END CONNECTION	Fitted Ends, Full Bore
SEAT/SEAL	Profiled Seat Seal
RATED	0-2.7 Bar, 0-4.4 Bar, 0-6.8 Bar, 0-10.2 Bar all available
OPERATION	Air operated
OTHER	Tamper Proof Pressure Setting

Full specification sheet available on request

The above items are from Valve Center's standard range. Please contact us on 01744 759460 if you can't find what you are looking for.

SINGLE SEAT, HYGIENIC / STAINLESS STEEL / PLAIN ENDED / ACTUATED
VC385


SIZE	PRICE	LENGTH MM	WEIGHT KG
1"	£1,567.37	52	On request
1 1/2"	£2,021.60	75	On request
2"	£2,316.65	79	On request
3"	£4,066.77	99	On request

Please call the sales team for your discount on this product

VALVE TYPE	Single Seat, Hygienic
BODY MATERIAL	Stainless Steel
END CONNECTION	Plain Ended
SEAT/SEAL	EPDM, Viton, Nitrile, Silicone and FEP available
RATED	1"16 Bar, 1 1/2"to 3"7Bar, 4"4.5 Bar
OPERATION	Actuated
OTHER	LL-Port

Full specification sheet available on request

SINGLE SEAT, HYGIENIC / STAINLESS STEEL / FITTED ENDS / ACTUATED
VC386


SIZE	PRICE	LENGTH MM	WEIGHT KG
1"	£1,642.70	52	On request
1 1/2"	£2,108.85	75	On request
2"	£2,411.82	79	On request
3"	£4,106.42	99	On request

Please call the sales team for your discount on this product

VALVE TYPE	Single Seat, Hygienic
BODY MATERIAL	Stainless Steel
END CONNECTION	Fitted Ends
SEAT/SEAL	EPDM, Viton, Nitrile, Silicone and FEP available
RATED	1"16 Bar, 1 1/2"to 3"7Bar, 4"4.5 Bar
OPERATION	Actuated
OTHER	LL-Port

Full specification sheet available on request

SWITCHBOX
SEE TABLE

PART NO	SWITCHBOX TYPE	PRICE
VC387	2 x 24VDC Proximity Sensors Only	£466.62
VC388	2 x 24VDC Proximity Sensors and Solenoid	£721.32

Full specification sheet available on request

Please call the sales team for your discount on this product

HYGIENIC VALVES

NON-RETURN, HYGIENIC / STAINLESS STEEL / AVAILABLE IN CLAMP, RJT, IDF, ILC, DIN, SMS, FLANGE AND BUTT WELD

VC365



SIZE	PRICE	LENGTH MM Weld	LENGTH MM Clamp	LENGTH MM Male IDF/RJT	WEIGHT KG
1/2"	£250.35	75	87	N/A	0.57
3/4"	£266.12	75	87	N/A	0.55
1"	£203.50	60	102	102	0.65
1 1/2"	£209.00	75	117	117	1.1
2"	£255.58	75	117	117	1.3
2 1/2"	£363.25	75	117	117	1.85
3"	£390.35	75	117	117	2.15
4"	£825.45	119	161	161 (RJT), 179 (IDF)	4.85

Please call the sales team for your discount on this product

VALVE TYPE	Non-Return, Hygienic
BODY MATERIAL	Stainless Steel
END CONNECTION	available in Clamp, RJT, IDF, ILC, DIN, SMS, Flange and Butt Weld
SEAT/SEAL	EPDM Also available in Nitrile, Silicone, Viton and FEP/PTFE
RATED	10 Bar
OTHER	ATEX Approval, (price based on plain clamp ends)

Full specification sheet available on request

BUTTERFLY, HYGIENIC / STAINLESS STEEL / RJT, IDF, ILC / PLASTIC LEVER / VITON / LEVER

VC303



SIZE	PRICE	LGTH MM		LGTH MM		LGTH MM		LGTH MM		LGTH MM		LGTH MM	WEIGHT KG
		RJT Male	RJT Female	IDF Male	IDF Female	ILC Male	ILC Female	Clamp & BW	Manual Flanged				
1"	£161.90	80	85	80	102	80	102	60	260	260	260	260	On request
1 1/2"	£162.37	80	85	80	102	80	102	60	260	260	260	260	On request
2"	£171.25	80	85	80	102	80	102	60	260	260	260	260	On request
2 1/2"	£193.97	80	85	80	102	80	102	60	260	260	260	260	On request
3"	£208.80	80	85	80	102	80	102	60	260	260	260	260	On request

Please call the sales team for your discount on this product

VALVE TYPE	Butterfly, Hygienic
BODY MATERIAL	Stainless Steel
END CONNECTION	RJT, IDF, ILC (Male & Female Options), Clamp, Butt Weld, Manual Flanged and Actuated Flanged all available
SEAT/SEAL	Viton F Seal
RATED	10 Bar
OPERATION	Plastic Lever (Actuator and Bareshaft available)
OTHER	Price based on Plain Ends

Full specification sheet available on request

BUTTERFLY, HYGIENIC / STAINLESS STEEL / RJT, IDF, ILC / PLASTIC LEVER / NITRILE / LEVER

VC306



SIZE	PRICE	LGTH MM		LGTH MM		LGTH MM		LGTH MM		LGTH MM		LGTH MM	WEIGHT KG
		RJT Male	RJT Female	IDF Male	IDF Female	ILC Male	ILC Female	Clamp & BW	Manual Flanged				
1"	£136.90	80	85	80	102	80	102	60	260	260	260	260	On request
1 1/2"	£137.37	80	85	80	102	80	102	60	260	260	260	260	On request
2"	£146.25	80	85	80	102	80	102	60	260	260	260	260	On request
2 1/2"	£168.97	80	85	80	102	80	102	60	260	260	260	260	On request
3"	£183.80	80	85	80	102	80	102	60	260	260	260	260	On request

Please call the sales team for your discount on this product

VALVE TYPE	Butterfly, Hygienic
BODY MATERIAL	Stainless Steel
END CONNECTION	RJT, IDF, ILC (Male & Female Options), Clamp, Butt Weld, Manual Flanged and Actuated Flanged all available
SEAT/SEAL	Nitrile Seal
RATED	10 Bar
OPERATION	Plastic Lever (Actuator and Bareshaft available)
OTHER	Price based on Plain Ends

Full specification sheet available on request

The above items are from Valve Center's standard range. Please contact us on 01744 759460 if you can't find what you are looking for.

BUTTERFLY, HYGIENIC / STAINLESS STEEL / RJT, IDF, ILC / PLASTIC LEVER / SILICONE / LEVER
VC307


SIZE	PRICE	LGTH MM RJT Male	LGTH MM RJT Female	LGTH MM IDF Male	LGTH MM IDF Female	LGTH MM ILC Male	LGTH MM ILC Female	LGTH MM Clamp & BW	LGTH MM Manual Flanged	WEIGHT KG
1"	£136.90	80	85	80	102	80	102	60	260	On request
1 1/2"	£137.37	80	85	80	102	80	102	60	260	On request
2"	£146.25	80	85	80	102	80	102	60	260	On request
2 1/2"	£168.97	80	85	80	102	80	102	60	260	On request
3"	£183.80	80	85	80	102	80	102	60	260	On request

Please call the sales team for your discount on this product

VALVE TYPE	Butterfly, Hygienic
BODY MATERIAL	Stainless Steel
END CONNECTION	RJT, IDF, ILC (Male & Female Options), Clamp, Butt Weld, Manual Flanged and Actuated Flanged all available
SEAT/SEAL	Silicone Seal
RATED	10 Bar
OPERATION	Plastic Lever (Actuator and Bareshaft available)
OTHER	Price based on Plain Ends

Full specification sheet available on request

BUTTERFLY, HYGIENIC / STAINLESS STEEL / RJT, IDF, ILC / PLASTIC LEVER / EPDM / LEVER
VC367


SIZE	PRICE	LGTH MM RJT Male	LGTH MM RJT Female	LGTH MM IDF Male	LGTH MM IDF Female	LGTH MM ILC Male	LGTH MM ILC Female	LGTH MM Clamp & BW	LGTH MM Manual Flanged	WEIGHT KG
1"	£124.40	80	85	80	102	80	102	60	260	On request
1 1/2"	£124.87	80	85	80	102	80	102	60	260	On request
2"	£133.75	80	85	80	102	80	102	60	260	On request
2 1/2"	£156.47	80	85	80	102	80	102	60	260	On request
3"	£171.30	80	85	80	102	80	102	60	260	On request

Please call the sales team for your discount on this product

VALVE TYPE	Butterfly, Hygienic
BODY MATERIAL	Stainless Steel
END CONNECTION	RJT, IDF, ILC (Male & Female Options), Clamp, Butt Weld, Manual Flanged and Actuated Flanged all available
SEAT/SEAL	EPDM Seal
RATED	10 Bar
OPERATION	Plastic Lever (Actuator and Bareshaft available)
OTHER	Price based on Plain Ends

Full specification sheet available on request

BUTTERFLY, HYGIENIC / STAINLESS STEEL / RJT, IDF, ILC / BARESHAFT / EPDM / BARESHAFT
VC308


SIZE	PRICE	LGTH MM RJT Male	LGTH MM RJT Female	LGTH MM IDF Male	LGTH MM IDF Female	LGTH MM ILC Male	LGTH MM ILC Female	LGTH MM Clamp & BW	LGTH MM Manual Flanged	WEIGHT KG
1"	£111.75	80	85	80	102	80	102	60	260	On request
1 1/2"	£114.72	80	85	80	102	80	102	60	260	On request
2"	£123.60	80	85	80	102	80	102	60	260	On request
2 1/2"	£146.32	80	85	80	102	80	102	60	260	On request
3"	£163.57	80	85	80	102	80	102	60	260	On request
4"	£260.42	80	85	80	102	80	102	60	260	On request

Please call the sales team for your discount on this product

VALVE TYPE	Butterfly, Hygienic
BODY MATERIAL	Stainless Steel
END CONNECTION	RJT, IDF, ILC (Male & Female Options), Clamp, Butt Weld, Manual Flanged and Actuated Flanged all available
SEAT/SEAL	EPDM Seal
RATED	10 Bar
OPERATION	Bareshaft (Lever and Actuator available)
OTHER	Price based on Plain Ends

Full specification sheet available on request

The above items are from Valve Center's standard range. Please contact us on 01744 759460 if you can't find what you are looking for.

HYGIENIC VALVES

BUTTERFLY, HYGIENIC / STAINLESS STEEL / RJT, IDF, ILC / BARESHAFT / VITON / BARESHAFT

VC319



SIZE	PRICE	LGTH MM		LGTH MM		LGTH MM		LGTH MM		LGTH MM		WEIGHT KG
		RJT Male	RJT Female	IDF Male	IDF Female	ILC Male	ILC Female	Clamp & BW	Manual Flanged			
1"	£149.25	80	85	80	102	80	102	60	260	On request		
1 1/2"	£152.22	80	85	80	102	80	102	60	260	On request		
2"	£161.10	80	85	80	102	80	102	60	260	On request		
2 1/2"	£183.82	80	85	80	102	80	102	60	260	On request		
3"	£201.07	80	85	80	102	80	102	60	260	On request		
4"	£297.92	80	85	80	102	80	102	60	260	On request		

Please call the sales team for your discount on this product

VALVE TYPE	Butterfly, Hygienic
BODY MATERIAL	Stainless Steel
END CONNECTION	RJT, IDF, ILC (Male & Female Options), Clamp, Butt Weld, Manual Flanged and Actuated Flanged all available
SEAT/SEAL	Viton Seal
RATED	10 Bar
OPERATION	Bareshaft (Lever and Actuator available)
OTHER	Price based on Plain Ends

Full specification sheet available on request

BUTTERFLY, HYGIENIC / STAINLESS STEEL / RJT, IDF, ILC / BARESHAFT / NITRILE / BARESHAFT

VC320



SIZE	PRICE	LGTH MM		LGTH MM		LGTH MM		LGTH MM		LGTH MM		WEIGHT KG
		RJT Male	RJT Female	IDF Male	IDF Female	ILC Male	ILC Female	Clamp & BW	Manual Flanged			
1"	£124.25	80	85	80	102	80	102	60	260	On request		
1 1/2"	£127.22	80	85	80	102	80	102	60	260	On request		
2"	£136.10	80	85	80	102	80	102	60	260	On request		
2 1/2"	£158.82	80	85	80	102	80	102	60	260	On request		
3"	£176.07	80	85	80	102	80	102	60	260	On request		
4"	£272.92	80	85	80	102	80	102	60	260	On request		

Please call the sales team for your discount on this product

VALVE TYPE	Butterfly, Hygienic
BODY MATERIAL	Stainless Steel
END CONNECTION	RJT, IDF, ILC (Male & Female Options), Clamp, Butt Weld, Manual Flanged and Actuated Flanged all available
SEAT/SEAL	Nitrile Seal
RATED	10 Bar
OPERATION	Bareshaft (Lever and Actuator available)
OTHER	Price based on Plain Ends

Full specification sheet available on request

BUTTERFLY, HYGIENIC / STAINLESS STEEL / RJT, IDF, ILC / BARESHAFT / SILICONE / BARESHAFT

VC321



SIZE	PRICE	LGTH MM		LGTH MM		LGTH MM		LGTH MM		LGTH MM		WEIGHT KG
		RJT Male	RJT Female	IDF Male	IDF Female	ILC Male	ILC Female	Clamp & BW	Manual Flanged			
1"	£124.25	80	85	80	102	80	102	60	260	On request		
1 1/2"	£127.22	80	85	80	102	80	102	60	260	On request		
2"	£136.10	80	85	80	102	80	102	60	260	On request		
2 1/2"	£158.82	80	85	80	102	80	102	60	260	On request		
3"	£176.07	80	85	80	102	80	102	60	260	On request		
4"	£272.92	80	85	80	102	80	102	60	260	On request		

Please call the sales team for your discount on this product

VALVE TYPE	Butterfly, Hygienic
BODY MATERIAL	Stainless Steel
END CONNECTION	RJT, IDF, ILC (Male & Female Options), Clamp, Butt Weld, Manual Flanged and Actuated Flanged all available
SEAT/SEAL	Silicone Seal
RATED	10 Bar
OPERATION	Bareshaft (Lever and Actuator available)
OTHER	Price based on Plain Ends

Full specification sheet available on request

The above items are from Valve Center's standard range. Please contact us on 01744 759460 if you can't find what you are looking for.

BUTTERFLY, HYGIENIC / STAINLESS STEEL / RJT, IDF, ILC / STAINLESS STEEL MULTI STOP LEVER / EPDM / SS LEVER
VC322


SIZE	PRICE	LGTH MM		LGTH MM		LGTH MM		LGTH MM		LGTH MM		WEIGHT KG
		RJT Male	RJT Female	IDF Male	IDF Female	ILC Male	ILC Female	Clamp & BW	Manual Flanged			
1"	£127.97	80	85	80	102	80	102	60	260	260	260	On request
1 1/2"	£130.95	80	85	80	102	80	102	60	260	260	260	On request
2"	£139.82	80	85	80	102	80	102	60	260	260	260	On request
2 1/2"	£162.55	80	85	80	102	80	102	60	260	260	260	On request
3"	£179.80	80	85	80	102	80	102	60	260	260	260	On request
4"	£276.62	80	85	80	102	80	102	60	260	260	260	On request

Please call the sales team for your discount on this product

VALVE TYPE	Butterfly, Hygienic
BODY MATERIAL	Stainless Steel
END CONNECTION	RJT, IDF, ILC (Male & Female Options), Clamp, Butt Weld, Manual Flanged and Actuated Flanged all available
SEAT/SEAL	EPDM Seal
RATED	10 Bar
OPERATION	Stainless Steel Multi Stop Lever (Bareshaft and Actuator available)
OTHER	Price based on Plain Ends

Full specification sheet available on request

BUTTERFLY, HYGIENIC / STAINLESS STEEL / RJT, IDF, ILC / STAINLESS STEEL MULTI STOP LEVER / VITON / SS LEVER
VC323


SIZE	PRICE	LGTH MM		LGTH MM		LGTH MM		LGTH MM		LGTH MM		WEIGHT KG
		RJT Male	RJT Female	IDF Male	IDF Female	ILC Male	ILC Female	Clamp & BW	Manual Flanged			
1"	£165.47	80	85	80	102	80	102	60	260	260	260	On request
1 1/2"	£168.45	80	85	80	102	80	102	60	260	260	260	On request
2"	£177.32	80	85	80	102	80	102	60	260	260	260	On request
2 1/2"	£200.05	80	85	80	102	80	102	60	260	260	260	On request
3"	£217.30	80	85	80	102	80	102	60	260	260	260	On request
4"	£314.12	80	85	80	102	80	102	60	260	260	260	On request

Please call the sales team for your discount on this product

VALVE TYPE	Butterfly, Hygienic
BODY MATERIAL	Stainless Steel
END CONNECTION	RJT, IDF, ILC (Male & Female Options), Clamp, Butt Weld, Manual Flanged and Actuated Flanged all available
SEAT/SEAL	Viton Seal
RATED	10 Bar
OPERATION	Stainless Steel Multi Stop Lever (Bareshaft and Actuator available)
OTHER	Price based on Plain Ends

Full specification sheet available on request

BUTTERFLY, HYGIENIC / STAINLESS STEEL / RJT, IDF, ILC / STAINLESS STEEL MULTI STOP LEVER / NITRILE / SS LEVER
VC324


SIZE	PRICE	LGTH MM		LGTH MM		LGTH MM		LGTH MM		LGTH MM		WEIGHT KG
		RJT Male	RJT Female	IDF Male	IDF Female	ILC Male	ILC Female	Clamp & BW	Manual Flanged			
1"	£140.47	80	85	80	102	80	102	60	260	260	260	On request
1 1/2"	£143.45	80	85	80	102	80	102	60	260	260	260	On request
2"	£152.32	80	85	80	102	80	102	60	260	260	260	On request
2 1/2"	£175.05	80	85	80	102	80	102	60	260	260	260	On request
3"	£192.30	80	85	80	102	80	102	60	260	260	260	On request
4"	£289.12	80	85	80	102	80	102	60	260	260	260	On request

Please call the sales team for your discount on this product

VALVE TYPE	Butterfly, Hygienic
BODY MATERIAL	Stainless Steel
END CONNECTION	RJT, IDF, ILC (Male & Female Options), Clamp, Butt Weld, Manual Flanged and Actuated Flanged all available
SEAT/SEAL	Nitrile Seal
RATED	10 Bar
OPERATION	Stainless Steel Multi Stop Lever (Bareshaft and Actuator available)
OTHER	Price based on Plain Ends

Full specification sheet available on request

The above items are from Valve Center's standard range. Please contact us on 01744 759460 if you can't find what you are looking for.

HYGIENIC VALVES

BUTTERFLY, HYGIENIC / STAINLESS STEEL / RJT, IDF, ILC / STAINLESS STEEL / SILICONE / SS LEVER

VC376



SIZE	PRICE	LGTH MM RJT Male	LGTH MM RJT Female	LGTH MM IDF Male	LGTH MM IDF Female	LGTH MM ILC Male	LGTH MM ILC Female	LGTH MM Clamp & BW	LGTH MM Manual Flanged	WEIGHT KG
1"	£140.47	80	85	80	102	80	102	60	260	On request
1 1/2"	£143.45	80	85	80	102	80	102	60	260	On request
2"	£152.32	80	85	80	102	80	102	60	260	On request
2 1/2"	£175.05	80	85	80	102	80	102	60	260	On request
3"	£192.30	80	85	80	102	80	102	60	260	On request
4"	£289.12	80	85	80	102	80	102	60	260	On request

Please call the sales team for your discount on this product

VALVE TYPE	Butterfly, Hygienic
BODY MATERIAL	Stainless Steel
END CONNECTION	RJT, IDF, ILC (Male & Female Options), Clamp, Butt Weld, Manual Flanged and Actuated Flanged all available
SEAT/SEAL	Silicone Seal
RATED	10 Bar
OPERATION	Stainless Steel Multi Stop Lever and Actuator available
OTHER	Price based on Plain Ends

Full specification sheet available on request

Visit our Website
www.valvecenter.co.uk





KNIFE GATE VALVES

Knife Gate, Unidirectional / Cast Iron, Stainless Steel Blade / to Suit PN10/16 Flanges / Handwheel	97
Knife Gate, Unidirectional / Cast Iron, Stainless Steel Blade / to Suit PN10/16 Flanges / Lever Operated	97
Knife Gate, Unidirectional / Cast Iron, Stainless Steel Blade / to Suit PN10/16 Flanges / Double Acting Pneumatic Actuator	97
Knife Gate, Unidirectional / Cast Iron, Stainless Steel Blade / to Suit PN10/16 Flanges / Actuator Topworks	98

Knife Gate, Unidirectional / Stainless Steel, Stainless Steel Blade / to Suit PN10/16 Flanges / Handwheel	98
Knife Gate, Unidirectional / Stainless Steel, Stainless Steel Blade / to Suit PN10/16 Flanges / Lever	98
Knife Gate, Unidirectional / Stainless Steel, Stainless Steel Blade / to Suit PN10/16 Flanges / Double Acting Pneumatic	99
Knife Gate, Unidirectional / Stainless Steel, Stainless Steel Blade / to Suit PN10/16 Flanges / Actuator Not Included	99



KNIFE GATE VALVES

**KNIFE GATE, UNIDIRECTIONAL / CAST IRON, STAINLESS STEEL BLADE /
TO SUIT PN10/16 FLANGES / HANDWHEEL**

VC152



SIZE	PRICE	LENGTH MM	WEIGHT KG
2"	£364.77	43	8
2 1/2"	£374.43	46	9
3"	£395.99	46	10
4"	£413.07	52	13
5"	£490.34	56	17
6"	£553.49	56	20
8"	£835.43	60	34
10"	£1,091.36	68	50
12"	£1,385.55	78	66
14"	£2,050.47	78	105
16"	£2,570.52	102	135

Please call the sales team for your discount on this product

VALVE TYPE	Knife Gate, Unidirectional
BODY MATERIAL	Cast Iron, Stainless Steel Blade
END CONNECTION	To suit PN10/16 Flanges, we also keep this item undrilled
SEAT/SEAL	EPDM (Nitrile and Metal available)
OPERATION	Handwheel

Full specification sheet available on request

**KNIFE GATE, UNIDIRECTIONAL / CAST IRON, STAINLESS STEEL BLADE /
TO SUIT PN10/16 FLANGES / LEVER OPERATED**

VC154



SIZE	PRICE	LENGTH MM	WEIGHT KG
2"	£468.42	43	8
2 1/2"	£480.68	46	9.2
3"	£507.05	46	10.3
4"	£523.76	52	12.7
5"	£608.46	56	16.4
6"	£685.73	56	19.7
8"	£954.66	60	33.5
10"	£1,236.98	68	48.6
12"	£1,541.57	78	60

Please call the sales team for your discount on this product

VALVE TYPE	Knife Gate, Unidirectional
BODY MATERIAL	Cast Iron, Stainless Steel Blade
END CONNECTION	To suit PN10/16 Flanges, we also keep this item undrilled
SEAT/SEAL	EPDM (Nitrile and Metal available)
OPERATION	Lever operated

Full specification sheet available on request

**KNIFE GATE, UNIDIRECTIONAL / CAST IRON, STAINLESS STEEL BLADE /
TO SUIT PN10/16 FLANGES / DOUBLE ACTING PNEUMATIC ACTUATOR**

VC153



SIZE	PRICE	LENGTH MM	WEIGHT KG
2"	£562.77	43	8.9
2 1/2"	£586.91	46	10
3"	£620.34	46	10.9
4"	£673.83	52	13.9
5"	£824.64	56	19
6"	£915.29	56	20.9
8"	£1,307.55	60	37.8
10"	£1,750.70	68	49.8
12"	£2,095.79	78	79
14"	£3,606.90	78	105
16"	£4,427.84	102	135

Please call the sales team for your discount on this product

VALVE TYPE	Knife Gate, Unidirectional
BODY MATERIAL	Cast Iron, Stainless Steel Blade
END CONNECTION	To suit PN10/16 Flanges, we also keep this item undrilled
SEAT/SEAL	EPDM (Nitrile and Metal available)
OPERATION	Double Acting Pneumatic Actuator

Full specification sheet available on request

KNIFE GATE, UNIDIRECTIONAL / CAST IRON, STAINLESS STEEL BLADE / TO SUIT PN10/16 FLANGES / ACTUATOR TOPWORKS
VC155


SIZE	PRICE	LENGTH MM	WEIGHT KG
2"	£521.54	43	8
2 1/2"	£528.96	46	9.2
3"	£550.50	46	10.3
4"	£568.34	52	12.7
5"	£642.63	56	16.4
6"	£705.03	56	19.7
8"	£999.24	60	33.5
10"	£1,226.57	68	48.6
12"	£1,516.31	78	60

Please call the sales team for your discount on this product

VALVE TYPE	Knife Gate, Unidirectional
BODY MATERIAL	Cast Iron, Stainless Steel Blade
END CONNECTION	To suit PN10/16 Flanges, we also keep this item undrilled
SEAT/SEAL	EPDM (Nitrile and Metal available)
OPERATION	ISO Topworks
OTHER	Actuator Topworks

Full specification sheet available on request

KNIFE GATE, UNIDIRECTIONAL / STAINLESS STEEL, STAINLESS STEEL BLADE / TO SUIT PN10/16 FLANGES / HANDWHEEL
VC156


SIZE	PRICE	LENGTH MM	WEIGHT KG
2"	£679.77	43	8
2 1/2"	£695.37	46	9.2
3"	£741.44	46	10.3
4"	£796.79	52	12.7
5"	£944.25	56	16.4
6"	£1,099.53	56	19.7
8"	£1,545.29	60	33.5
10"	£2,195.34	68	48.6
12"	£2,882.93	78	60

Please call the sales team for your discount on this product

VALVE TYPE	Knife Gate, Unidirectional
BODY MATERIAL	Stainless Steel, Stainless Steel Blade
END CONNECTION	To suit PN10/16 Flanges, we also keep this item undrilled
SEAT/SEAL	EPDM (Nitrile and Metal available)
OPERATION	Handwheel

Full specification sheet available on request

KNIFE GATE, UNIDIRECTIONAL / STAINLESS STEEL, STAINLESS STEEL BLADE / TO SUIT PN10/16 FLANGES / LEVER
VC159


SIZE	PRICE	LENGTH MM	WEIGHT KG
2"	£789.74	43	8.9
2 1/2"	£809.04	46	10
3"	£881.48	46	10.9
4"	£962.09	52	13.9
5"	£1,120.34	56	19
6"	£1,267.80	56	20.9
8"	£1,767.42	60	37.8
10"	£2,447.94	68	49.8
12"	£3,146.28	78	79

Please call the sales team for your discount on this product

VALVE TYPE	Knife Gate, Unidirectional
BODY MATERIAL	Stainless Steel, Stainless Steel Blade
END CONNECTION	To suit PN10/16 Flanges, we also keep this item undrilled
SEAT/SEAL	EPDM (Nitrile and Metal available)
OPERATION	Lever

Full specification sheet available on request

The above items are from Valve Center's standard range. Please contact us on 01744 759460 if you can't find what you are looking for.

KNIFE GATE VALVES

KNIFE GATE, UNIDIRECTIONAL / STAINLESS STEEL, STAINLESS STEEL BLADE / TO SUIT PN10/16 FLANGES / DOUBLE ACTING PNEUMATIC

VCI57



SIZE	PRICE	LENGTH MM	WEIGHT KG
2"	£883.71	43	8.9
2 1/2"	£921.23	46	10
3"	£985.13	46	10.9
4"	£1,080.96	52	13.9
5"	£1,299.00	56	19
6"	£1,485.86	56	20.9
8"	£2,069.04	60	37.8
10"	£2,897.40	68	49.8
12"	£4,587.56	78	79

Please call the sales team for your discount on this product

VALVE TYPE	Knife Gate, Unidirectional
BODY MATERIAL	Stainless Steel, Stainless Steel Blade
END CONNECTION	To suit PN10/16 Flanges, we also keep this item undrilled
SEAT/SEAL	EPDM (Nitrile and Metal available)
OPERATION	Double Acting Pneumatic Actuator

Full specification sheet available on request

KNIFE GATE, UNIDIRECTIONAL / STAINLESS STEEL, STAINLESS STEEL BLADE / TO SUIT PN10/16 FLANGES / ACTUATOR NOT INCLUDED

VCI58



SIZE	PRICE	LENGTH MM	WEIGHT KG
2"	£835.79	43	8
2 1/2"	£854.73	46	9.2
3"	£898.20	46	10.3
4"	£951.32	52	12.7
5"	£1,096.19	56	16.4
6"	£1,244.78	56	19.7
8"	£1,619.58	60	33.5

Please call the sales team for your discount on this product

VALVE TYPE	Knife Gate, Unidirectional
BODY MATERIAL	Stainless Steel, Stainless Steel Blade
END CONNECTION	To suit PN10/16 Flanges, we also keep this item undrilled
SEAT/SEAL	EPDM (Nitrile and Metal available)
OPERATION	ISO Topworks
OTHER	Actuator not included

Full specification sheet available on request

Visit our Website

www.valvecenter.co.uk

The above items are from Valve Center's standard range. Please contact us on 01744 759460 if you can't find what you are looking for.



NEEDLE VALVES

Needle / Brass / Screwed BSP Female	101
Needle / Stainless Steel / Screwed BSP Female	101
Needle / Stainless Steel / Screwed BSP Male/Female	101



NEEDLE VALVES

NEEDLE / BRASS / SCREWED BSP FEMALE

VC375



SIZE	PRICE	LENGTH MM	WEIGHT KG
1/8"	£17.88	48	0.12
1/4"	£17.88	49	0.17
3/8"	£22.06	63	0.22
1/2"	£28.47	68	0.58

Please call the sales team for your discount on this product

VALVE TYPE	Needle
BODY MATERIAL	Brass
END CONNECTION	Screwed BSP Female
SEAT/SEAL	Stainless Steel Washers
RATED	1800 PSI
OPERATION	T-Bar or Handwheel

Full specification sheet available on request

NEEDLE / STAINLESS STEEL / SCREWED BSP FEMALE

VC253



SIZE	PRICE	LENGTH MM	WEIGHT KG
1/4"	£44.34	48	0.29
3/8"	£51.72	48	0.29
1/2"	£66.99	68	0.72
3/4"	£101.57	71	0.93
1"	£152.97	79	1.24

Please call the sales team for your discount on this product

VALVE TYPE	Needle
BODY MATERIAL	Stainless Steel
END CONNECTION	Screwed BSP Female (BSPT & NPT available)
SEAT/SEAL	PTFE/Graphoil Packing
RATED	6000 PSI
OPERATION	T-Bar

Full specification sheet available on request

NEEDLE / STAINLESS STEEL / SCREWED BSP MALE/FEMALE

VC254



SIZE	PRICE	LENGTH MM	WEIGHT KG
1/4"	£54.72	49	0.29
3/8"	£59.82	49	0.31
1/2"	£86.09	68	0.67

Please call the sales team for your discount on this product

VALVE TYPE	Needle
BODY MATERIAL	Stainless Steel
END CONNECTION	Screwed BSP Male/Female (BSPT & NPT available)
SEAT/SEAL	PTFE/Graphoil Packing
RATED	6000 PSI
OPERATION	T-Bar operated

Full specification sheet available on request



NON-RETURN VALVES

Spring Check / Brass / Screwed BSP Female / NBR / Acetol Disc	103
Spring Check / Brass / Screwed BSP Female / Viton / Metal Disc	103
Spring Check / Brass / Screwed BSP Female / NBR / Polyacetol Disc	103
Spring Check / Brass / Screwed BSP Female / Male	104
Swing Check / Brass / Screwed BSP Female / Metal Seat	104
Swing Check / Brass / Screwed BSP Female	104
Y-Type Check / Brass, Stainless Steel Disc / Screwed BSP Female	105
Vertical Lift Check / Bronze / Screwed BSP Female	105
Swing Check / Bronze / Screwed BSP Female / Metal Seat	105
Horizontal Lift Check / Bronze / Screwed BSP Female / PTFE Disc	106
Swing Check / Bronze / Screwed BSP Female	106
Horizontal Lift Check / Bronze / Screwed BSP Female	106
Swing Check / Bronze / Flanged PNI6	107
Wafer Type Spring Check / Bronze / to Suit PN6–PNI6 Flanges 1/2"–3", PNI10/16 Flanges 4"	107
Spring Check / Stainless Steel / Screwed BSP Female	107
High Pressure Check / Stainless Steel / Screwed BSP Female	108
Swing Type Check / Stainless Steel / Screwed BSP Female	108
Swing Check / Stainless Steel / Flanged PNI6	108
Swing Check / Stainless Steel / Flanged ANSI 150 RF	109
Swing Type Check, Wafer Type / Stainless Steel / to Suit PNI10, PNI16, ANSI 150* Flanges / EPDM	109
Spring Type Check, Wafer Type / Stainless Steel / Multi Flange with Locating Lugs to Suit PNI10, PNI16, ANSI 150* Flanges / NBR	109
Spring Check Wafer Type / Stainless Steel / Wafer Type to Suit 1/2"–3"PN6/PNI10/40, 4"PN10/40, ANSI 150*	110
Dual Plate Check / Stainless Steel / to Suit PNI10/16	110
Swing Check / Cast Iron Epoxy Coated / Flanged PNI16	110
Swing Check with Outside Lever and Weight / Cast Iron Epoxy Coated / Flanged PNI6	111
Swing Check Bs5153 / Cast Iron Epoxy Coated / Flanged PNI16 / WRAS Approved	111
Swing Check Bs5153, Outside Lever & Weight / Cast Iron Epoxy Coated / Flanged PNI16 / WRAS Approved	111
Swing Check / Cast Iron Body / Flanged PNI16 / DIN3202	112
Swing Type Check / Cast Iron / Can Be Drilled to Suit PNI10/16, ANSI 150, Table D/E, JIS 5K/10K	112
Dual Plate Check / Cast Iron Epoxy Coated / to Suit PNI16 Flanges	112
Ball Check / Cast Iron Epoxy Coated / Screwed BSP Female	113
Ball Check / Cast Iron Epoxy Coated / Flanged PNI10	113
Disc Check / Cast Iron Epoxy Coated / Flanged PNI16	113
Wall Mounted Double Hinged Flap / Ductile Iron / Bronze Seat, PTFE Bushings	114
Piston Check / Forged Steel A105 / Screwed BSP Female	114
Lift Type Check / Cast Steel / Flanged PN25/40	114
Swing Check Wafer Type / Carbon Steel, Zinc Plated / to Suit PNI10/16 Flanges	115
Spring Check Wafer Type / Carbon Steel / Multi Flange with Locating Lugs to Suit PN6, PNI10, PNI16 ANSI 150	115
Swing Check / Cast Steel WCB / Flanged ANSI 150 RF	115

NON-RETURN VALVES

SPRING CHECK / BRASS / SCREWED BSP FEMALE / NBR / ACETOL DISC

VCII2



SIZE	PRICE	LENGTH MM	WEIGHT KG
1/4"	£7.13	45	0.1
3/8"	£5.61	45	0.12
1/2"	£5.81	45	0.13
3/4"	£8.13	47	0.18
1"	£10.17	56	0.24
1 1/4"	£15.24	61	0.35
1 1/2"	£21.03	68	0.43
2"	£30.96	77	0.7
2 1/2"	£63.44	96	1.4
3"	£86.55	100	1.9
4"	£147.18	109	3

Please call the sales team for your discount on this product

VALVE TYPE	Spring Check
BODY MATERIAL	Brass
END CONNECTION	Screwed BSP Female
SEAT/SEAL	NBR Gasket, Acetal Disc
RATED	1/4"-1"16 Bar, 1 1/4"-2"10 Bar, 2 1/2"-4"8 Bar
OTHER	Opening Pressure 1 PSI

Full specification sheet available on request

SPRING CHECK / BRASS / SCREWED BSP FEMALE / VITON / METAL DISC

VCII3



SIZE	PRICE	LENGTH MM	WEIGHT KG
1/2"	£8.79	48	0.11
3/4"	£10.77	53	0.17
1"	£13.86	59	0.27
1 1/4"	£21.50	66	0.39
1 1/2"	£25.05	71	0.5
2"	£36.24	80	0.83
2 1/2"	£88.56	93	1.53
3"	£122.84	104	2.16
4"	£174.51	119	3.51

Please call the sales team for your discount on this product

VALVE TYPE	Spring Check
BODY MATERIAL	Brass
END CONNECTION	Screwed BSP Female
SEAT/SEAL	Viton Gasket, Metal Disc
RATED	1/2"-1"35 Bar, 1 1/4"-2"25 Bar, 2 1/2"-4"16 Bar
OTHER	Opening Pressure 1 PSI

Full specification sheet available on request

SPRING CHECK / BRASS / SCREWED BSP FEMALE / NBR / POLYACETOL DISC

VCII0



SIZE	PRICE	LENGTH MM	WEIGHT KG
1/2"	£5.70	56	0.14
3/4"	£7.08	61	0.21
1"	£10.32	75	0.29
1 1/4"	£20.81	94	0.49
1 1/2"	£28.05	100	0.6
2"	£38.04	110	0.84

Please call the sales team for your discount on this product

VALVE TYPE	Spring Check
BODY MATERIAL	Brass
END CONNECTION	Screwed BSP Female
SEAT/SEAL	NBR Seal, Polyacetal Disc
RATED	1/2"-3/4"PN40, 1"-1 1/4"PN25, 1 1/2"-2"PN16

Full specification sheet available on request

SPRING CHECK / BRASS / SCREWED BSP FEMALE/MALE
VCIII


SIZE	PRICE	LENGTH MM	WEIGHT KG
1/2"	£5.72	54	0.125
3/4"	£8.78	60	0.19
1"	£11.66	67	0.275
1 1/4"	£18.90	77	0.45
1 1/2"	£26.82	80	0.565
2"	£36.68	88	0.815

Please call the sales team for your discount on this product

VALVE TYPE	Spring Check
BODY MATERIAL	Brass
END CONNECTION	Screwed BSP Female/Male (also available Male/Female)
SEAT/SEAL	NBR Gasket
RATED	1/2" to 1"PN16, 1 1/4" to 2"PN10
OTHER	Opening Pressure 0.02 Bar

Full specification sheet available on request

SWING CHECK / BRASS / SCREWED BSP FEMALE / METAL SEAT
VCI08


SIZE	PRICE	LENGTH MM	WEIGHT KG
3/8"	£8.67	47	0.17
1/2"	£7.08	47	0.15
3/4"	£8.66	54	0.21
1"	£14.19	64	0.33
1 1/4"	£20.82	76	0.5
1 1/2"	£26.43	83	0.66
2"	£38.63	98	1
2 1/2"	£59.27	116	1.57
3"	£90.90	135	2.26
4"	£160.76	164	3.78
6"	£887.43	235	15.68

Please call the sales team for your discount on this product

VALVE TYPE	Swing Check
BODY MATERIAL	Brass
END CONNECTION	Screwed BSP Female
SEAT/SEAL	Metal to Metal Seat
RATED	3/8" to 3"PN16, 4" to 6"PN10

Full specification sheet available on request

SWING CHECK / BRASS / SCREWED BSP FEMALE
VCI09


SIZE	PRICE	LENGTH MM	WEIGHT KG
3/8"	£8.67	47	0.17
1/2"	£7.08	47	0.15
3/4"	£8.66	54	0.21
1"	£14.19	64	0.33
1 1/4"	£20.82	76	0.5
1 1/2"	£26.43	83	0.66
2"	£38.63	98	1
2 1/2"	£59.27	116	1.57
3"	£90.90	135	2.26
4"	£160.76	164	3.78
6"	£887.43	235	15.68

Please call the sales team for your discount on this product

VALVE TYPE	Swing Check
BODY MATERIAL	Brass
END CONNECTION	Screwed BSP Female
SEAT/SEAL	NBR Rubber Seats
RATED	3/8" to 3"PN16, 4" to 6"PN10

Full specification sheet available on request

NON-RETURN VALVES

Y-TYPE CHECK / BRASS, STAINLESS STEEL DISC / SCREWED BSP FEMALE
VCI38


SIZE	PRICE	LENGTH MM	WEIGHT KG
1/2"	£15.11	52	0.14
3/4"	£18.51	63	0.22
1"	£25.01	75	0.38
1 1/4"	£38.12	91	0.63
1 1/2"	£50.84	102	0.84
2"	£74.49	118	1.39

Please call the sales team for your discount on this product

VALVE TYPE	Y-Type Check
BODY MATERIAL	Brass, Stainless Steel Disc
END CONNECTION	Screwed BSP Female
SEAT/SEAL	Viton Gasket
RATED	1/2" – 1" 35 Bar, 1 1/4" – 2" 25 Bar
OTHER	Opening Pressure 0.02 PSI

Full specification sheet available on request
VERTICAL LIFT CHECK / BRONZE / SCREWED BSP FEMALE
VCI19


SIZE	PRICE	LENGTH MM	WEIGHT KG
1/2"	£28.25	64	0.3
3/4"	£30.98	72	0.45
1"	£41.04	77	0.76
1 1/4"	£52.77	87	1.05
1 1/2"	£69.95	96	1.35
2"	£129.17	111	2.05

Please call the sales team for your discount on this product

VALVE TYPE	Vertical Lift Check
BODY MATERIAL	Bronze
END CONNECTION	Screwed BSP Female
SEAT/SEAL	Integral Seat, Non-Metallic Disc
RATED	PN25

Full specification sheet available on request
SWING CHECK / BRONZE / SCREWED BSP FEMALE / METAL SEAT
VCI14


SIZE	PRICE	LENGTH MM	WEIGHT KG
1/2"	£31.41	60	0.38
3/4"	£32.31	70	0.59
1"	£41.85	80	0.88
1 1/4"	£58.29	95	1.15
1 1/2"	£79.53	110	1.51
2"	£103.99	125	2.48

Please call the sales team for your discount on this product

VALVE TYPE	Swing Check
BODY MATERIAL	Bronze
END CONNECTION	Screwed BSP Female
SEAT/SEAL	Metal to Metal
RATED	PN16

Full specification sheet available on request

HORIZONTAL LIFT CHECK / BRONZE / SCREWED BSP FEMALE / PTFE DISC
VCII5


SIZE	PRICE	LENGTH MM	WEIGHT KG
1/2"	£22.53	50	0.25
3/4"	£25.26	60	0.32
1"	£32.27	70	0.45
1 1/4"	£45.86	85	0.75
1 1/2"	£66.08	90	1
2"	£82.80	110	1.45

Please call the sales team for your discount on this product

VALVE TYPE	Horizontal Lift Check
BODY MATERIAL	Bronze
END CONNECTION	Screwed BSP Female
SEAT/SEAL	PTFE Disc
RATED	PN16
OTHER	Stainless Steel Spring

Full specification sheet available on request

SWING CHECK / BRONZE / SCREWED BSP FEMALE
VCII7


SIZE	PRICE	LENGTH MM	WEIGHT KG
1/2"	£12.50	60	0.38
3/4"	£18.39	70	0.59
1"	£24.18	80	0.88
1 1/4"	£35.10	95	1.15
1 1/2"	£46.38	110	1.51
2"	£66.69	125	2.48
2 1/2"	£154.50	161	4.8
3"	£223.01	180	6.79
4"	£412.17	216	13.07

Please call the sales team for your discount on this product

VALVE TYPE	Swing Check
BODY MATERIAL	Bronze
END CONNECTION	Screwed BSP Female
SEAT/SEAL	Integral Seat, Non-Metallic Disc
RATED	PN25

Full specification sheet available on request

HORIZONTAL LIFT CHECK / BRONZE / SCREWED BSP FEMALE
VCII8


SIZE	PRICE	LENGTH MM	WEIGHT KG
1/2"	£12.63	55	0.38
3/4"	£21.59	67	0.59
1"	£34.67	79	0.88
1 1/4"	£49.55	88	1.15
1 1/2"	£74.42	101	1.51
2"	£81.12	123	2.48

Please call the sales team for your discount on this product

VALVE TYPE	Horizontal Lift Check
BODY MATERIAL	Bronze
END CONNECTION	Screwed BSP Female
SEAT/SEAL	Integral Seat, Non-Metallic Disc
RATED	PN32

Full specification sheet available on request

The above items are from Valve Center's standard range. Please contact us on 01744 759460 if you can't find what you are looking for.

NON-RETURN VALVES

SWING CHECK / BRONZE / FLANGED PN16

VCI10



SIZE	PRICE	LENGTH MM	WEIGHT KG
1"	£232.10	100	2.5
1 1/4"	£297.26	110	3.65
1 1/2"	£350.52	130	4.5
2"	£451.68	150	5.7
2 1/2"	£592.92	175	9.4
3"	£754.62	180	10.4
4"	£1,185.90	200	13

Please call the sales team for your discount on this product

VALVE TYPE	Swing Check
BODY MATERIAL	Bronze
END CONNECTION	Flanged PN16 (Also available PN6, PN10, ANSI 150, Table D/E), we also keep this item undrilled
RATED	PN16
OTHER	Prices Apply to PN16

Full specification sheet available on request

WAFER TYPE SPRING CHECK / BRONZE / TO SUIT PN6–PN16 FLANGES 1/2"–3", PN10/16 FLANGES 4"

VCI16



SIZE	PRICE	LENGTH MM	WEIGHT KG
1/2"	£42.80	16	0.1
3/4"	£53.49	19	0.13
1"	£64.19	22	0.21
1 1/4"	£78.45	28	0.48
1 1/2"	£96.29	32	0.63
2"	£128.37	40	1
2 1/2"	£191.37	46	1.5
3"	£225.56	50	2
4"	£348.59	60	3.2

Please call the sales team for your discount on this product

VALVE TYPE	Wafer Type Spring Check
BODY MATERIAL	Bronze
END CONNECTION	To suit PN6–PN16 Flanges 1/2"–3", PN10/16 Flanges 4"
SEAT/SEAL	Stainless Steel Disc & Spring

Full specification sheet available on request

SPRING CHECK / STAINLESS STEEL / SCREWED BSP FEMALE

VCI132



SIZE	PRICE	LENGTH MM	WEIGHT KG
1/4"	£34.91	54	0.125
3/8"	£34.91	54	0.115
1/2"	£32.28	54	0.95
3/4"	£40.05	72	0.145
1"	£47.04	88	0.19
1 1/4"	£62.24	99	0.29
1 1/2"	£77.21	117	0.43
2"	£141.75	121	0.685

Please call the sales team for your discount on this product

VALVE TYPE	Spring Check
BODY MATERIAL	Stainless Steel
END CONNECTION	Screwed BSP Female
SEAT/SEAL	Viton
RATED	0.3 to 16 Bar
OTHER	Stainless Steel Spring

Full specification sheet available on request

HIGH PRESSURE CHECK / STAINLESS STEEL / SCREWED BSP FEMALE
VCI35


SIZE	PRICE	LENGTH MM	WEIGHT KG
1/4"	£41.85	70	0.16
3/8"	£52.35	70	0.17
1/2"	£64.49	85	0.37
3/4"	£127.08	92	0.59
1"	£156.21	100	0.95

Please call the sales team for your discount on this product

VALVE TYPE	High Pressure Check
BODY MATERIAL	Stainless Steel
END CONNECTION	Screwed BSP Female (Also available in BSPT and NPT)
SEAT/SEAL	Stainless Steel Spring Disc, Buna N Sealing Disc
RATED	400 BAR
OTHER	Cracking Pressure 5 PSI

Full specification sheet available on request

SWING TYPE CHECK / STAINLESS STEEL / SCREWED BSP FEMALE
VCI27


SIZE	PRICE	LENGTH MM	WEIGHT KG
1/2"	£63.53	65	0.25
3/4"	£72.53	80	0.45
1"	£83.00	90	0.6
1 1/4"	£111.41	105	0.75
1 1/2"	£147.90	120	1.05
2"	£208.40	140	1.6

Please call the sales team for your discount on this product

VALVE TYPE	Swing Type Check
BODY MATERIAL	Stainless Steel
END CONNECTION	Screwed BSP Female
RATED	200 PSI

Full specification sheet available on request

SWING CHECK / STAINLESS STEEL / FLANGED PN16
VCI33


SIZE	PRICE	LENGTH MM	WEIGHT KG
1"	£315.17	135	3.1
1 1/2"	£500.94	165	6.1
2"	£522.51	203	8.5
2 1/2"	£696.74	216	12.2
3"	£796.28	241	16.8
4"	£1,210.98	292	25.8
6"	£2,023.79	356	50

Please call the sales team for your discount on this product

VALVE TYPE	Swing Check
BODY MATERIAL	Stainless Steel
END CONNECTION	Flanged PN16, we also keep this item undrilled
SEAT/SEAL	Gasket PTFE
OTHER	Bolted Bonnet

Full specification sheet available on request

The above items are from Valve Center's standard range. Please contact us on 01744 759460 if you can't find what you are looking for.