

# Offshore & Shipping

2026





# OFFSHORE AND MARITIME WORKWEAR

## Safety, comfort and durability – at sea and on shore

In the offshore and maritime industry, there's no room for compromise. From icy decks in the North Sea to engine heat below deck, workers face constant exposure to extreme conditions. That's why the right workwear and personal protective equipment (PPE) is more than just a uniform – it's a lifeline.

At Wenaas, we understand the importance of clothing that protects without restricting, and that performs under pressure. With a legacy of innovation and a strong focus on safety, we develop workwear for industries where high standards aren't optional – they're essential.

- Garments designed for freedom of movement in confined or awkward spaces
- Waterproof and breathable fabrics that protect against the elements
- Clothing adapted to climate extremes, from arctic cold to tropical heat
- Durable materials that resist saltwater, oil and wear
- Reinforcements in high-stress zones like elbows, knees and shoulders

**This is not just about meeting standards. It's about ensuring every shift ends as safely as it started.**

Coveralls	6
Marinerguard	10
Flame retardant	14
Winter Workwear	16
Hi Vis	20
Rainwear	24
Accessories workwear	27
Chemical & disposable	28
Uniform	30
Underwear	36
Welding	40
Galley	42
Footwear	44
Gloves	54
PPE	66
Water Jetting Workwear	86
Cryogenic Workwear	87
Offshore bags	88



## "Taking Responsibility, being Transparent and Trustworthy"

# OUR ESG AMBITIONS



### PROTECTING ENVIRONMENTAL RESOURCES

Wenaas is committed to eliminating waste and pollution

- By using future-oriented tools to facilitate analysis of sustainable data in cooperation with our strategic and tactical suppliers.
- Our goal is to phase out and replace critical product groups with more recognizable, certified, and environmental programs.
- Wenaas will prioritize, engage, and reduce its carbon (Co2) emission and water footprint in production.



### OUR SOCIAL MANAGEMENT CAPABILITIES

Wenaas is committed to being a safe workplace

- By meeting safety and environmental requirements within its own departments together with an overview of all suppliers.
- We will continue to ensure a decent workplace, increasing social dialog to protect against discrimination and harassment, while encouraging equality and fair wages.
- Wenaas has a pragmatic and holistic approach to deepen its understanding to the needs of our supply chain workers.



### COLLABORATION AND GOVERNANCE REPORTING

Wenaas is committed to transparency

- By market monitoring and by complying with all regulatory requirements, and annually reporting to national and international ESG frameworks.
- Our focus is on identifying green growth opportunities while integrating environmental and social concerns into our chosen SDG's.
- Wenaas will strive to ensure fair trade by continued co-operation with its valuable supplier network partners.

### SUSTAINABLE DEVELOPMENT GOALS



Read more about sustainability or see [www.wenaas.com/en/sustainability](http://www.wenaas.com/en/sustainability)

### "W" STANDS FOR HIGH QUALITY AND SAFETY

"The Wenaas W" has a special meaning to our customers of Work-clothes, Uniforms, Gloves and Safety Footwear. When wearing our products, you can be assured you are as comfortable as possible, protected and cared for. Our logo stands for high quality and safety. The Wenaas W means that you can be sure that our products are well suited for the assignment to be carried out. It also guarantees that the product is certified according to the latest EN-standards. When choosing the Wenaas "W" you are secured for and can focus on your tasks, all while protected from any health and safety risks at work.

### “QUALITY”

Our Workwear and Uniforms are characterized by a high-quality, comfortable, and functional design. Behind every design, seam, choice and detail there is careful work and extensive knowledge. When you buy a product from Wenaas, you can be certain that quality is paramount throughout all production processes - from sketch to approved end-product.

The functionality and durability of the product defines in many cases the quality. High quality products that last longer are adaptable, maintainable, and repairable. A design cared for a

longer product life provides healthy ecosystems with lower consumption of natural and raw materials, environmental production operations and less waste. To lower our impact of textile production and waste on the environment we use environmentally friendly materials such as Lenzing TENCEL™ Lyocell, Lenzing FR®, merino wool, recycled polyester, and organic cotton in our garments production, as well as Blue Sign dyeing process.

We ensure that our entire supply chain and production of Workwear and Uniforms - from raw material to finished product follows international requirements and standards. We are conscious about the quality terms that are important in the production of our products. We therefore emphasize that the right quality for the purpose of the product not only can increase user experience, but also reduce cost and at the same time have a positive impact on the environment. Our Sourcing and Product Development departments works every day to ensure that developments deliver accordingly to the Wenaas "W" by;

- Fiber mixtures and bindings.
- Fit and weight.
- Seams and technical solutions.
- Dying process.
- Test reports that document the level of the quality.

<b>Supply Chain Memberships</b>	<b>ISO Certifications</b>	<b>Partners</b>
<b>Recognitions</b>		
<b>Maritime Memberships</b>		

**Sedex Member**



## 0-80765-114 COVERALL SHIPPING

Collar, backside expansion pleats for easy movement. A 2-way zipper under the front flap, with hidden press studs. Overall features shoulder flaps, a chest pocket with a flap, a radio chest pocket with a flap, and a pen pocket. Velcro stripes for attaching a name tag. Sleeve pocket with flap, cross pockets with grip-opening, back pockets with flap, and a double tool pocket on the right side with a small pocket. Elastic waistband, Knee pad pocket with downside opening, adjustable sleeves, and legs, and reflex tape at shoulders, sleeves, and legs.

**COLOR** 7 Dark Navy Blue, 25 Orange, 40 White, 45 Royal Blue, 80 Red.  
**SIZE** XS – 4XL  
**MATERIAL** 100% cotton, 200 g/m<sup>2</sup>.



## 0-80766-114 COVERALL SHIPPING LADY

Collar, backside expansion pleats for easy movement. A 2-way zipper under the front flap, with hidden press studs. Overall features shoulder flaps, a chest pocket with a flap, a radio chest pocket with a flap, and a pen pocket. Velcro stripes for attaching a name tag. Sleeve pocket with flap, cross pockets with grip-opening, back pockets with flap, and a double tool pocket on the right side with a small pocket. Elastic waistband, Knee pad pocket with downside opening, adjustable sleeves, and legs, and reflex tape at shoulders, sleeves, and legs.

**COLOR** 7 Dark Navy Blue, 25 Orange, 40 White, 45 Royal Blue, 80 Red.  
**SIZE** XS – XXXL  
**MATERIAL** 100% cotton, 200 g/m<sup>2</sup>.



## 0-80913-10224 FR COVERALL LIGHTWEIGHT

The coverall has a stand-up collar, two-way zip under a front flap. Folds in the back and elastic at the back of the waist mean you have good mobility while the suit fits snugly around the waist. The suit has soft velcro to attach a name tag on the left chest. Coveralls have chest pockets with zip and flap, inner pocket, sleeve pocket with flap, side pockets with pull-through, back pockets with flap, tool pocket, knee pad pockets and reflective tape around the sleeves, legs and over the shoulders.

**COLOR** 25 Orange, 40 White, 45 Royal Blue, 7 Dark Navy Blue, 80 Red.  
**SIZE** XS-XXXL  
**STANDARD** EN 1149-5:2018, EN ISO 11612:2015 A1+A2 B1 C1 F1, EN ISO 11611 class 1 A1+A2, IEC 61482-2:2018, APC 1 (4kA), fabric approved according ATPV 9,7 cal/cm<sup>2</sup>  
**MATERIAL** Main fabric: 99% cotton, 1% antistatic, 220 g/m<sup>2</sup>.



## 0-80914-10224 FR COVERALL LIGHTWEIGHT LADY

Coverall with stand-up collar, two-way zip under front flap, pleats on the back, elastic at back waist, velcro for name tag attachment, and radio loops at both chests. Chest pockets with zip and flap, inner pocket, sleeve pocket with flap, side pockets with grip opening, back pockets with flap, ruler pockets and knee pad pocket. Reflective tape around the sleeves, legs and over the shoulders.

**COLOR** 25 Orange, 40 White, 45 Royal Blue, 80 Red.  
**SIZE** XS-XXXL  
**STANDARD** EN 1149-5:2018, EN ISO 11612:2015 A1+A2 B1 C1 F1, EN ISO 11611 class 1 A1+A2, IEC 61482-2:2018, APC 1 (4kA) fabric approved according ATPV 9,7 cal/m<sup>2</sup>.  
**MATERIAL** 99% cotton, 1% antistatic, 220 g/m<sup>2</sup>.



## 0-80912-44530 COVERALL TROPIC FR

The model has a collar with a press stud at the top, a 2-way zipper under the front flap that closes with hidden press studs, an expansion pleat at the back, and elastic at the back of the waist. The coverall has chest pockets with hidden zippers under the flap, a radio loop at each chest, a 20x130mm soft velcro above the left chest pocket, an inside pocket, a sleeve pocket with pen pocket and flap, cross pockets in front with grip-opening, back pockets, and a tool pocket. Knee pad pockets, hidden press studs for adjustment at the bottom sleeves, and back of the legs, reflex around sleeve, legs, and over shoulders.

**COLOR** 25 Orange, 45 Royal Blue.  
**SIZE** XS-4XL  
**STANDARD** EN 1149-5:2018, EN ISO 11612:2015 A1+A2 B1 C1 F1, IEC 61482-2:2018 ELIM 7,6 cal/cm<sup>2</sup>, ATPV 9,3 cal/cm<sup>2</sup>  
**MATERIAL** 36% lenzing FR, 28% modacrylic, 24% cotton, 10% para-aramid, 2% antistatic, 185 g/m<sup>2</sup>.



**0-83842-10224-25 MULTINORM COVERALL VENTED**

Multinorm coverall with standing collar, two-way zipper, and back pleat for better mobility. Mesh under the arms for good ventilation options. Elastic at the back, adjustable cuffs, and several practical pockets. Internal knee pad pockets on two levels and the option to use knee protectors of different sizes. Reflective tape around the sleeves, legs, and over the shoulders.

<b>COLOR</b>	25 Orange
<b>SIZE</b>	XS-4XL
<b>STANDARD</b>	EN ISO 11612:2015, A1+A2, B1, C1, F1, EN 1149-5:2018, EN 17353:2020 Type B2, Material approved according to NFPA 2112, IEC 61482-2 APC 1 ATPV 9,7 cal/cm <sup>2</sup> ELIM 9 cal/cm <sup>2</sup> .
<b>MATERIAL</b>	99% cotton, 1% antistatic, 220g/m <sup>2</sup>

**0-80920-15511 OFFSHORE COVERALL 350A DALET \***

Comfortable flame retardant coverall with hidden two-way zippers in the front. Standing collar, fold in the back for better mobility. Many practical pockets, including knee-pad pockets. Elastication at the waist ensures a good fit. Adjustable cuffs on sleeves. This coverall is suitable for work requiring protection against arcs and flames.

<b>COLOR</b>	25 Orange, 7164 Green, 80 Red
<b>SIZE</b>	C40-C70
<b>STANDARD</b>	EN ISO 11612:2015 A1+A2, B1, C1,F1, EN 1149-5:2018, IEC 61482-2:2009 cl. 1. (4 KA) fabric, ATPV 11 cal/cm <sup>2</sup>
<b>MATERIAL</b>	99% cotton, 1% antistatic, 350 g/m <sup>2</sup>



\* Not in stock in SG

**0-80934-15535-532 MOLTENGUARD COVERALL \***

This model has a standing collar, a zipper between the front flaps, an expansion pleat in the back, chest pockets with flaps and expansion on both sides, an ID card pocket, a large inside pocket at the left chest for Ipad, with an inside loop for fastening a security line to the Ipad. The pocket entrance is hidden behind the front flap. Front pockets with grip opening, back pockets with flaps, tool pockets with flap, hip pocket with flap, and knee pad pockets with 14 cm opening. Adjustment at the sleeves and leg opening, and reflex around sleeves, legs, body, and across shoulders.

<b>COLOR</b>	532 Navy/Fluorescent Yellow.
<b>SIZE</b>	XS-XXXL
<b>STANDARD</b>	EN 1149-5:2018, EN ISO 20471:2013 class 2, EN ISO 11612:2015 A1+A2 B1 C1 E3 F1 IEC 61482-2:2018 ATPV 14 cal/cm <sup>2</sup> , APC 1 (4 KA) EN ISO 11611:2015 Class 1 A1+A2.
<b>MATERIAL</b>	99% cotton, 1% antistatic, 350 g/m <sup>2</sup> .



\* Not in stock in NL, SG

**0-40910-15511****OFFSHORE JACKET 350A \***

Flame retardant jacket with hidden zipper in the front, several practical pockets with zipper and extra length to keep the back warm. The jacket has both flame retardant and anti-static properties. Suitable for work during which flame retardant clothing is compulsory.

<b>COLOR</b>	25 Orange, 5 Navy Blue, 80 Red
<b>SIZE</b>	C44-C70
<b>STANDARD</b>	EN ISO 11612:2015 A1+A2,B1,C1, F1 EN 1149-5:2018, IEC 61482-2:2009 class. 1. (4 KA) fabric, ATPV 11 cal/cm <sup>2</sup> .
<b>MATERIAL</b>	99% cotton, 1% antistat, 350 g/m <sup>2</sup>



\* Not in stock in SG

**0-20910-15511****OFFSHORE TROUSERS 350A**

Offshore trousers in thick cotton fabric with flame retardant and antistatic characteristics. Exterior knee-pads and plenty of practical pockets.

<b>COLOR</b>	25 Orange, 5 Navy Blue, 80 Red
<b>SIZE</b>	C44-C70
<b>STANDARD</b>	EN ISO 13688:2013+A1:2021, EN 1149-5:2018, EN 17353:2020, Type B2, EN ISO 11612:2015, A1+A2 B1 C1, EN 61482-2:2020, APC 1 (4 KA). The Material meets the requirements of ELIM 6,5 cal/cm <sup>2</sup> and ATPV 9,6 cal/cm <sup>2</sup> .
<b>MATERIAL</b>	99% cotton, 1% antistat, 350 g/m <sup>2</sup>

**0-89888-125-60 DE LUXE BOILER SUIT SHORT SLEEVES \***

Short-sleeved boiler suit with a shirt collar and concealed zipper under flap. Pleated back and stretch waistband makes it comfortable and easy for the wearer to move around. Many practical pockets, among others side pockets with grip opening, double tool pocket and knee-pad pockets. Adjustable leg width.

<b>COLOR</b>	60 Grey.
<b>SIZE</b>	C44-C68
<b>MATERIAL</b>	65% polyester, 35% cotton, 245 g/m <sup>2</sup> .



\* Not in stock in UK, NL

## 0-80945-10234 LADIES MARINERGUARD COVERALL

Durable coverall for women, designed for demanding environments such as offshore and maritime sectors. Equipped with a stand-up collar, 2-way zipper under a storm flap, and elasticated waist for freedom of movement. Multiple functional pockets, including chest pockets with flaps, sleeve pocket, ruler pocket, and knee pockets with height adjustment. Adjustable cuffs on sleeves and legs, with reflective details on sleeves, legs, and shoulders for safety and comfort.

**COLOR** 8032 Red/Fluorescent Yellow

**SIZE** XS-4XL

**STANDARD** EN ISO 11612:2015 A1 B1 C1, EN 1149-5:2018, EN 61482-2:2020, APC 1 (4kA) ATPV 8,3 cal/cm<sup>2</sup>, ELIM 6,1 cal/cm<sup>2</sup> EN 17353:2020 Type AB2.

**MATERIAL** 99% cotton, 1% antistatic, 260g<sup>2</sup>



## 0-40945-10234 LADIES MARINERGUARD JACKET

Durable jacket for women, designed for demanding environments such as offshore and maritime sectors. Marinerguard Women features a stand-up collar with Velcro closure, 2-way zipper under a storm flap, and a pleated back for enhanced mobility. The extended back provides extra protection, and multiple functional pockets, including chest pockets with flaps, sleeve pocket, pen holder, and front pockets, make the jacket practical. Adjustable cuffs and reflective details on sleeves and shoulders ensure comfort and visibility.

**COLOR** 8032 Red/Fluorescent Yellow

**SIZE** XS-4XL

**STANDARD** EN ISO 11612:2015 A1 B1 C1, EN 1149-5:2018, EN 61482-2:2020, APC 1 (4kA) ATPV 8,3 cal/cm<sup>2</sup>, ELIM 6,1 cal/cm<sup>2</sup> EN 17353:2020 Type AB2.

**MATERIAL** 99% cotton, 1% antistatic, 260 g/cm<sup>2</sup>



## 0-20945-10234 LADIES MARINERGUARD TROUSER

Durable work trousers for women, designed for demanding environments in the offshore and maritime sectors. Equipped with a waistband with belt loops, front button closure, and zipper fly. Features several practical pockets, including front pockets, back pockets, a ruler pocket, and height-adjustable knee pad pockets. Adjustable leg hems and reflective tape around the legs provide functionality and visibility.

**COLOR** 8032 Red/Fluorescent Yellow

**SIZE** C32-C60

**STANDARD** EN ISO 11612:2015 A1 B1 C1, EN 1149-5:2018, EN 61482-2:2020, APC 1 (4kA) ATPV 8,3 cal/cm<sup>2</sup>, ELIM 6,1 cal/cm<sup>2</sup> EN 17353:2020 Type B2.

**MATERIAL** 99% cotton, 1% antistatic, 260 g/cm<sup>2</sup>



**0-80940-10234 MARINERGUARD COVERALL**

Durable coverall designed for demanding environments such as offshore and maritime sectors. Equipped with a stand-up collar, 2-way zipper under a storm flap, and elasticated waist for freedom of movement. Multiple functional pockets, including chest pockets with flaps, sleeve pocket, ruler pocket, and knee pockets with height adjustment. Adjustable cuffs on sleeves and legs, with reflective details on sleeves, legs, and shoulders for safety and comfort.

**COLOR** 8032 Red/Fluorescent Yellow  
**SIZE** XS-4XL  
**STANDARD** EN ISO 11612:2015 A1 B1 C1, EN 1149-5:2018, EN 61482-2:2020, APC 1 (4kA) ATPV 8,3 cal/cm<sup>2</sup>, ELIM 6,1 cal/cm<sup>2</sup> EN 17353:2020 Type AB2.  
**MATERIAL** 99% cotton, 1% antistatic, 260g<sup>2</sup>

**0-88355-19101 MARINERGUARD COVERALL WINTER \***

Durable, waterproof, flame retardant winter coverall with quilted, insulating lining. Adjustable and detachable hood, concealed 2-way zip at front, and several practical pockets. Straps at chest and back of neck for attaching a Regatta life jacket. Adjustable waist, sleeve cuffs, and leg hems. This coverall is ideal for work outdoors or in cold environments, for which flame protection is required.

**COLOR** 28 Fluo Orange, 532 Navy/Fluorescent Yellow, 8032 Red/Fluorescent Yellow.  
**SIZE** XXS-4XL  
**STANDARD** EN ISO 14116:2015, index 1.3, EN 1149-5:2018, EN 343:2003+A1:2007, class 3.1.  
**MATERIAL** 99% polyester, 1% carbon, 210 g/m<sup>2</sup>. Lining: 100% cotton.



\* Not in stock in SG

**0-40940-10234 MARINERGUARD JACKET**

Durable jacket designed for demanding environments such as offshore and maritime sectors. Jacket Marinerguard features a stand-up collar with Velcro closure, 2-way zipper under a storm flap, and a pleated back for enhanced mobility. The extended back provides extra protection, and multiple functional pockets, including chest pockets with flaps, sleeve pocket, pen holder, and front pockets, make the jacket practical. Adjustable cuffs and reflective details on sleeves and shoulders ensure comfort and visibility.

**COLOR** 8032 Red/Fluorescent Yellow  
**SIZE** XS-4XL  
**STANDARD** EN ISO 11612:2015 A1 B1 C1, EN 1149-5:2018, EN 61482-2:2020, APC 1 (4kA) ATPV 8,3 cal/cm<sup>2</sup>, ELIM 6,1 cal/cm<sup>2</sup> EN 17353:2020 Type AB2.  
**MATERIAL** 99% cotton, 1% antistatic, 260 g/cm<sup>2</sup>

**0-56855-19101 MARINERGUARD JACKET WINTER \***

Waterproof and warm winter jacket with padded lining. Detachable hood with customized helmet, high neck with fleece and hidden front zipper. Strap to fasten lifejacket, several practical pockets and ribbed cuffs. Suitable as a winter jacket or for wear under harsh weather conditions.

**COLOR** 532 Navy/Fluorescent Yellow, 8032 Red/Fluorescent Yellow  
**SIZE** XXS-4XL  
**STANDARD** EN ISO 14116:2015, index 1.3, EN 1149-5:2018, EN 343:2003+A1:2007, class 3.1.  
**MATERIAL** 99% polyester, 1% carbon, 210 g/m<sup>2</sup>. Lining: 100% cotton.



\* Not in stock in SG

**0-20940-10234 MARINERGUARD TROUSER \***

Durable work trousers designed for demanding environments in the offshore and maritime sectors. Equipped with a waistband with belt loops, front button closure, and zipper fly. Features several practical pockets, including front pockets, back pockets, a ruler pocket, and height-adjustable knee pad pockets. Adjustable leg hems and reflective tape around the legs provide functionality and visibility.

**COLOR** 8032 Red/Fluorescent Yellow  
**SIZE** C44-C70  
**STANDARD** EN ISO 11612:2015 A1 B1 C1, EN 1149-5:2018, EN 61482-2:2020, APC 1 (4kA) ATPV 8,3 cal/cm<sup>2</sup>, ELIM 6,1 cal/cm<sup>2</sup> EN 17353:2020 Type B2.  
**MATERIAL** 99% cotton, 1% antistatic, 260 g/cm<sup>2</sup>



\* Not in stock in SG

**MARINERGUARD  
- New and Improved**

Discover Marinerguard – A new and improved collection for demanding maritime and offshore environments. With a modern cut and enhanced fit, these garments provide optimal comfort and freedom of movement.

The collection includes an unlined coverall, jacket, and trousers made from lightweight and breathable material, ensuring increased comfort – perfect for summer use. The garments are highly durable, consisting of 99% cotton and 1% antistatic fiber (260 g/m<sup>2</sup>).

**Certified Protection:**

Flame retardant (EN 11612)  
Antistatic (EN 1149-5)  
Arc flash protection (IEC 61482, ATPV/ELIM 8,7/6,1 cal/cm<sup>2</sup>)  
Enhanced visibility (EN 17353 B2)



\* Contact Wenaas for availability; post@wenaas.no

**0-56810-19101-28 OFFSHORE WINTER JACKET**

Waterproof and durable winter jacket with padded lining. Hidden zip closure in the front, collar with fleece lining and several practical pockets. Extended back to keep back warm and adjustable hem and cuffs. The jacket is suitable to wear in cold climates, when protection is needed against arcs and flames, in addition to being highly visible.

**COLOR** 28 Fluo Orange  
**SIZE** XXS-XXXL  
**STANDARD** EN ISO 20471:2013+A1:2016 Cl.3, EN 1149-5:2018, EN ISO 14116:2015 Index 1,3, EN 343:2019 cl. 3.1  
**MATERIAL** 99% Polyester, 1% carbon, 210 g/m<sup>2</sup> Lining: 100% cotton

**0-96807-19103-28 MULTIRISK SHELL JACKET**

Waterproof and flame retardant high-visibility jacket with hidden zipper in the front. Detachable hood, extended back piece to keep back warm and several practical pockets. Adjustable waist, cuffs and hem. The jacket is suitable to wear in cold climates, when protection is needed against flames. High visibility certified.

**COLOR** 28 Fluo Orange  
**SIZE** XS-XXXL  
**STANDARD** EN ISO 14116:2015, Outer face index 1, inner face index 3, EN ISO 20471:2013, class 3, EN 343:2003+A1:2007, class 3.3 EN 1149-5:2018  
**MATERIAL** 98% polyester, 2% carbon PU coated, 260 g/m<sup>2</sup>, Lining: 50% nomex 50% flameretardant viscose, 120g

**0-26807-19103 MULTIRISK SHELLTROUSER**

The model has taped seams, a higher waist at the back, loops for fastening removable braces, six belt loops, a zip-in fly cover by a flap, and two hidden snap buttons for closure. This trouser has two hip pockets with zipping cover by flaps, a loop with D-ring, a Knee pad pocket with two levels for knee pads, Zip in the legs covered by double flaps, adjustable leg width, and double reflected tapes around legs.

**COLOR** 28 Fluo Orange  
**SIZE** XS-XXXL  
**STANDARD** EN ISO 13688:2013+A1:2021, EN ISO 14116:2015, (outer face index 1, inner face index 3), EN 1149-5:2018, EN ISO 20471:2013 class 2, EN 343:2019 Resistance to water penetration class 3, water vapour resistance, class 4, rein tower test X.  
**MATERIAL** 98% polyester, 2% carbon, PU coated 260 g/m<sup>2</sup>, Lining: 50% nomex, 50% viscose 120 g/m<sup>2</sup>.

**0-96809-19103-3205 MULTIRISK SHELL JACKET**

Practical shell jacket with a standing collar, removable and adjustable hood with hidden zipper under flap big enough for a safety helmet. Adjustable hood, waist and hem on parkas excludes draft. The longer section at the back protects cold from entering. Inner ribbing at the cuffs and zipper hidden behind a storm flap which excludes wind. Map pocket with zipper under double storm flap in the front. Front pockets and chest pockets with zipper under flap, embroidered opening in the front and fastening for gas detector. An inner pocket on the left side with zipper.

**COLOR** 3205 Yellow fluorescent/Navy  
**SIZE** XS-XXXL  
**STANDARD** EN ISO 14116:2015, Outer face index 1, inner face index 3, EN ISO 20471:2013, class 3, EN 343:2003+A1:2007, class 3.3 EN 1149-5:2018.  
**MATERIAL** 98% polyester, 2% carbon and PU coating, 260g. Lining: 50% nomex, 50% viscose FR. 120g.

**0-26809-19103-3205 MULTIRISK SHELLTROUSER**

The model has taped seams, a higher waist at the back, loops for fastening removable braces, six belt loops, a zip-in fly cover by a flap, and two hidden snap buttons for closure. This trouser has two hip pockets with zipping cover by flaps, a loop with D-ring, a Knee pad pocket with two levels for knee pads, Zip in the legs covered by double flaps, adjustable leg width, and double reflected tapes around legs.

**COLOR** 3205 Yellow fluorescent/Navy  
**SIZE** XS-XXXL  
**STANDARD** EN ISO 14116:2015, (outer face index 1, inner face index 3), EN 1149-5:2018, EN ISO 20471:2013 class 2, EN 343:2019 Resiston to water penetration class 3, water vapor resistance, class 4, rein tower test X.  
**MATERIAL** Main material: 98% polyester 2% carbon, PU coated 260 g/m<sup>2</sup>, Lining: 50% nomex, 50% viscose 120 g/m<sup>2</sup>.



**0-89213-18815 WINTER COVERALL HIVIS**

Waterproof winter coverall approved for visibility class 3. Coverall with a high collar, zip closure, and padded lining to keep you warm in cold temperatures. Equipped with elastic suspenders, inspired by ski wear, for flexibility and ventilation without removing the coverall. Taped seams provide extra protection against wind and weather. The large, detachable hood fits over a helmet. The coverall has radio loops on both sides of the chest, a map pocket under the front flap, a chest pocket on the right side, and front pockets on both sides. The lower pockets are open with elastic at the top for secure storage.

<b>COLOR</b>	2810 Fluor Orange/Black, 3210 Fluorine Yellow/Black
<b>SIZE</b>	XS-4XL
<b>STANDARD</b>	EN ISO 20471:2013+A1:2016, Class 3, 342:2017, air permeability class 3, water penetration WP, Icler 0,351 m <sup>2</sup> K/W(B), EN 343:2019, class 4.1
<b>MATERIAL</b>	74% recycled polyester, 11% polyester, 15% PU- membrane, 230 g/m <sup>2</sup> . Lining/padding: 100% polyester, 60 g/m <sup>2</sup>

**0-99213-18815 MENS WINTERPARKA HIVIS**

Waterproof winter parka approved for visibility class 3. Parka with a high collar, zip closure, and padded lining to keep you warm in cold temperatures. Equipped with elastic suspenders, inspired by ski wear, for flexibility and ventilation without removing the parka. Taped seams provide extra protection against wind and weather. The large, detachable hood fits over a helmet. The parka has radio loops on both sides of the chest, a map pocket under the front flap, a chest pocket on the right side, and front pockets on both sides. The lower pockets are open with elastic at the top for secure storage.

<b>COLOR</b>	2810 Fluor Orange/Black, 3210 Fluorine Yellow/Black
<b>SIZE</b>	XS-4XL
<b>STANDARD</b>	EN ISO 20471:2013+A1:2016, Class 3, EN 342:2017, air permeability class 3, water penetration WP, parka in combination with trousers, 29211-18815, 29212-18815, 29222-18815, Icler, 0,365 m <sup>2</sup> K/W(B), EN 343:2019, class 4.1
<b>MATERIAL</b>	74% recycled polyester, 11% polyester, 15% PU- membrane, 230 g/m <sup>2</sup> . Lining/padding: 100% polyester, 60 g/m <sup>2</sup>

**0-29212-18815 MENS WINTER TROUSER HIVIS**

Waterproof winter trousers approved for visibility class 2. Trousers with waistband, belt loops, and zip fly. Padded lining for extra warmth. The waistband is adjustable and higher in the back for increased comfort. Loops on the inside of the waistband allow for suspenders to be attached. Reinforcements on the front of the legs and at the top of the back provide extra durability. Reflective bands around the legs and taped seams offer protection and visibility. Long zippers along the side seams from the waistband down to the hem make them easy to put on and take off.

<b>COLOR</b>	2810 Fluor Orange/Black, 3210 Fluorine Yellow/Black
<b>SIZE</b>	XS-4XL
<b>STANDARD</b>	EN ISO 20471:2013+A1:2016, class 2, EN 342:2017, air permeability class 3, water penetration WP, trousers in combination with jackets, 59211-18815, 59212-18815, 59213-18815, 59223-18815, Icler 0,351 m <sup>2</sup> K/W(B), trouser in combination with parka 99213-18815, Icler 0,365 m <sup>2</sup> K/W(B), EN 343:2019, class 4.1
<b>MATERIAL</b>	74% recycled polyester, 11% polyester, 15% PU- membrane, 230 g/m <sup>2</sup> . Lining/padding: 100% polyester, 60 g/m <sup>2</sup>



**0-59213-18815 MENS WINTERJACKET HIVIS**

Waterproof winter jacket approved for visibility class 3. Jacket with a high collar, zip closure, and padded lining to keep you warm in cold temperatures. Equipped with elastic suspenders, inspired by ski wear, for flexibility and ventilation without removing the jacket. Taped seams provide extra protection against wind and weather. The large, detachable hood fits over a helmet. The jacket has radio loops on both sides of the chest, a map pocket under the front flap, a chest pocket on the right side, and front pockets on both sides. The lower pocket s are open with elastic at the top for secure storage.

<b>COLOR</b>	2810 Fluor Orange/Black, 3210 Fluorine Yellow/Black
<b>SIZE</b>	XS-4XL
<b>STANDARD</b>	EN ISO 20471:2013+A1:2016, class 3, EN 342:2017, air permeability class 3, water penetration WP, jacket in combination with trousers, 29211-18815, 29212-18815, 29222-18815, Icler 0,351 m <sup>2</sup> K/W(B), EN 343:2019, class 4.1
<b>MATERIAL</b>	74% recycled polyester, 11% polyester, 15% PU- membrane, 230 g/m <sup>2</sup> . Lining/padding: 100% polyester, 60 g/m <sup>2</sup>



EN 342  
 EN 343  
 EN 20471

**0-81594-18807 WINTER VISIBILITY COVERALLS**

Quilted visibility coveralls for cold days. Membrane-coated fabric and taped seams ensure that these coveralls are wind- and water-resistant. Two-way zip at the front and many practical pockets at the front and back. Stand-up collar with soft fleece and large, detachable hood with room for a helmet. Knitted fabric in the torso provides a good fit. Hooks for trouser braces at the inner waist. CORDURA® knee-pad pockets at two heights. Velcro® tabs at hems and cuffs for width adjustment, and ribbing at the cuffs.

<b>COLOR</b>	3210 Fluorine Yellow/Black, 8710 Red Fluorine/Black
<b>SIZE</b>	XS-XXXL
<b>STANDARD</b>	EN 342, EN ISO 20471
<b>MATERIAL</b>	100 % polyester, 230 g/m <sup>2</sup> . Reinforcements: CORDURA®



EN 342  
 EN 20471  
 CORDURA®

**0-51594-18807 HIVIS PILOT JACKET WINTER**

Quilted visibility pilot jacket in waterproof fabric with soft fleece inside the collar. Zip closure, ID-card pocket, and additional practical pockets at front. Rib-knit cuffs with thumbhole, as well as adjustable Velcro® tabs at the cuffs and the back of the waist. This jacket is best for winter use, but can also be worn as a transitional garment.

<b>COLOR</b>	3210 Fluorine Yellow/Black, 8710 Red Fluorine/Black, 2810 Fluor Orange/Black.
<b>SIZE</b>	XS-XXXL
<b>STANDARD</b>	EN 342 - Cold Certified protective clothing. EN ISO 20471 High Visibility warning clothing. Certified protective clothing.
<b>MATERIAL</b>	100 % polyester, 230 g/m <sup>2</sup> . Reinforcements: CORDURA®



EN 342  
 EN 20471

**0-23596-18807 WINTER VISIBILITY TROUSERS \***

Lined visibility work trousers keep you warm in cold weather. Reinforced with CORDURA® at critical points to ensure these trousers will have a long life. The fly with zip closure and button and elastication at the sides of the waist ensure good freedom of movement. Multiple practical pockets at the front and back provide plenty of storage options.

<b>COLOR</b>	2810 Fluor Orange/Black, 3210 Fluorine Yellow/Black, 8710 Red Fluorine/Black
<b>SIZE</b>	S-XXXL
<b>STANDARD</b>	EN 342, EN ISO 20471
<b>MATERIAL</b>	100 % polyester, 230 g/m <sup>2</sup> . Reinforcements: CORDURA®



EN 342  
 EN 20471  
 CORDURA®



\* Not in stock in SG

**0-96494-18807 HI-VIS PARKAS**

Hi-vis parka in durable waterproof outer fabric with lots of practical pockets. Jacket lined with warm and comfortable quilted fabric and fleece collar with hidden detachable hood adapted for helmets. Hidden zip under front flap to protect from wind. Comfortable rib-knit cuff with thumb hole, Velcro® adjustment and waist-width adjustment prevent cold penetration. Ideal for autumn and winter wear

<b>COLOR</b>	2810 Fluor Orange/Black, 3210 Fluorine Yellow/Black, 8710 Red Fluorine/Black
<b>SIZE</b>	XS-XXXL
<b>STANDARD</b>	EN 342, EN ISO 20471
<b>MATERIAL</b>	100% polyester, 230 g/m <sup>2</sup> . Reinforcement: Cordura®



EN 342  
 EN 20471  
 CORDURA®



\* Contact Wenaas for availability; post@wenaas.no

## 0-83794-10206 HIVIS COVERALL

This model has a standing collar and 2-way zip under a front flap. Yoke at the front, and a pleat in the back for better movement. This coverall has a single, and a double chest pocket with a flap, an ID-card pocket, front pockets with grip-opening, a back pocket, with a hammer-loop under the back pocket tool pocket, with a pen pocket, WEB band, and a metal button for a knife. Double hip pocket with flap, and knee pad pockets with 2 levels for different knee pad sizes. Elastic at the back of the waist, big hammer loops with velcro and belt loops. Adjustable sleeves with cuffs and gusset, adjustable legs, double reflective tape around sleeves, body, legs, and single reflective tape across shoulders.

COLOR	2810 Fluor Orange/Black, 3210 Fluorine Yellow/Black, 8710 Red Fluorine/Black
SIZE	XS-XXXL
STANDARD	EN ISO 13688:2013+A1:2021, EN ISO 20471:2013+A1:2016 class 3.
MATERIAL	80% polyester, 20% cotton, 300 g/m <sup>2</sup> . Reinforcement: Cordura®



## 0-96434-19810 HI-VIS SHELLJACKET LADY

This 3L jacket model has taped seams, high standing collar, and a detachable hood with adjustments in front and back, fit to use with a helmet. The jacket has a zip-closer in the front cover by a front flap. Longer back than front. Chest pockets with zipper under small list, and reflex stripes in the seam. Side pockets with zippers, hidden under a folded edge. Zippers covered by flap under arms for ventilation, long sleeves with a reinforced elbow, elastic ribbing with thumb grip opening, extra adjustment outside sleeve with tamping and velcro, double striped reflex around the body and sleeves.

COLOR	2810 Fluor Orange/Black, 3210 Fluorine Yellow/Black, 8710 Red Fluorine/Black
SIZE	XS-XXXL
STANDARD	EN ISO 20471:2013+A1:2016, Size XS class 2, sizes S-> cl. 3, EN 343:2019, Resistance to water penetration class 4, (cl. 4, Wp>=20000Pa)water vapor resistance class 4, (cl. 4).
MATERIAL	75% polyester, 25% PU. 190g/m <sup>2</sup> . Elastic fabric: 70% nylon, 8% spandex, 22% PU, 210gsm.



## 0-96433-19810 HI-VIS SHELLJACKET

Jacket with three layers and tapered seams, which makes it very resistant against rain and snow. High standing collar with removable hood. The hood can be adjusted at the front and back and can be used with a safety helmet. Hidden zipper in the front under the flap ensures that wind does not enter. Many practical pockets. Ventilation covered with a flap under the arms, so you can easily adjust the temperature. Sleeves with reinforced elbow, elasticated edge with thumb opening, velcro. Reflective bands around torso and sleeves.

COLOR	3210 Fluorine Yellow/Black, 8710 Red Fluorine/Black
SIZE	XS-XXXL
STANDARD	EN ISO 20471:2013+A1:2016, Size XS class 2, sizes S-> cl. 3, EN 343:2019, Resistance to water penetration class 4, (cl. 4, Wp>=20000Pa)water vapor resistance class 4, (cl. 4 <=15m <sup>2</sup> .Pa/W)
MATERIAL	75% cotton, 25% PU, 190 g/m <sup>2</sup> . Elasticated material: 70% nylon, 8% spandex, 22% PU, 210 g/m <sup>2</sup> .



**0-35594-218-3210 SOFTSHELL VISIBILITY JACKET**

Visibility jacket in medium-thick, wind- and water-resistant fabric with comfortable fleece inside. Zip closure, ID-card pocket, and additional practical pockets at front. Elasticated handwarmers at cuffs with thumbhole. Longer section at back of waist protects the lower back from cold. This is an excellent jacket for transitioning between seasons.

<b>COLOR</b>	3210 Fluorine Yellow/Black
<b>SIZE</b>	XS-XXXL
<b>STANDARD</b>	EN ISO 20471:2013/A1:2016 XS-S cl. 2, M> cl. 3
<b>MATERIAL</b>	100 % polyester, 290 g/m <sup>2</sup>

**0-48333-10210 HI-VIS WOMENS STRETCH JACKET, CLASS 2 \***

Stretch visibility stretch jacket in durable fabric with a slim fit. Front zip with an interior flap and laser holes under the arms provide good ventilation. Reinforcement on the elbows and at the underside of the cuffs. Elasticized cuffs with thumbholes and width adjustment at the cuffs and hem of the jacket. The longer section at the back protects cold from entering. Suitable for use throughout the year if the winter is mild.

<b>COLOR</b>	2810 Fluor Orange/Black, 3210 Fluorine Yellow/Black, 8710 Red Fluorine/Black
<b>SIZE</b>	XS-XXXL
<b>STANDARD</b>	EN ISO 20471 High Visibility warning clothing. Certified protective clothing.
<b>MATERIAL</b>	80 % polyester, 20 % cotton, 300 g/m <sup>2</sup> . Contrasting material: nylon, polyester, elastane, polyamide.



\* Not in stock in UK, NL

**0-48335-10210 HI-VIS MENS STRETCH JACKET, CLASS 3**

Visibility stretch jacket in a durable material with a snug fit. Front zip with interior flap and laser holes under arms provide good ventilation. Reinforcement on elbows and lower edge of sleeve. Elastic cuffs with thumb holes, hem and sleeves can be tightened. Extended back protects the lower back. Suitable for use throughout the year if the winter season is mild.

<b>COLOR</b>	2810 Fluor Orange/Black, 3210 Fluorine Yellow/Black, 8710 Red Fluorine/Black.
<b>SIZE</b>	XS-4XL
<b>STANDARD</b>	EN ISO 20471 High Visibility warning clothing. Certified protective clothing.
<b>MATERIAL</b>	80% polyester, 20% cotton, 300 g/m <sup>2</sup> . Contrast material: Nylon, polyester, spandex, polyamide.

**0-24196-10206****HIVIS TROUSERS**

Durable trousers with waistband, belt loops, large hammer loops at the sides zip-in fly and metal buttons at the waist. Gusset for better movement in the crotch. cross pockets, back pockets, a ruler pocket at the right side made with a metal button hammer-loop, knife loop, and a pen pocket—double hip pocket at the left side with flap, Knee pockets with 2 levels for different size knee-pads—adjustable with and length on the bottom of legs and double reflex on the legs. Trouser has Cordura reinforcement fabric inside the tool pockets, knee pad pockets and bottom of the back legs.

<b>COLOR</b>	2810 Fluor Orange/Black, 3210 Fluorine Yellow/Black, 8710 Red Fluorine/Black
<b>SIZE</b>	C44-C64
<b>STANDARD</b>	EN ISO 13688:2013+A1:2021, EN ISO 20471:2013+A1:2016, class 1.

**0-74332-10211 HIVIS STRETCHTROUSERS LADY**

Comfortable visibility overalls with 4-way stretch and segmented reflective sections offer good freedom of movement. Form-stitched for a feminine silhouette. Integrated ventilation panels give an airy feeling to these trousers. Higher waist at back and detachable hanging pockets. Plenty of practical pockets, including knee-pad pockets at two heights. Adjustable leg length (5 cm) and adjustable leg width make these trousers adaptable to most wearers.

<b>COLOR</b>	1028 Black/Fluor Orange, 1087 Black/Fluor Red, 1032 Black/Fluorine Yello
<b>SIZE</b>	32-52
<b>STANDARD</b>	EN ISO 20471 High Visibility warning clothing. Certified protective clothing.
<b>MATERIAL</b>	65% polyester, 35% bomull, 315 g/m <sup>2</sup> . Contrasting material: Cotton, nylon, polyester, elastane, polyamide.

**0-74334-10211 HIVIS STRETCHTROUSERS MEN**

Comfortable visibility overalls with 4-way stretch and segmented reflective sections provide good mobility. Integrated ventilation sections make the trousers lightweight and airy. Detachable hanging pockets and extended waistband in the back protects the lower back. Many practical pockets including knee-pad pockets with two levels. Possible to let down the leg and adjust the width, which makes it adaptable to most people.

<b>COLOR</b>	1028 Black/Fluor Orange, 1087 Black/Fluor Red, 1032 Black/Fluorine Yello
<b>SIZE</b>	C44-C64
<b>STANDARD</b>	EN ISO 20471 High Visibility warning clothing. Certified protective clothing.
<b>MATERIAL</b>	65% polyester, 35% cotton, 315 g/m <sup>2</sup> . Contrast material: Cotton, nylon, polyester, spandex, polyamide.



\* Contact Wenaas for availability; [post@wenaas.no](mailto:post@wenaas.no)

**0-85600-186-29 MUD COVERALL FLEXOTHANE \***

Soft, water-resistant, breathable coverall with concealed 2-way zip at front. Adjustable hood, elastication at waist, and concealed elastication at sleeve cuffs. Adjustable press-studs at hem. This coverall is suitable for those who must work outdoors in rainy conditions.



**COLOR** 29 Burned Orange  
**SIZE** XS-XXL  
**STANDARD** Fabric is approved according to EN 343:2019  
**MATERIAL** 100% PU with 100% polyester backing, 170g/m<sup>2</sup>

\* Not in stock in SG

**0-40552-0-32 RAIN SET HI-VIZ LR40552**

Hi-Viz rain set with trousers and jacket. Packed in a practical storage bag. Fixed hood with drawstring. Two outer pockets on the jacket. Two side pockets on the trousers. Reflective details.



**COLOR** 32 Flouresent yellow  
**SIZE** XS-5XL  
**STANDARD** EN ISO 20471, EN 343:2003 + A1:2007 Cl 3,1  
**MATERIAL** 170T Polyester/PVC, 190 g/m<sup>2</sup>. Water resistance: 8,000 MM

**0-95300-18103 OFFSHORE RAIN BIB 'N BRACE**

Rain overall in lightweight, comfortable, PVC-coated polyester knit. PU provides optimal wind and weather protection. Rain dungarees are flexible and comfortable. Good fit thanks to elastication at waist and adjustable braces. Suitable for use all year round.



**COLOR** 25 Orange.  
**SIZE** XS-XXXL  
**STANDARD** EN ISO 14116:2015 index 1, EN 343:2003+A1:2007 class.3.1.  
**MATERIAL** 65% polyester, 35% polyurethane, 220 g/m<sup>2</sup>.



**0-95200-18103 OFFSHORE RAIN JACKET**

Comfortable and practical rain jacket. Adjustable hood with string and front pockets with flaps, hidden double fastening. Hidden double buttoning.

**COLOR** 25 Orange.  
**SIZE** XS-XXXL  
**STANDARD** EN ISO 14116:2015 index 1, EN 343:2003+A1:2007 class 3.1.

**MATERIAL** 65% polyester, 35% polyuretan, 220 g/m<sup>2</sup>.

**0-95055-0-32 RAIN JACKET FLAME RETARDANT**

Waterproof visibility rain jacket with flame retardant properties. Adjustable hood with string, hidden zipper and front pockets with snap fastening.

**COLOR** 32 Flourescent yellow.  
**SIZE** XS-5XL  
**STANDARD** EN ISO 14116, EN ISO 20471, EN 343 kl. 3.1, EN 1149-5, EN 13034.  
**MATERIAL** 50% polyester, 50% polyurethane, 210 g/m<sup>2</sup>.

**0-95059-0-32 RAIN BIB 'N BRACE FLAME RET**

Microflex flame retardant Hi-Viz bib trousers. Elasticated shoulder straps with buckles. High frequency welded seams. Press stud adjustments by the ankles. Reflective tape. Waterproof: 8000 mm.

**COLOR** 32 Flourescent yellow.  
**SIZE** S-4XL  
**STANDARD** EN ISO 14116 index 1, EN 1149-5, EN ISO 20471, EN 343 3.1.  
**MATERIAL** 50% polyester, 50% polyurethane, 170 g/m<sup>2</sup>.

**BELT WENAAS PROFF**

Nylon belt. 135 cm long. Adjustable length. Snap-lock buckle.

**COLOR** 98 Assorted  
**SIZE** STK  
**MATERIAL** 100% Nylon

**0-90700-0-98****KNEEPAD STANDARD**

Upgraded material that provides improved protection and more durable than earlier versions. The kneepad comes with instructions about how to place it (this side towards knee). If it is not placed with the right side towards the knee, it will not protect the knee. Width: 15 mm., height: 198 mm., thickness: 19 mm.

**COLOR** 98 Assorted  
**SIZE** PAIR  
**MATERIAL** Ethylenvinylacetat (EVA).

**0-26005-0****KNEECOVERS FOR KNEEPADS**

Kneepad-covers with adjustable width, reinforcement in the front and elastic mesh in the back. Suitable for use with trousers without kneepads.

**COLOR** 10 Black  
**SIZE** M/L, PAR, XL/2X, XS/S  
**MATERIAL** 100% polyester, 160 g/m<sup>2</sup> Other material: 80% poly-maid 20% elastane, 140 g/m<sup>2</sup>. Lining: 92% polyester 8% elastane, 180 g/m<sup>2</sup>.

**0-18032-0****KNEEPAD**

Kneepads with additional protection, comfort and elasticity. Originally form resumes quickly. The kneepad has a good insulating capacity against cold floors, and high penetration against rough and uneven surface. The kneepad has a long lifespan, it is certified with Wenaas' own trouser range, and is highly recommended. 160x245 mm. 20,5 mm thickness.

**COLOR** 98 Assorted  
**SIZE** PAIR  
**STANDARD** EN 14404 / Type 2. Level 1  
**MATERIAL** Eva

**0-26006-0**

**0-66-8050 COVERALL W50 ECO À25**

Disposable coverall W50 made from breathable, antistatic, silicone-free, laminated material. Minimal lint. Interior seams. Hood designed for use with a mask. Full-length zip closure. Protection type 5 and 6, against dust and particulate matter, as well as non-toxic and harmless liquid spray. Suitable for pharmaceutical industry, production, cleaning, water and electricity plants, electronics, agriculture, emergency services, and spray-painting. Disposable. Sold in packages of 25 units.



<b>COLOR</b>	40 White
<b>SIZE</b>	S-XXXL
<b>STANDARD</b>	EN 1073-2:2002, EN 1149-5:2008, EN 14126:2003+AC:2004, EN ISO 13982-1:2004 +A1:2010 Type 5B, EN 13034:2005+A1:2009 Type 6B, CAT 3
<b>MATERIAL</b>	Microporous, 62 g/m <sup>2</sup>

**0-6-8045-60 CHEMICAL SUIT TYCHEM 6000F**

Tychem® chemical coverall with hood. Protection against type 3B, 4B, 5B and 6B and against many toxic organic industrial chemicals, highly concentrated inorganic chemicals, and biohazards. Elastic around face and at wrists, waist and ankles for optimal fit. Thumbholes at cuffs ensure that sleeves stay in place. Self-adhesive panel at chin to seal coverall with the mask. Stitched and taped protective seams that offer the same protection as the fabric. Double self-adhesive panel over the zip offers increased protection. Suitable for a variety of applications, such as chemical removal, preparedness, petrochemical work, and much more. Package containing 25 units.



<b>COLOR</b>	60 Grey
<b>SIZE</b>	S-XXXL
<b>STANDARD</b>	EN 1149-5, EN 1073-2, EN 14126, CAT 3, Type 3B, 4B, 5B, 6B
<b>MATERIAL</b>	Tychem®, 120 g/m <sup>2</sup>

**0-6-45-40 APRON PVC 45**

Heavy duty PVC aprons feature 18mil die cut PVC and offer users a combination chemical splash protection and flexible comforts



<b>COLOR</b>	40 White
<b>SIZE</b>	STK
<b>MATERIAL</b>	PVC



[Ansell](#)



**UNIFORM SHIRT LS****0-99100-125-40**

Soft, comfortable, and durable uniform shirt with anti-crease characteristics. This shirt has long sleeves, shoulder tabs, and two chest pockets with flap. Ideal for wear as e.g. a uniform shirt.

**COLOR** 40 White  
**SIZE** 36-52  
**MATERIAL** 65% polyester, 35% cotton, 245 g/m<sup>2</sup>.

**UNIFORM SHIRT SS****0-99200-125-40**

Soft, comfortable, and durable uniform shirt with anti-crease characteristics. This shirt has short sleeves, shoulder tabs, and two chest pockets with flap. Ideal for wear as e.g. a uniform shirt.

**COLOR** 40 White  
**SIZE** 36-52  
**MATERIAL** 65% polyester, 35% cotton, 245 g/m<sup>2</sup>.

**T-SHIRT GOLDEN****0-35010-0**

Comfortable, lightweight T-shirt with a round neck. Pre-shrunk. Suitable for promotional wear.

**COLOR** 10 Black, 40 White, 5 Navy Blue  
**SIZE** S-4XL  
**MATERIAL** 100% combed cotton, 185 g/m<sup>2</sup>

**T-SHIRT SUNSET LADY \*****0-35056-10401**

Comfortable, lightweight T-shirt with a round neck. Flitted design that is suitable for most women. Suitable for promotional wear.

**COLOR** 10 Black, 40 White, 5 Navy Blue.  
**SIZE** XS-XL  
**MATERIAL** 100% Cotton, 150 g/m<sup>2</sup>



\* Not in stock in SG

**ACTION TROUSER STANDARD****0-29551-12507-7**

Lightweight, comfortable, durable trousers with an anti-crease finish. Many practical pockets, form-stitched knees with reinforcement, and adjustable hem width. These trousers withstand numerous wash and dry cycles. Suitable for use in service professions and as uniform trousers.

**COLOR** 7 Dark Navy Blue  
**SIZE** C44-C64  
**MATERIAL** 65% polyester, 35% cotton, 215 g/m<sup>2</sup>.

**NATO SWEATER ROUND NECK****0-32100-1111-5**

NATO rib-knit wool jumper with a round neck, reinforcements on shoulders and elbows, and shoulder tabs. The rib-knit wool fabric retains warmth under cold conditions. Ideal for wear as e.g. a uniform jumper.

**COLOR** 5 Navy Blue  
**SIZE** 46-66  
**MATERIAL** 100% wool. Reinforcement: 67%polyester/ 33%cotton, Navy.

**FLEECE JACKET HALSA****0-35552-0**

Fleece jacket with zip on front, seams in contrast color. Two zippered front pockets. Adjustable hem.

**COLOR** 1060 Black/Grey, 23 Forest Green, 27 Terracotta, 544 Navy/Light Blue, 6510 Mediumblue/Black, 73 Sand  
**SIZE** XS-XXXL  
**MATERIAL** 100% Polyester Microfleece - Antipilling and antistatic treated.

**POLO SHIRT FALK****0-35146-0-5**

Classic polo shirt in comfortable cotton with three buttons at the neck. Slits at the sides and good fit ensure a high level of comfort. Suitable for promotional wear.

**COLOR** 10 Black, 40 White, 5 Navy Blue  
**SIZE** XS-XXXL  
**MATERIAL** 100% cotton, 200g/m<sup>2</sup>



\* Contact Wenaas for availability; [post@wenaas.no](mailto:post@wenaas.no)



ANCHOR + 4 STRIPES  
4-98451-4-10




ANCHOR + 3 STRIPES  
4-98451-3-10




ANCHOR + 2 STRIPES  
4-98451-2-10



ANCHOR + 1 STRIPES  
4-98451-1-10



PROPELLER + 4 STRIPES  
4-98424-1-10



PROPELLER + 3 STRIPES  
4-98423-1-10




PROPELLER + 2 STRIPES  
4-98422-1-10



PROPELLER + 1 STRIPES  
4-98421-1-10




DIAMOND + 1 STRIPES  
4-98411-1-10



DIAMOND + 2 STRIPES  
4-98412-1-10



DIAMOND + 3 STRIPES  
4-98413-1-10



DIAMOND + 4 STRIPES  
4-98414-1-10



LIGHTENING + 2 STRIPES  
4-98442-1-10



LIGHTENING + 3 STRIPES  
4-98443-1-10



WHITE + 4 STRIPES  
4-98464-1

**0-49793-8170 MENS BLAZER DOUBLEBUTTONED**

Classic double-breasted blazer with anchor buttons, external and internal pockets, and raw sleeve length for easy application of rank stripes. Made in a durable wool blend for a sharp and structured look.

**COLOR** 7 Dark Navy Blue  
**SIZE** 44-62  
**MATERIAL** 78% shrink-proof wool, 19% polyester, 3% elastane.  
 Lining: 100% polyester, 70 g/m<sup>2</sup>

**0-29790-8170 MEN'S TROUSERS REGULAR FIT**

Classic double-breasted blazer with anchor buttons, external and internal pockets, and raw sleeve length for easy application of rank stripes. Made in a durable wool blend for a sharp and structured look.

**COLOR** 7 Dark Navy Blue  
**SIZE** 44-64  
**MATERIAL** 78% shrinking-safe wool, 19% polyester, 3% Spandex.  
 Lining: 95% polyester, 5% Spandex.

**0-29791-8170 MEN'S TROUSERS SLIM FIT**

Men's trousers with stretch and slim fit trousers with stretch, two slash pockets in the front, and two double welt pockets in the back with button closure. Waistband with silicone on the inside. The trousers have a zipper, button, and a hook and eye in the front. The trousers are lined with elasticated lining down to the knees both in the front and back, which provides additional comfort and improved mobility.

**COLOR** 7 Dark Navy Blue  
**SIZE** 44-64  
**MATERIAL** 78% shrinking-safe wool, 19% polyester, 3% Spandex 345g g/m<sup>2</sup>,  
 Lining: 95% polyester, 5% Spandex.



SLIM  
FIT

**LADIES BLAZER DOUBLEBUTTONED 0-49783-8170**

Classic double-breasted blazer with a slightly fitted waist for a feminine silhouette. Features anchor buttons, functional pockets and raw sleeve length for adding rank stripes. Durable wool blend that keeps its shape.

**COLOR** 7 Dark Navy Blue  
**SIZE** 44-62  
**MATERIAL** 78% shrink-proof wool, 19% polyester, 3% elastane, 345 g/m<sup>2</sup>  
 Lining: 100% Polyester, 70 g/m<sup>2</sup>

**SLIM SKIRT 0-10781-8170**

Tight-fitting, knee-long skirt with closed slit in the mid-section in the back. Seams in the mid-section in the front and two slits in the waistband in the back. Six belt hoops in the waistband and one hidden pocket on the right side of the waistband for cards or other small items. The skirt is lined with elasticated lining to make it even more comfortable to wear. A stretchy fabric makes the skirt comfortable and excellent movement.

**COLOR** 7 Dark Navy Blue  
**SIZE** 32-52  
**MATERIAL** 78% shrinking-safe wool, 19% polyester, 28% viscose, 3% Spandex. Lining: 95% polyester, 5% Spandex.

**WOMEN'S TROUSERS REGULAR**

Women's trousers with stretch, two slash pockets in the front, two slits in the back, and silicone on the inside of the waistband. The trousers have a zipper, button and a hook and eye. The trousers are lined with elasticated lining down to the knees both in the front and back, which provides additional comfort and improved mobility.

**COLOR** 7 Dark Navy Blue  
**SIZE** 32-52  
**MATERIAL** 78% shrinking-safe wool, 19% polyester, 3% Spandex. Lining: 95% polyester, 5% Spandex.

**SKIRT A-LINE**

A lined, knee-long skirt with closed slit in the mid-section in the back. Seams in the mid-section in the front and two slits in the waistband in the back. Six belt hoops in the waistband and one hidden pocket on the right side of the waistband for cards or other small items. The skirt is lined with elasticated lining to make it even more comfortable to wear. A stretchy fabric makes the skirt comfortable and excellent movement.

**COLOR** 7 Dark Navy Blue  
**SIZE** 32-52  
**MATERIAL** 78% shrinking-safe wool, 19% polyester, 3% Spandex. Lining: 95% polyester, 5% Spandex.

**0-29780-8170**

Women's trousers with stretch, two slash pockets in the front, two slits in the back, and silicone on the inside of the waistband. The trousers have a zipper, button and a hook and eye. The trousers are lined with elasticated lining down to the knees both in the front and back, which provides additional comfort and improved mobility.

**COLOR** 7 Dark Navy Blue  
**SIZE** 32-52  
**MATERIAL** 78% shrinking-safe wool, 19% polyester, 3% Spandex. Lining: 95% polyester, 5% Spandex.

**0-10782-8170**

A lined, knee-long skirt with closed slit in the mid-section in the back. Seams in the mid-section in the front and two slits in the waistband in the back. Six belt hoops in the waistband and one hidden pocket on the right side of the waistband for cards or other small items. The skirt is lined with elasticated lining to make it even more comfortable to wear. A stretchy fabric makes the skirt comfortable and excellent movement.

**COLOR** 7 Dark Navy Blue  
**SIZE** 32-52  
**MATERIAL** 78% shrinking-safe wool, 19% polyester, 3% Spandex. Lining: 95% polyester, 5% Spandex.



**0-38502-207 BODYSHIRT FR 1/2 ZIP**

Antistatic, flame retardant and arc flash-protection zip polo shirts made from a soft, rib-knit material. High rib-knit neck with reverse zip fastening and long raglan sleeves with rib-knit sleeve cuff. The shirts are ideal if you have to be in hot environments and still require underwear that protects against flames and arc flash.

**COLOR** 10 Black.  
**SIZE** XS-XXXL  
**STANDARD** EN 1149-5: 2018, EN ISO 11612: 2015, A1 B1 C1 IEC 61482-2: 2018, ETB 6 cal / cm<sup>2</sup> APC 1 (4 kA).  
**MATERIAL** 60% modacrylic, 39% cotton, 1% antistat. 180 g/m<sup>2</sup>.

**0-39502-207 BODYSHIRT LADIES 1/2 ZIP FR**

This ladies' polo shirt provides antistatic, flame retardant, and arc flash protection. It is constructed from an antistatic modacrylic and cotton blend, ensuring users' safety and comfort. Polo shirt has a high neck with short reverse zip in front, internal and external zip flaps, and long raglan sleeves with cuffs.

**COLOR** 10 Black.  
**SIZE** XXS-XXXL  
**STANDARD** EN 1149-5: 2018, EN ISO 11612: 2015, A1 B1 C1 IEC 61482-2: 2018, ETB 6 cal / cm<sup>2</sup> APC 1 (4 kA).  
**MATERIAL** 60% modacrylic, 39% cotton, 1% antistat. 180 g/m<sup>2</sup>.

**0-38702-207 BODYSHIRT FR LONGJOHNS**

Anti-static, flame retardant and arc-protecting long in a soft, ribbed, modacrylic and cotton for protection and comfort. The longs have an elastic waistband and ribbed cuffs at the hems. Combine the longs with other garments with the same level of protection for added protection.

**COLOR** 10 Black.  
**SIZE** XS-XXXL  
**STANDARD** EN 1149-5: 2018, EN ISO 11612: 2015, A1 B1 C1 IEC 61482-2: 2018, ETB 6 cal / cm<sup>2</sup> APC 1 (4 kA).  
**MATERIAL** 60% modacrylic, 39% cotton, 1% antistat. 210 g/m<sup>2</sup>.

**0-39702-207 BODYSHIRT LADIES LONGJOHNS FR**

Base-layer lady's long johns with anti-static, flame retardant, and arc-flash protection. This model is made from a soft, ribknit fabric, in a modacrylic and cotton blend that provides the user protection and good comfort. The long johns have an elastic waistband and rib-knit cuffs at the bottom of the legs.

**COLOR** 10 Black.  
**SIZE** XXS-XXXL  
**STANDARD** EN 1149-5: 2018, EN ISO 11612: 2015, A1 B1 C1 IEC 61482-2: 2018, ETB 6 cal / cm<sup>2</sup> APC 1 (4 kA).  
**MATERIAL** 60% modacrylic, 39% cotton, 1% antistat. 210 g/m<sup>2</sup>.

**0-38202-207 BODYSHIRT FR BALACLAVA**

Antistatic, flame retardant and arc protective balaclava made from a soft, ribbed material of modacrylic and cotton. The balaclava provides good protection and good comfort for the head, face and neck with a long neck cape and opening only for the eyes.

**COLOR** 10 Black.  
**SIZE** One Size  
**STANDARD** EN 1149-5: 2018, EN ISO 11612: 2015, A1 B1 C1 IEC 61482-2: 2018, APC 1 (4 kA) ETB 6, 4 cal / cm<sup>2</sup>. This balaclava has to be used ensembled with other garments that give at least the same level of protection.  
**MATERIAL** 60% modacrylic, 39% cotton, 1% antistat, 210 g/m<sup>2</sup>.





### UNDERWEAR RIBSTOP SET 0-38000-214-60

Warm and comfortable underwear set. Jumper has a round neck, long sleeves and extended back. Longjohns have a knitted waist and fly at the front. The set is ideal when you have to be outdoors or in generally cold environments.

**COLOR** 60 Grey.  
**SIZE** XS-XXL  
**MATERIAL** 100% Polyester Ribstop Fleece, 150 g/m<sup>2</sup>.



### SOCK WENAAS ENDURE WOOL

0-5710-0-10

Warm, durable and comfortable socks. Sizes: 36-39, 40-44, 45-48.

**COLOR** 10 Black  
**SIZE** 36-39, 40-44, 45-48  
**MATERIAL** 70% wool, 27% polyamid, 3% Lycra



### SOCKS WENAAS ENDURE SYNTHETIC 0-5710-100-10

Warm, durable and comfortable socks with wool. Sizes: 36-39, 40-44, 45-48.

**COLOR** 10 Black  
**SIZE** 36-39, 40-44, 45-48  
**MATERIAL** 68% polyester, 18% wool, 10% polyamid, 4% lycra



**0-8-515-98 GLOVE WENAS 515**

Heavy-duty welding glove made of ox leather. Lined with cotton and all seams made of Kevlar thread for increased durability and lifespan. Complies with EN 12477 type A. OEKO-TEX® certified ox leather. Bundle: 6 - Carton: 72.

<b>COLOR</b>	98 Assorted
<b>SIZE</b>	7-12
<b>STANDARD</b>	EN 388:2016_4244X, EN 407:2020_412244, EN 12477:2020 Type A
<b>MATERIAL</b>	OEKO-TEX® certified Ox leather, Kevlar

**0-8-550-98 GLOVE WENAS 550**

TIG glove made of durable soft grained goatskin. The cuff is made of ox split, and all the seams are made of heat-resistant Kevlar thread. Complies with EN 12477 type B. OEKO-TEX® certified leather. Bundle: 6 - Carton: 72.

<b>COLOR</b>	98 Assorted
<b>SIZE</b>	7-12
<b>STANDARD</b>	EN 388:2016_3111X, EN 407:2020_412244, Cat.II, EN 12477 Type B
<b>MATERIAL</b>	OEKO-TEX® certified goat leather, split oxhide, Kevlar

**0-70750-0-50 LEATHER WELDING APRON**

Leather welding apron. Long waist straps and a neck strap with buckles give the user good adjustment options.

<b>COLOR</b>	50 Brown
<b>SIZE</b>	STK
<b>MATERIAL</b>	Leather



**APRON WITH POCKET****0-3313-601**

Durable waist apron with a pocket on the right side and tie bands that fit many sizes. 70x90.

**COLOR** 10 Black.  
**SIZE** One Size  
**MATERIAL** 65% polyester, 35% cotton, comfort stretch, 205 g/m<sup>2</sup>.

**CHEFS JACKET FR****0-76155-10922**

Flame retardant chef's jacket with Mandarin collar Double-breasted, partitions on the back and vent at the cuffs for folding.

**COLOR** 40 White.  
**SIZE** XXS-4XL  
**STANDARD** EN ISO 11612:2015, A1+A2,B1 C1 F1.  
**MATERIAL** 100% cotton, 220g/m<sup>2</sup>.

**BANDANA M805****0-3805-0-10**

Cotton hat with closure

**COLOR** 10 Black  
**SIZE** STK  
**MATERIAL** 100% cotton twill

**SNOOD CAP 100PCK****0-210-40-98**

Snood cap with visor, and elastic hairnet that covers the hair 100 %. Suitable for food industry and catering. Weight 10 gr. Carton: 10 boxes of 100 pcs.

**COLOR** 98 Assorted  
**SIZE** Box  
**MATERIAL** Polypropylene - Non wovnen

**CHEFS TROUSERS FR****0-77155-10922-4**

Comfortable, flame retardant kitchen trousers in cotton with an elasticated waist. Practical pockets at front and back.

**COLOR** 4 Sailor Blue  
**SIZE** XXS-4XL  
**MATERIAL** 100% cotton, 220g/m<sup>2</sup>

**SLIP ON SHOE GIADA 20 S2****0-1611-4204-40**

Lightweigh moccasin with stylish, blue contrasting details. The upper is breathable and water-repellent with microfibre. These shoes are ideal for people who work in a profession that requires the use of white shoes. Can be machine washed.

**COLOR** 40 White.  
**SIZE** 36-48  
**STANDARD** EN ISO 20345:2011, SRC S2.  
**MATERIAL** Upper material: Microfibre. Outer sole: PU/PU. Lining: Breathable fabric. Protective toe cap: Composite.

**CHAIN GLOVE NIROFLEX FIX 15 CM 0-14381-15000**

Chainmail glove with protection against knife cuts. 15 cm cuff. Self adjusting patented tension spring system made of stainless steel. Light weight micro plasma welded stainless steel chainmail for best hygiene conditions. Perfect choice for cleaning in drum washing machines. Easy to put on and take off. Coloured enforcements for quick size identification. Fits both left and right hand. Sold as eache, and packed in a PE bag. Weight from 290-350 gr, dependent on size.

**COLOR** 141 Steel.  
**SIZE** S-XL  
**STANDARD** EN 1082-1.  
**MATERIAL** Stainless steel.

**0-2152-1-10 SHOE PANACEA APOLLO 2152**

Shoes in full-grain leather, fiberglass protective toe, soft puncture resistant mid-sole and PU/PU outsole with good anti-slip properties. The shoe has a PU toe protector and TPU heel protector which gives the shoe a longer life. Comfortable 3D mesh lining with good moisture absorption. Removable insole.

COLOR	10 Black.
SIZE	36-48
STANDARD	EN ISO 20345:2022, S3L FO SR.
MATERIAL	Upper: Full grain leather. Lining: Textile. Outsole: PU/PU. Safety Toe Cap: Fiberglas. Puncture resistance: Soft.

**0-2154-1-10 ANKLE BOOT PANACEA APOLLO 2154**

Ankle boot in full-grain leather, fiberglass protective toe, soft puncture resistant mid-sole and PU/PU outsole with good anti-slip properties. The shoe has a PU toe protector and a TPU heel protector, which gives the shoe a longer life. Comfortable 3D mesh lining with good moisture absorption. Removable insole.

COLOR	10 Black.
SIZE	36-48
STANDARD	EN ISO 20345:2022, S3L FO SR
MATERIAL	Upper: Full grain leather. Outsole: PU/PU. Lining: Textile 3D mesh. Safety Toe Cap: Fiberglas. Puncture resistant mid-sole: Soft.

**0-2163-0-50 BOOT PANACEA CHALLENGER WP**

Boot in high quality crazy horse full grain leather with waterproof membrane and screw lacing. The boot has a good stable and slip-resistant Vibram® rubber outsole with a soft PU midsole. PU toe protector and TPU heel protector give the boot a increased longevity. Protective toecap made of fiberglass and soft, metal-free puncture resistant mid-sole. The boot has a 3D mesh lining with good moisture absorption. Removable insole.

COLOR	50 Brown
SIZE	35-48
STANDARD	EN ISO 20345:2022, S7L HRO FO SR
MATERIAL	Upper: Full grain leather. Lining: Textile 3D mesh/Waterproof membrane. Outsole: Vibram® rubber/PU. Safety Toe Cap: Fiberglas. Puncture resistant mid-sole: Soft, metalfree.



**0-2166-0-50    BOOT PANACEA PULL ON**

Boot in full-grain leather. The model has an anti-slip PU/PU outsole, fiberglass toe cap, soft puncture protection, and PU toe protector for extended durability. Removable insole.

**COLOR** 50 Brown.  
**SIZE** 37-48  
**STANDARD** EN ISO 20345:2022, S3L FO SR  
**MATERIAL** Upper: Full grain leather. For: Textile 3D mesh. Outsole: PU/PU. Protective toe: Fiberglass. Puncture resistant mid-sole: Soft.

**0-2162-0    BOOT PANACEA CHALLENGER ZIP**

Boot in full-grain leather with laces and zip for easy on and off. Anti-slip PU/PU outsole, fiberglass protective toe and soft puncture resistant mid-sole. PU toe protector and TPU heel protector give the boot a longer life. Comfortable 3D mesh lining with good moisture absorption. Removable insole.

**COLOR** 50 Brown.  
**SIZE** 36-48  
**STANDARD** EN ISO 20345:2022, S3L FO SR CI  
**MATERIAL** Upper: Full grain leather. Lining: Textile. Outsole: PU/PU. Safety Toe Cap: Fiberglas. Puncture resistant mid-sole: Soft.



**0-14200-0 SHOE VERNER CALYPSO**

Traditional shoes in a modern design with a microfiber upper. ESD-approved, lightweight and metal-free with a soft puncture resistant mid-sole making the shoes very comfortable. Comfortable, removable Work Comfort EVO insole.

COLOR	10 Black.
SIZE	35-48
STANDARD	EN ISO 20345:2011, S3 SRC// UKCA
MATERIAL	Upper material: Microfibre. Outsole: PU/PU. Puncture resistant mid-sole: Soft, metal-free. Lining: 3D Air mesh. Protective toe cap: Composite.

**0-14202-0 SHOE VERNER PHANTOM**

Sporty shoe with a microfiber upper and a quick lacing system which makes it easy and quick to take on and off the shoes. Lightweight and metal-free shoes with a soft puncture resistant mid-sole making the shoes very comfortable. Comfortable, removable Work Comfort EVO insole.

COLOR	10 Black.
SIZE	35-48
STANDARD	EN ISO 20345:2011, S3 SRC// EN 61340 ESD // UKCA
MATERIAL	Upper material: Microfibre. Outer sole: PU/PU. Puncture resistant mid-sole: Soft, metal-free. Lining: 3D Air mesh. Protective toe cap: Composite.

**0-14300-0-10 ANKLE BOOT VERNER SCOTIA**

Traditional ankleboot in a modern design with a microfiber upper. ESD-approved, lightweight and metal-free with a soft metal-free puncture resistant mid-sole making the ankle boot very comfortable. Comfortable, removable Work Comfort EVO insole.

COLOR	10 Black.
SIZE	35-48
STANDARD	EN ISO 20345:2011, S3 SRC, UKCA.
MATERIAL	Upper material: Microfibre. Outer sole: PU/PU. Puncture resistance: Soft, metal-free. Lining: 3D Air mesh. Protective toe cap: Composite.

**0-14204-0 SHOE VERNER DECKSURE**

Robust safety shoe in a modern design with a durable microfiber and textile upper. Hard-wearing PU outsole providing excellent slip resistance and grip on various surfaces. Anatomically shaped for maximum comfort and support throughout the workday. Lightweight composite toe cap for optimal protection without added weight. Soft penetration-resistant midsole for extra flexibility and safety. Antistatic construction. Removable insole.

COLOR	10 Black.
SIZE	35-48
STANDARD	EN ISO 20345:2022 + A1 2024 S3PL SR FO // EN 61340 ESD // ASTM 2413-24 SD SR// UKCA
MATERIAL	Upper: Microfiber/textile. Lining: 3D Air mesh. Outsole: PU / PU. Safety toe: Composite. Puncture resistance: Soft metal free



**0-1250-0-10 SHOE BERSERK TYR US**

Waterproof and breathable shoe in a modern design with quick lacing, upper part of full-grain quality leather and light and soft rubber/PU outsole. Very comfortable shoe with good anti-slip, shock-absorbing and relieving properties. The shoe is not antistatic but has an insulating sole approved according to the American standard ASTM F2413-18. EH



<b>COLOR</b>	10 Black.
<b>SIZE</b>	36-47
<b>STANDARD</b>	EN ISO 20345:2022, SB FO E PL WR HRO SR// ASTM F2413-18 M/I/C EH PR// UKCA.
<b>MATERIAL</b>	Upper material: Full grain leather. Outsole: Rubber/PU. Puncture resistant mid-sole: Soft, metal-free Puncture Block. Insole: Work Comfort EVO sole. Lining: Waterproof HDry. Protective toe cap: Glass fibre.

**0-1220-1101-10 SHOE BERSERK GILBY**

ESD-approved, water-resistant and breathable shoes in a modern design with smart lacing system, upper material in high-quality leather and lightweight and soft rubber/PU outer sole. Very comfortable shoe with excellent anti-slip properties as well as energy absorption and return.



<b>COLOR</b>	10 Black.
<b>SIZE</b>	36-47
<b>STANDARD</b>	EN ISO 20345:2022 S7L HRO FO SR // EN 61340 ESD // ASTM F2413-18 M/I/C SD 35 PR// UKCA
<b>MATERIAL</b>	Upper material: Full grain leather. Outsole: Rubber/PU. Puncture resistant mid-sole: Soft, metal-free Puncture Block. Insole: Work Comfort EVO sole. Lining: HDry. Protective toe cap: Glass fibre.

**0-75-957-10 ANKLE BOOT BERSERK BURR**

ESD-approved ankle boots with 3D mesh with breathable fabric lining and lacing. Very comfortable boots with good antislip and supporting properties.



<b>COLOR</b>	10 Black.
<b>SIZE</b>	36-47
<b>STANDARD</b>	EN ISO 20345:2022, S3L HRO, FO, CI, SR, ESD // ASTM F2413-18 M/I/C SD 35 PR// UKCA.
<b>MATERIAL</b>	Upper material: PU-coated leather. Outsole: Rubber/PU. Puncture resistant mid-sole: Soft, metal-free Puncture Block. Lining: 3D Mesh fabric. Protective toe cap: Glass fibre.

**0-1240-0-10 ANKLE BOOT BERSERK LOKE US**

Waterproof and breathable boot in a modern design with MOZ quick lacing, upper part of full-grain quality leather and light and soft rubber/PU outsole. Very comfortable boot with good anti-slip, shock-absorbing and relieving properties. The boot is not antistatic but has an insulating sole approved according to the American standard ASTM F2413-18. EH



<b>COLOR</b>	10 Black.
<b>SIZE</b>	36-47
<b>STANDARD</b>	EN ISO 20345:2022, SB FO E PL WR HRO SR//ASTM F2413-18 M/I/C EH PR// UKCA.
<b>MATERIAL</b>	Upper material: Full grain leather. Outsole: Rubber/PU. Puncture resistant mid-sole: Soft, metal-free Puncture Block. Insole: Work Comfort EVO sole. Lining: Waterproof HDry®. Protective toe cap: Glass fibre.

**0-1320-1101-10 ANKLE BOOT BERSERK BORG**

ESD-approved, water resistant and breathable ankle boots in a modern design with MOZ quick lacing system, upper material in full grain leather. Very comfortable boots with excellent anti-slip properties as well as energy absorption and return.



<b>COLOR</b>	10 Black.
<b>SIZE</b>	35-47
<b>STANDARD</b>	EN ISO 20345:2022 S7L HRO FO SR CI // EN 61340 ESD //ASTM F2413-18 M/I/C SD 35 PR//UKCA
<b>MATERIAL</b>	Upper material: Full grain leather. Outsole: Rubber/PU. Puncture resistant mid-sole: Soft, metal-free Puncture Block. Insole: Work Comfort EVO sole. Lining: HDry®. Protective toe cap: Glass fibre.

**0-75-955-10 BOOT BERSERK BORG**

Comfortable boots with 3D mesh with breathable fabric lining and side zip and lacing. The boots offers good anti-slip and shock absorbing properties. 100% metal free



<b>COLOR</b>	10 Black.
<b>SIZE</b>	36-47
<b>STANDARD</b>	EN ISO 20345:2022, S3L HRO, FO, CI, SR // EN 61340 ESD // ASTM F2413-18 M/I/C SD 35 PR// UKCA
<b>MATERIAL</b>	Upper material: PU-coated leather. Outsole: Rubber/PU. Puncture resistant mid-sole: Soft, metal-free Puncture Block. Lining: 3D Mesh fabric. Protective toe cap: Glass fibre.





\* Not in stock in SG

**CLOG LILAC 20 SB****0-1028-8701-10**

Lightweight and comfortable clogs with heel latch and upper in a breathable texfiber. The clogs can be washed in the washing machine, making them suitable for a number of different professions.

<b>COLOR</b>	10 Black
<b>SIZE</b>	35-48
<b>STANDARD</b>	EN ISO 20345:2011, SB E A ESD SRC
<b>MATERIAL</b>	Upper material: Texfiber. Outer sole: PU. Lining: Fabric. Protective toe cap: Composite.

**SOLE WENAAS WORKCOMFORT EVO 0-9003-1000-98**

Insole provides good cushioning, which provides support during static and dynamic work. The sole is extra thick where the ball hits the sole for extra comfort. Material ensures humidity absorption and sole to dry quickly. - Sole and packaging made from recycled material - Machine washable sole

<b>COLOR</b>	98 Assorted
<b>SIZE</b>	36-48
<b>MATERIAL</b>	Recycled open cell foam.

**SHOE COVER 100 PCK****0-75100-21060-45**

Disposable shoe covers in CPE-plastic, 16". Thickness: 36 my. Suitable for use on construction sites, janitor services, laboratories and pharmacy. Weight: 4.4 g.

<b>COLOR</b>	45 Royal Blue.
<b>SIZE</b>	Bag
<b>STANDARD</b>	EN 1186
<b>MATERIAL</b>	CPE-plastic.

**SHOE COVER TEXTILE WENAAS PAIR 0-9400-1300-10**

Shoe covers in breathable and durable textile. Elastic edges for easy on and off. - Anti-glide outer sole - Protects against water and dirt. Can be washed in lukewarm water and reused several times. These covers are therefore a good environmentally-friendly option.

<b>COLOR</b>	10 Black
<b>SIZE</b>	L-XXXL
<b>MATERIAL</b>	Polyester/cotton, 150 gr.

**INSOLES WORK COMFORT****0-81-293-45**

Wenaas Work Comfort double gel ESD-sole with excellent cushioning effect. Prevents tiredness and soreness in feet and specially developed for work shoes worn throughout the day. Sole has cutting lines to adjust the size.

<b>COLOR</b>	45 Royal Blue
<b>SIZE</b>	36-39, 40-42, 43-45, 46-48
<b>MATERIAL</b>	Antistatic PU. Blue gel cushion. Blue antistatic fabric.

**INSOLES FELT LIBA®WOOL****0-80-303-60**

Wenaas in-sole in Liba®Wool with underside in reflective aluminium foil. Keeps feet warm and dry. Suitable for cold temperatures where good insulation is important. - Can be cut to desired size. Pack of two.

<b>COLOR</b>	60 Grey
<b>SIZE</b>	35-48
<b>MATERIAL</b>	Liba®Wool - 25% wool. 25% viscose. 50% polyester.

**BOOT EXENA DEVIL BLACK S5****0-9507-0-10**

Boot in PVC/Nitrile for improved chemical resistance. High model. Antistatic, good shock absorption and low weight. Steel toe and puncture resistant mid-sole

<b>COLOR</b>	10 Black
<b>SIZE</b>	36-48
<b>STANDARD</b>	EN ISO 20345:2022, S5 SR FO
<b>MATERIAL</b>	Upper: PVC/Nitrile. Lining: Polyester. Outsole: PVC/Nitrile. Safety Toe Cap: Steel. Puncture resistance: Steel

**BOOT PU TECHNO THERMO S5****0-9600-0-15**

Thermos boots in PU, isolate up to -50 C. Tall model that can be folded. Good cushioning and light weight ensure high comfort. Boots with UltraGrip PU sole. The boot withstands minerals, animals- and, plantoils, fat, disinfectants, fertilizer, solvents and different chemicals. The boots are 100% metal-free

<b>COLOR</b>	15 Green.
<b>SIZE</b>	39-48
<b>STANDARD</b>	EN ISO 20345:2011, S5 CI SRC
<b>MATERIAL</b>	Upper material: PU. Outsole: PU. Puncture resistant mid-sole: Soft, metal-free. Protective toe cap: Composite.



## 0-8-101-98

## GLOVE WENAAS 101

Durable assembly glove with nitrile micro-foam coating, providing a secure grip in both wet and dry environments. Features a snug and comfortable fit with touchscreen compatibility and a knitted cuff. OEKO-TEX® STANDARD 100 certified and treated with the Sanitized® hygiene function for added comfort and freshness. Bundle: 12 - Carton: 144.

COLOR	98 Assorted
SIZE	6-12
STANDARD	EN 388 4131A, EN 407 X1XXXX.
MATERIAL	Nylon/Spandex with MicroFoam Nitril coating.



## WENAAS LEATHER

### for Work Gloves receives OEKO-TEX® certification

The leather we use in our work gloves is now OEKO-TEX® certified! This certification is a significant recognition that underlines our commitment to quality, safety, and health. You can be confident that our gloves are made without harmful chemicals. This important milestone inspires us to continue creating safe and sustainable workwear.



### Our gloves for clinical and non-clinical environments are Sanitized® treated

Many of Wenaas' close-fitting work gloves are treated with Sanitized®. This means they are permanently treated to maintain the gloves' safety and hygiene by eliminating or reducing the presence and growth of bacteria.



## 0-8-120-98

## GLOVE WENAAS 120

Durable, comfortable latex work gloves with dipped palm sections. Snug fit, lightweight, with a knitted cuff. Very good wet and dry grip. The special latex coating ensures these gloves can handle very demanding work and environments. Bundle: 12 - Carton: 120.

COLOR	98 Assorted
SIZE	7-11
STANDARD	EN 388 2131 A1:2009, CE cat.2
MATERIAL	Latex, polyester, elastane



## 0-8-127-98

## GLOVE WENAAS 127

High-quality goatskin glove. Provides excellent sensitivity and protection against wear. The back of the hand is made of elastic polyester for a better fit. Velcro at the wrist for better closure and protection. Bundle: 6 - Carton: 72.

COLOR	98 Assorted.
SIZE	8-12
STANDARD	EN 388_2111X, CE CAT 2.
MATERIAL	Goatskin, spandex.



## GLOVE SYMBOL GUIDE



TOUCHSCREEN:  
Touchscreen compatibility.



SANITIZED®: The glove is Sanitized® treated for enhanced protection against bacteria and odor.



OEKO-TEX® STANDARD 100 FOR TEXTILES: One of the world's most recognized labels for textiles tested for harmful substances. It stands for customer trust and high product safety.



OEKO-TEX® LEATHER: The leather used in the gloves is OEKO-TEX® approved and has passed strict requirements for harmful chemicals.



DERMATEST®: The glove is produced in accordance with strict guidelines for chemical use and contains no harmful substances for the skin.



OIL- AND WATER-REPELLENT: The glove is resistant to oil and water / has oil- and water-repellent properties.



**0-8-200-98****GLOVE WENAAS 200**

Comfortable, cut-resistant gloves (Cut C) in PU. Snug fit, lightweight, with a knitted cuff. Durable work gloves with high flexibility. Exceptional grip when wet, oily, or dry. Bundle: 12 - Carton: 120.

<b>COLOR</b>	98 Assorted.
<b>SIZE</b>	6-12
<b>STANDARD</b>	EN EN 388:2016 4X44C, EN 407:2020 X1XXXX, ANSI A3, CE CAT 2, Sanitize.
<b>MATERIAL</b>	Polyurethane, glass, polyester, spandex.

**0-8-225-98****GLOVE WENAAS 225**

Cut-resistant gloves (Cut D) in premium WFT nitrile foam. Very comfortable, with reinforced section between thumb and index finger. Touchscreen compatible. The liner is made from environmentally friendly TENCEL™, which consists of 48 % recycled materials. Bundle: 12 - Carton: 120.

<b>COLOR</b>	98 Assorted.
<b>SIZE</b>	6-12
<b>STANDARD</b>	EN 388:2016 +A1:2018 4X41D, ANSI A5, CE CAT 2, Sanitize.
<b>MATERIAL</b>	Nitrile, polyester, TENCEL™, nylon, elastane.

**0-8-240-98****GLOVE WENAAS 240**

Comfortable cut-resistant glove in level D/ANSI Cut A4. 13gg HPPE/glass fiber nitrile foam and touch function on fingers. Tight fit, ergonomic design and good durability. Ideal for work where precision is required. Bundle: 12 - Carton: 120.

<b>COLOR</b>	98 Assorted.
<b>SIZE</b>	6-12
<b>STANDARD</b>	EN 388_4X42D, EN 420, Cat II, Oeko tex standard D 100.
<b>MATERIAL</b>	HPPE/glass fiber nitrile foam.

**0-8-250-98****GLOVE WENAAS 250**

Multi-purpose arc-classified glove with specially treated goatskin. Oil- and water-repellent treatment prevents oils and liquids from absorbing into the leather. Seamless in 360° Para Aramid fabric for cut protection class C - ANSI level-A3. Protection against electric arc. and has a level 4 arc classification with an ATPV of 48 cal/cm². Certified according to OEKO-TEX® LEATHER STANDARD. Bundle: 6 - Carton: 72

<b>COLOR</b>	98 Assorted.
<b>SIZE</b>	7-12
<b>STANDARD</b>	EN 388:2016+A1:2018_3X22C, EN 407:2020_X121XX, ASTM/ANSI 105-2016 A3 cut, ASTM F2675_4 Arc Flash 48 cal/cm², CE cat.2.
<b>MATERIAL</b>	Oil & Water Resistant Goatskin Leather, Para Aramid liner

**0-8-269-98****GLOVE WENAAS 269**

A high-performance winter glove with a durable, machine-knitted liner made of HPPE, steel, carbon, nylon, and spandex yarns, ensuring dexterity and Cut Resistance Level D. The micro-foam porous coating provides extra grip and durability. Lined with Merino wool for excellent cold insulation, integrated ESD yarn to dissipate static electricity, and a water-repellent treatment to keep hands dry. Bundle: 6 - Carton: 60.

<b>COLOR</b>	98 Assorted.
<b>SIZE</b>	7-11
<b>STANDARD</b>	EN 388_4X42D, EN 407_X1XXXX, EN 511_X1X, ANSI_A4.
<b>MATERIAL</b>	HPPE/steel/nylon/carbon/spandex with Merino wool lining and micro-foam nitrile coating.

**0-8-285-98****GLOVE WENAAS 285**

Possibly the world's thinnest F-classified glove in Tungsten, providing the highest level of cut protection grade F. Designed to handle high precision work with very small and sharp objects. Reinforcement between thumb and index finger provides extra durability where it is needed most. A very light and thin glove that combines both the highest degree of cut protection, comfort and dexterity. In addition, it has a practical touch function. Bundle: 12 - Carton: 144.

<b>COLOR</b>	98 Assorted.
<b>SIZE</b>	6-12
<b>STANDARD</b>	EN 388_4X32F, EN 407_X1XXXX.
<b>MATERIAL</b>	Coating: 28.57% Nitrile, Yarn: 25.35% Tungsten Wire, 24.67% HPPE, 9.87% Nylon, 5.92% Spandex, 3.58% Polyester, 2.03% Rubber



**0-8-286-98****GLOVE WENAAS 286**

Exceptionally flexible and thin glove in 21gg Liner with cut protection C / A3. Polyurethane coating in the palm and engineered to offer comfort and dexterity. It is designed to handle high precision work with very small and sharp objects. Touch function. Bundle: 12 - Carton: 144.

<b>COLOR</b>	98 Assorted.
<b>SIZE</b>	6-12
<b>STANDARD</b>	EN 388_3232C, EN 407_XXXXX.
<b>MATERIAL</b>	Coating: 15.15% PU, Yarn: 26.71% HPPE, 22.29% Polyester, 15.77% Steel, 13.55% Nylon, 3.73% Rubber, 2.81% Spandex

**0-8-288-98****GLOVE WENAAS 288**

Premium fully dipped glove with Cut Protection Level D. Double-dipped and waterproof, providing excellent protection against oils and liquids. Super Grip® ensures superior grip in both dry and wet conditions. Contains no steel or glass fiber. Touchscreen compatible. Bundle: 12 - Carton: 120.

<b>COLOR</b>	98 Assorted.
<b>SIZE</b>	7-12
<b>STANDARD</b>	EN388: 4X42D, ANSI CUT A4, EN407:X1XXX, with sanitizer, with screen touch.
<b>MATERIAL</b>	Nylon/glass fiber/HPPE/Steel/Nitrile

**0-8-289****GLOVE WENAAS 289**


Premium cut-resistant glove with Impact and pinch protection in WFT-nitrile foam. Cut protection level D, double-dipped, and waterproof ensuring excellent protection against liquids. Exceptionally good grip in both dry and oily environments. Touchscreen compatibility. Bundle: 6 - Carton: 60.

<b>COLOR</b>	98 Assorted.
<b>SIZE</b>	6-12
<b>STANDARD</b>	EN 388:2016+A1:2018 4X42DP, EN 420, CAT 2.
<b>MATERIAL</b>	WFT-nitrile foam, Nylon, PVC.

**0-8-299-98****GLOVE WENAAS 299**

Premium cut-resistant glove with Impact and pinch protection in WFT-nitrile foam. Cut protection level D, breathable properties, and exceptionally good grip in both dry and oily environments. Touchscreen compatibility and Hi-vis-yellow for increased visibility. Bundle: 6 - Carton: 60.

<b>COLOR</b>	98 Assorted.
<b>SIZE</b>	6-12
<b>STANDARD</b>	EN 388:2016+A1:2018 4X42DP
<b>MATERIAL</b>	WFT-nitrile foam, Nylon, PVC



## 0-8-300

## GLOVE WENAAS 300

Warm, comfortable thermal gloves in nitrile. Snug fit, terry lining, and a knitted cuff. The back shell is made from Hi-Vis material for good visibility. Good wet and dry grip. Bundle: 12 - Carton: 120.

COLOR	98 Assorted.
SIZE	7-11
STANDARD	EN 388:2016 A1 2018 4231B, EN 407:2020 X2XXXX, EN 511:2006 X1X, CE CAT 2, Sanitize
MATERIAL	Nitrile, polyester, elastane.



## 0-8-305-98

## GLOVE WENAAS 305

Ergonomic and durable winter glove. The safety cuff in Touch PU Diamond Grip provides an extra good grip under harsh conditions thanks to the diamond-shaped pattern. The glove is water-repellent and 100% windproof on the back of the hand with a reinforced index finger, reinforced seams, and reinforced fingertips. Suitable for all-round work. Bundle: 6 - Carton: 72.

COLOR	98 Assorted
SIZE	8-12
STANDARD	CE cat.2
MATERIAL	Touch diamond PU, WR polyester fabric, vatt 60 grams, microfleece



\* Not in stock in SG

## 0-8-320

## GLOVE WENAAS 320

Warm, comfortable, double-dipped thermal gloves in latex. Snug fit. Lined. Additional coating provides excellent wet and dry grip, along with good protection against water. Warm, very comfortable work gloves for outdoor and winter use. Bundle: 6 - Carton: 72.

COLOR	98 Assorted.
SIZE	7-11
STANDARD	EN 388:2016+A1:2018 2242C, EN 407:2020 X2XXXX, EN 511:2006 12X, CE CAT 2, Sanitize.
MATERIAL	Latex, elastane.



\* Contact Wenaas for availability; [post@wenaas.no](mailto:post@wenaas.no)

## 0-8-325-98

## GLOVE WENAAS 325

Fully dipped and lined winter glove with double dipped palm for better grip. Very flexible glove that retains its flexibility even in lower temperatures, as well as being waterproof. Fluted interior of insulating acrylic. Bundle: 12 pairs, Carton: 120 pairs.

COLOR	98 Assorted
SIZE	6-12
STANDARD	EN 388_2142X, EN 511:2006 X1X, CE CAT 2.
MATERIAL	Latex, acrylic.



## 0-8-360-98

## GLOVE WENAAS 360

Warm, thin, and comfortable glove made from RWS Merino wool. Seamless, knitted, and with touch function. A warm and comfortable work glove that keeps hands comfortable in cold environments. Can also be used as a liner glove. 15 gg. Bundle: 12 - Carton: 144.


COLOR	98 Assorted
SIZE	6-11
STANDARD	EN 388_3X31A, EN 511_X1X Contact cold level 1
MATERIAL	RWS Merino Wool, Nylon



**0-8-420-98****GLOVE WENAAS 420**

Synthetic leather base palm. Electro conductive synthetic leather index & thumb tips. Foam laminated spandex fabric back of hand and thumb. Stitched vinyl back of hand and thumb protections. Aramid / glass Cut A4 lining on front palm only. Touch function on finger. Bundle: 6 - Carton: 72.

<b>COLOR</b>	98 Assorted.
<b>SIZE</b>	7-12
<b>STANDARD</b>	EN 388:2016+A:2018_3542DP, ANSI/ISEA 138-1, ANSI A4 cut, CE CAT 2.
<b>MATERIAL</b>	Synthetic leather, elastane.

**0-8-400-98****GLOVE WENAAS 400**

Performance impact gloves in goatskin, with oil block-treated palms. Snug fit, cut resistance level D. Elastic cuff. Kevlar reinforcements on inner thumbs for increased protection and exceptional grip. Back shell in anti-moisture treated Spandex with 4-way stretch. A tough, durable work glove that stands up to hard work. Bundle: 6 - Carton: 72.

<b>COLOR</b>	98 Assorted.
<b>SIZE</b>	6-12
<b>STANDARD</b>	EN 388:2016+A1:2018_2X23DP, EN 407:2020_X1XXXX, ANSI A4, CE CAT 2.
<b>MATERIAL</b>	Oil & water resistant goatskin leather. Kevlar, elastane.

**0-8-490-98****GLOVE WENAAS 490**

Impact glove in synthetic leather with cut protection level D and oil and water-repellent properties. HiVis color, kevlar thread, and EVO foam padding on the back of the wrist for increased protection. Neoprene cuff with vinyl pull tab. Touchscreen compatibility. Bundle: 6 - Carton: 72.

<b>COLOR</b>	98 Assorted.
<b>SIZE</b>	7-13
<b>STANDARD</b>	EN 388:2016_3X42DP, EN 407_X2XXXX, ANSI A4, ISEA Level-1, Cat.2.
<b>MATERIAL</b>	Synthetic leather, Kevlar, neoprene, vinyl

**GLOVE WENAAS 515**

Heavy-duty welding glove made of ox leather. Lined with cotton and all seams made of Kevlar thread for increased durability and lifespan. Complies with EN 12477 type A. OEKO-TEX® certified ox leather. Bundle: 6 - Carton: 72.

<b>COLOR</b>	98 Assorted
<b>SIZE</b>	7-12
<b>STANDARD</b>	EN 388:2016_4244X, EN 407:2020_412244, EN 12477:2020 Type A
<b>MATERIAL</b>	OEKO-TEX® certified Ox leather, Kevlar

**GLOVE WENAAS 550**

TIG glove made of durable soft grained goatskin. The cuff is made of ox split, and all the seams are made of heat-resistant Kevlar thread. Complies with EN 12477 type B. OEKO-TEX® certified leather. Bundle: 6 - Carton: 72.

<b>COLOR</b>	98 Assorted
<b>SIZE</b>	7-12
<b>STANDARD</b>	EN 388:2016_3111X, EN 407:2020_412244, Cat.II, EN 12477 Type B
<b>MATERIAL</b>	OEKO-TEX® certified goat leather, split oxhide, Kevlar

**0-8-550-98**

**0-8-620-98 GLOVE WENAAS 620**

Comfortable, lightweight, and breathable textile glove made of a cotton blend. PVC dots on the palm for better grip and durability. Well suited for assembly and inspection work. Phthalate-free. Bundle: 12 - Carton: 300.

**COLOR** 98 Assorted.  
**SIZE** 6-12  
**MATERIAL** Cotton, PVC.

**0-8-713-98 GLOVE WENAAS 715**

Durable all-around glove made of cowhide. Cowhide in the palm, index finger, fingertips, and on the knuckle. Cotton canvas on the back of the hand, reinforced index finger, and elastic at the wrist. Certified according to OEKO-TEX® LEATHER STANDARD. Bundle: 6 - Carton: 72.

**COLOR** 98 Assorted.  
**SIZE** 7-12  
**STANDARD** EN 388:2016+A1:2018\_3121X, CE CAT 2.  
**MATERIAL** Cowhide split leather, cotton, CVC-fleece.

**0-8-700-98 GLOVE WENAAS 700**

Durable all-round glove in goatskin. High finger sensitivity and ergonomic fit. Knit in the wrist for greater comfort.

**COLOR** 98 Assorted.  
**SIZE** 7-12  
**STANDARD** EN 388:2016+A1 2018 2111A, CE cat 2 EN 407:2020 X1XXXX  
**MATERIAL** OEKO-TEX® certified goat leather.

**GLOVE ALPHATEC SOLVEX 37-185 0-6-37185-15**

Very durable chemical protection gloves in nitrile. Long, over-elbow gloves with good comfort and protection against chemicals. An ideal choice for work in production areas with exposure to harmful substances. Patterned, rough surface provides good wet and dry grip. Carton: 12.

**COLOR** 15 Green.  
**SIZE** 7-11  
**STANDARD** EN ISO 374-1:2016\_AJJKLPT, EN 388:2016+A1:2018\_4102X, EN 420:2003+A1:2009, CAT 3.  
**MATERIAL** Nitrile.

**GLOVE ALPHATEC SOLVEX 37-675 0-6-37675-15**

Very durable chemical protection gloves in nitrile. Good comfort and protection against chemicals. An ideal choice for work in wet or dry production areas where protection from corrosive substances is important. Patterned, rough surface provides good wet and dry grip. Bundle: 12 - Carton: 144.

**COLOR** 15 Green.  
**SIZE** 6-11  
**STANDARD** EN ISO 374-1:2016\_JKLOPT, EN 388:2016+A1:2018\_4101X, 'EN 420:2003+A1:2009, CAT 3.  
**MATERIAL** Nitrile, flocked cotton.

**GLOVE TOUCHNTUFF 92-600**

Disposable glove TouchNTuff® 92-600, very versatile, suitable for various applications. Soft nitrile blend offers a high level of comfort. Robust design for good durability. Does not contain natural rubber proteins, eliminating the risk of Type I allergies. Silicone-free. Suitable for transferring liquids and solids, processing, handling meat, fish, and food, industrial production, maintenance, laboratories, and chemical handling. Sales unit: 1 box of 100 pcs. Carton: 10 boxes of 100 pcs.

**COLOR** 98 Assorted.  
**SIZE** S-XL  
**STANDARD** EN ISO 374-1:2016\_JKPT, EN 420:2003+A1:2009, CAT 3.  
**MATERIAL** Coating: Nitrile.

**GLOVE GRABBER CLIP WENAAS Å50 0-3400-19637-45**

The Squids 3400 glove holder keeps your gloves in place. Just clip your gloves to a garment, a D-ring, or other item. Strong gripping power. This holder has a safety function that allows it to be released in emergency situations to avoid catching on other objects. Can be reassembled and used again. All-round double clip version can be used a single or two-piece unit. Bag of 100.

**COLOR** 45 Royal Blue  
**SIZE** Bag  
**MATERIAL** Acetal Copolymer

## 0-112-10

## HELMET V-GARD 1000V

Unventilated 1000 volt allround helmet, with 4-point Fas-Trac III ratchet suspension with PVC comfort band. Integrated brim. Protect to -30° C, 440 V AC, and 1000 V AC. 30 mm slot for attachment of accessories. Weight 360 gr. Size 52-64 cm.



COLOR	25 Orange, 40 White, 45 Royal Blue, 80 Red
SIZE	One Size
STANDARD	EN 397, -30° C, LD, 440 VACEN 50365EN ISO 80079-36.
MATERIAL	HDPE Plastic.

WENAS

## 0-950-29000 HELMET V-GARD 950 1000V

Unvented 1000-volt electrician's helmet in a dynamic design with 6-point Fas-Trac® III ratchet suspension with a foam comfort band. 4-point chin strap and integrated face shield with protection against impacts, chemicals, UV radiation, metal splashing, and arc flash (4 kA). Short peak and rain channel. Protection against lateral deformation (LD), down to -30 °C, against molten metal (MM), 440 V AC, and 1000 V AC. 30-mm slot for attachment of accessories. Weight 635 g. Size 52-63 cm.



COLOR	15 Green, 25 Orange, 30 Yellow, 40 White, 45 Royal Blue, 80 Red
SIZE	One Size
STANDARD	EN 397, -30° C, LD, MM, 440 V AC, EN 166 2C-1,2 1 B 3 8-1-0 9 KN, EN 170, EN 13463-1,zone 1, 2, 20, 21, 22, EN 50365 1000 V AC, GS-ET-29 Class 1 (4 kA).
MATERIAL	ABS

WENAS

\* Not in stock in SG

## 0-2660-500 HELMET V-GARD 500 1000V

Unventilated 1000-volt safety helmet from V-Gard, 4-point Fas-Trac® III ratchet suspension with PVC comfort band. Integrated peak and rain channel. Protection against lateral deformation (LD). Size 52-63 cm.



COLOR	15 Green, 25 Orange, 30 Yellow, 40 White, 45 Royal Blue, 80 Red
SIZE	One Size
STANDARD	EN 397, -30° C, LD, 440 VAC, EN 50365 1000 VAC, EN ISO 80079-36:2016, CEI/ITS 60079-32:2017, Gas Zone: 1, 2, Dust Zone: 20, 21, 22
MATERIAL	ABS

WENAS

\* Not in stock in SG

\* Contact Wenaas for availability; [post@wenaas.no](mailto:post@wenaas.no)

**0-3806-8001 BUMP CAPS ZEKLER PITCH**

Bump Caps made of cotton and polyester integrated with mesh. Reflex on both sides for high visibility. Perforated shell in ABS plastic with inserted foam created for optimal comfort, protection, flexibility and ventilation. 55mm shortened cap peak. 52-65cm adjustable sizes.

<b>COLOR</b>	5 Navy Blue, 10 black
<b>SIZE</b>	One Size
<b>STANDARD</b>	EN 812
<b>MATERIAL</b>	Cotton, Polyester, ABS-plastic.



ZEKLER

**0-28-100-5 BUMP CAP CENTURION COOLCAP S28**

Bump cap with 50 mm standard peak, that combines high ventilation, high flexibility and reassuring against minor bumps and scrapes to the head, whilst also doubling as a fashionable and comfortable piece of workwear. Corporate badging via embroidery or transfer print. Weight 150 gr. Size 54-59 cm. Carton: 20 pcs.

<b>COLOR</b>	5 Navy Blue, 10 Black, 28 Fluo Orange
<b>SIZE</b>	One Size
<b>STANDARD</b>	EN 812
<b>MATERIAL</b>	ABS plastic and textile



CENTURION

**0-10016-10000-40 HELMET NEXUS SP 1000V REFLEX**

Unventilated 1000-volt helmet with a 6-point ratchet suspension. Short peak. Silver-coloured reflectors at front, on sides, and at top. Comfort band in polyester and 4-point chin strap. Protection against lateral deformation (LD). 30-mm slot for attachment of accessories. Size 52-64 cm. Weight 415 g. Package containing 5 units.

<b>COLOR</b>	40 White.
<b>SIZE</b>	One Size
<b>STANDARD</b>	EN 397, EN 50365, LD, MM, -40°C.
<b>MATERIAL</b>	ABS.

CENTURION



\* Not in stock in SG

**0-10200-20000 HELMET PETZL VERTEX 1000V**

Unvented 1000-volt helmet with a short peak. For rescue work and work at heights. Protects against electrical current in low-voltage systems, molten metal, and flame. DUAL chin strap allows adjustment for incline work (EN 397 < 25 daN) and work at heights (EN 12492 > 50 daN). Adjustable 6-point ratchet harness with fabric bands. Protection against lateral deformation (LD). 30-mm slot for attachment of accessories. 10-year lifetime. Size 53-63 cm. Weight 490 g. Package containing 8 units.

<b>COLOR</b>	10 Black, 15 Green, 30 Yellow, 40 White, 45 Royal Blue, 80 Red
<b>SIZE</b>	One Size
<b>STANDARD</b>	EN 397, EN 12492, EN 50365, ANSI Z89.1 Type I, Class E.
<b>MATERIAL</b>	ABS.

PETZL





MSA

**CHINSTRAP 2PT ELASTIC MSA****0-2593-78**

2 point elastic chinstrap for MSA V-Gard, V-Gard 200, 500, and 520 helmets. Metal free. Compatible with earmuff. Can be worn on the top of the helmet when not used. Width 19 mm. Weight 15 gr. Carton: 20 pcs.

<b>COLOR</b>	98 Assorted
<b>SIZE</b>	One Size
<b>STANDARD</b>	
<b>MATERIAL</b>	Polyester.



MSA

**CHIN STRAP UNIVERSAL 4PT MSA 0-11012-90047-10**

4-point universal chin strap for MSA V-Gard 200, 500, 520 and 900 helmets, with Fas-Trac III or Push key harness. Metal-free. Can be used with ear protection. Width 15 mm. Weight 46 g. Package containing 20 units.

<b>COLOR</b>	10 Black.
<b>SIZE</b>	One Size
<b>STANDARD</b>	EN 397 (together with helmet)
<b>MATERIAL</b>	Polyester.



ZEKLER

**VISOR FULL FACE ZEKLER ZONE 0-38060-9130-98**

Full face visor for safety helmet Zekler Zone. The visor is very easy to install with the included click mounting system and is equipped with anti-fog protection. It has high mechanical impact resistance as well as resistance to fluids and droplets. Resistant to impact from small objects moving at up to 120 m/s. Spare visor is available as a spare part.

<b>COLOR</b>	98 Assorted
<b>SIZE</b>	One Size
<b>STANDARD</b>	ISO 16321-1
<b>MATERIAL</b>	Polycarbonate



MSA

**VISOR PC CLEAR MSA 26CM 2,5MM 0-1011-5853-98**

Clear polycarbonate face shield. Anti-scratch and anti-fog. Protects against impact, liquid splashing, molten metal and arc flash. Thickness 2.5 mm. 264 x 432 mm. Weight 233 g. Can be combined with the MSA face-shield holder. Attaches to a 30-mm slot on a helmet or to ear protection. Package containing 5 units.

<b>COLOR</b>	98 Assorted
<b>SIZE</b>	One Size
<b>STANDARD</b>	EN 166, GS-ET29 Class 1, Lens Marking: 2C-1.2 1BT 389 KN
<b>MATERIAL</b>	Polycarbonate

**NECK SHADE HI-VIS LIME GLOWEAR 0-25-29053-19**

The GloWear 8005 Hi-Vis Hard Hat Neck Shade stretches around hard hat brims to provide breathable neck and ear protection from sun damage. Made with ANSI 107-approved polyester mesh and reflective, it enhances worker safety and visibility when worn as an accessory with other hi-vis clothing. This high-visibility neck shade is ideal for those wearing head protection while working in road construction, transportation, municipalities and more.

<b>COLOR</b>	19 Lime.
<b>SIZE</b>	One Size
<b>MATERIAL</b>	Polyester.

**CLAMP HARD HAT LANYARD 0-25-3155-98**

Squids® 3150 elastic hard hat lanyard in fluorescent green. to prevent e.g. helmets, hand tools, mobile phones etc from falling to the ground. For use with objects weighing up to 0.9 kg. Easy-to-use release clip that can be attached to a harness, belt, D-ring, wrist, or the like. Ideal for both work and leisure use.

<b>COLOR</b>	98 Assorted.
<b>SIZE</b>	One Size
<b>MATERIAL</b>	Stretch.



MSA

**VISOR CONTOUR X CLEAR 0-10090-34463-98**

Easy fit moulded polycarbonate face screen for helmet mounted face protection. Contour Carrier is compatible with Centurion Nexus and Concept helmets. Length 20 cm.

<b>COLOR</b>	98 Assorted
<b>SIZE</b>	One Size
<b>STANDARD</b>	EN 166 B139T 2C-1.2, ANSI Z87.1+(Impact Rated)
<b>MATERIAL</b>	Polycarbonate



MSA

**COMFORT BAND MSA 10PCK****0-696-688-98**

Comfort band to protect eyes and face from sweat and moisture. Easy to attach to all MSA industrial helmets. Also improves helmet fit. Machine washable.

<b>COLOR</b>	98 Assorted.
<b>SIZE</b>	Package
<b>MATERIAL</b>	Terry.



MSA

**CHINSTRAP 2PT MSA****0-9100-1-98**

2 point chinstrap for MSA V-Gard, V-Gard 200, 500, 520 and 930 helmets. Metal free. Compatible with earmuff. Width 18 mm. Weight 10 gr. Carton: 20 pcs.

<b>COLOR</b>	98 Assorted.
<b>SIZE</b>	One Size
<b>STANDARD</b>	EN 397 (together with helmet).
<b>MATERIAL</b>	Polyester.



MSA

**CHINSTRAP ELASTIC 2-PT****0-10090-34120-98**

Adjustable elasticated 2-points chinstrap. For use with Centurion Nexus SecurePlus and Concept helmets.

<b>COLOR</b>	98 Assorted
<b>SIZE</b>	One Size
<b>MATERIAL</b>	Elasticated, Polyester/Nylon/. Spandex Mix

**VISOR CARRIER CONTOUR****0-10090-34133-98**

The Contour carrier is designed to fit the Contour visors to a Nexus or Concept safety helmets.

**COLOR** 98 Assorted  
**SIZE** One Size  
**MATERIAL** Nylon

**VISOR CARRIER MSA STD****0-1012-1266**

MSA holder for face-shield attachment to safety helmets. Designed so water and dirt run off easily. Seal between the helmet and holder to prevent ingress of particles and moisture. Metal-free – ideal for electrical work. Compatible with all MSA face shields and helmets. Attaches in a 30-mm slot on the helmet or ear protection. The adapter can be folded away when ear protection is used, thereby keeping it safely out of the way. Package contains 10 units.

**COLOR** 98 Assorted  
**SIZE** One Size  
**MATERIAL** Plastic

**CHIN PROTECTOR VISOR MSA****0-1011-5828**

Chin guard for use with a face shield and face-shield holder. Metal-free. Protects against impact, splashing and arc flash. Retractable plate ensures greater flexibility of head movement. Height when extended: 9.7 cm. Fits face shield 1015-4950-98 and 1011-5856-98. Package containing 5 units.

**COLOR** 98 Assorted  
**SIZE** One Size  
**MATERIAL** Plastic

**HEADGEAR VISOR MSA****0-1012-7061**

Headgear for wearing a face shield without a helmet. Metal-free. Compatible with all MSA face shields. Package contains 10 units.

**COLOR** 98 Assorted  
**SIZE** One Size  
**MATERIAL** Plastic

MSA

**0-40123-54220 FLASHLIGHT XPP-5422GMXA**

A powerful Cree LED Torch with double magnets. 210 lumen. 7970 candela. ATEX zone 0. Water/dustproof IP-67- Spotlight, flowing light and Dual-Light™. 187 m range. Battery 14 hours. Weight 196 grams. Belt-/pocketclasp. Includes a torch and strap. Requires 3xAA batteries (not included). Lifetime guarantee (see terms) - Package containing 4 pieces.



**COLOR** 98 Assorted.  
**SIZE** One Size  
**STANDARD** Ex II 1 G Ex ia op is IIC T3 Ga.  
**MATERIAL** Polymer.

**0-40125-55800-98 WORK LANTERN XPR-5580G**

A powerful rechargeable Cree LED light. 300 lumen. 101.000 candela. ATEX zone 0. Water/dustproof IP-67- Spotlight and flowing lights i high/medium/low and Dual-Light™. Green security light in the back. 635 m range. Battery up to 65 hours. Weight 936 grams. Solid handle, hooks for hanging up. Contains a light, shoulder strap, a rechargeable lithium ion battery, charger to both 12V and socket charging. Room for both 2 and 3 batteries, which will increase the battery lifespan. Lifetime guarantee (see terms)



**COLOR** 98 Assorted.  
**SIZE** One Size  
**STANDARD** Ex II 1 G Ex ia op is IIC T3 Ga  
**MATERIAL** Polymer.

MSA

**0-40101-54540 HEADLAMP BAND XPP-5454G**

A lightweight, sturdy and versatile Cree LED headlight, head band. 160 lumen. 1711 candela. ATEX zone 0. Water/dustproof IP-67- 5 modes: High/low spotlight, high/low floodlight and Dual-Light™. 94 m range. Battery time: 5-16.75 hrs. Weight 97 gr. Adjustable angle. Includes a light, 3xAA batteries, elastic head band and rubber head band. Lifetime guarantee (see terms) - Package containing 4 pieces.



**COLOR** 98 Assorted.  
**SIZE** One Size  
**STANDARD** Ex II 1 G Ex ia op is IIC T3 Ga.  
**MATERIAL** Polymer.

MSA



## 0-6-10000

## EARMUFF 3M OPTIME3 HEADBAND

Passive ear defenders Optime™ III with head band. Black and red colours. Large space inside the cups helps reduce moisture and heat build-up. Soft wide cushions help reduce pressure around the ears and improve comfort and wearability for long periods. With a noise reduction of up to 35 dB, these ear defenders are ideal for extremely noisy environments like airports, marine engine rooms, power stations and print works. The cushions and foam rings are available as a hygiene set, and they are easy to replace as necessary, thus extending the lifespan of the product. Package containing 20 units.

## COLOR

98 Assorted.

## SIZE

One Size

## STANDARD

EN 352-1:2002, Attenuation: SNR=35dB H=40dB M=32dB L=23dB.



3M

## 0-6-10001

## EARMUFF 3M OPTIME3 HELMET P3E

Optime™ III passive ear defenders with P3E 30-mm helmet attachment. Black and red colours. Large space inside the cups helps reduce moisture and heat build-up. Soft wide cushions help reduce pressure around the ears and improve comfort and wearability for long periods. With a noise reduction of up to 35 dB, these ear defenders are ideal for extremely noisy environments like airports, marine engine rooms, power stations and print works. The cushions and foam rings are available as a hygiene set, and they are easy to replace as necessary, thus extending the lifespan of the product. Package containing 20 units.

## COLOR

98 Assorted.

## SIZE

One Size

## STANDARD

EN 352-3:2002, Attenuation: SNR=34dB H=40dB M=32dB L=22dB.



3M

**EARPLUG FIRMFIT 200PAIR****0-1033-10**

Earplug Howard Leight FirmFit, orange color for easy identification. Classic firm comfortable design of soft foam gain a sense of security from feeling the earplug in the ear. Requires less pressure to roll down, slow recovery rate gives plenty of time to insert. One pair singel packed in bag. Carton: 10 boxes of 200 pair.

<b>COLOR</b>	98 Assorted.
<b>SIZE</b>	BOX
<b>STANDARD</b>	EN 352-2, Attenuation: SNR 37db H=37db M=34db L=31db.
<b>MATERIAL</b>	PVC.

**EARPLUG REFILL L LITE 200PAIR****0-1013-47**

Earplug Howard Leight Laser Lite as refill bag, with fluorescent colors yellow and magenta for easy identification, that expands softly in the ear canal, giving a good fit over time. T-shape for easy entry and exit. Carton: 10 bags of 200 pair.

<b>COLOR</b>	98 Assorted.
<b>SIZE</b>	BAG
<b>STANDARD</b>	EN 352-2, Attenuation: SNR 35db H=34db M=32db L=31db
<b>MATERIAL</b>	Polyurethane.

**0-1012-8850 MASK FFP2 MSA 1121 A10**

Disposable dust mask FFP2, convex shape, FFP2 NR D with yellow valve. Protection from particles and aerosols. Two earloops and shaped nose panel. Package containing 12 boxes with 10 units each.

<b>COLOR</b>	98 Assorted.
<b>SIZE</b>	BOX
<b>STANDARD</b>	EN 149:2001+A:2009, EN 143:2000+A1:2006.
<b>MATERIAL</b>	Polyurethane.

MSA

**EARPLUGS REFILL LASERLITE Å500****0-330-1271**

Howard Leight Laser Lite earplugs in a refill box. In hi-vis yellow and magenta for easy identification. Expand softly in the ear canal for an excellent fit over time. T-shaped for easy insertion and removal. One pair per bag. Package with 4 boxes containing 500 pairs each.

<b>COLOR</b>	98 Assorted.
<b>SIZE</b>	BOX
<b>STANDARD</b>	EN 352-2, Attenuation: SNR 33db H=33db M=29db L=29db
<b>MATERIAL</b>	Polyurethane

**AUTOMAT EARPLUGS LASERLITE****0-1006-205**

Dispenser HL400-AM with 400 pairs of Laser Lite earplugs. The earplug is in visible yellow and magenta color. It expands softly in the ear canal which provides a good fit over time. Wall-mountable or Stand-alone dispenser. Antimicrobial-Protected Dispenser.

<b>COLOR</b>	98 Assorted.
<b>SIZE</b>	BOX
<b>STANDARD</b>	EN 352-2 Støydemping: SNR 35db, H=34db M=32db L=31db
<b>MATERIAL</b>	ABS, Stainless Steel, Silicone, Nylon

**0-1012-8871-98 MASK FFP3 MSA 1131 Å5**

Disposable dust mask FFP3, convex shape, NR D with red valve. Protection from particles and aerosols. Two adjustable straps, face seal, and shaped nose panel. Package containing 12 boxes with 5 units each.



<b>COLOR</b>	98 Assorted.
<b>SIZE</b>	BOX
<b>STANDARD</b>	EN 149:2001+A:2009, EN 143:2000+A1:2006.
<b>MATERIAL</b>	Polyurethane.

MSA

**EARPLUGS REUSABLE RP3001 Å50****0-16530-3050**

Reusable corded earplugs with three flanges of flexible rubber. Superb comfort. Can be cleaned with soap and water. Carton: 20 boxes of 50 pair.

<b>COLOR</b>	98 Assorted.
<b>SIZE</b>	BOX
<b>STANDARD</b>	EN 352-2, SNR: 30 dB
<b>MATERIAL</b>	TPE rubber, nylon

**0-6-77 ESCAPE HOOD SR77-3 MOBIL M/L**

Escape hood SR 77-3 for self-rescue in the event of fire and/ or chemical emission accident. Half mask with two exhalation valves. The Hood is flame retardant, and vacuum packaged in an aluminum bag. The aluminum bag gives a carefree use for 10 years with no need of service or maintenance. Filter can not be changed. Included: Gas filter SR 331-2 ABEK1-CO, particle filter SR 510 P3, and carrying bag.

<b>COLOR</b>	98 Assorted.
<b>SIZE</b>	One Size
<b>STANDARD</b>	EN 403, EN 14387
<b>MATERIAL</b>	Silicone.

MSA

\* Not in stock in SG

**0-6-100-98 HALF MASK SR100 M/L**

Half mask SR 100 is made of silicone in three sizes, S/M, M/L and L/XL. It is equipped with two exhalation valves, which ensure very low breathing resistance. The valve covers effectively protect the exhalation membrane from dust and paint mist. The mask house's material and pigment are approved by the FDA and BGA for food, which minimizes the risk of contact allergies. The mask's easily adjustable elastic headband straps are designed as a V-shaped loop and have a large plate, which contributes to a comfortable and secure fit. The mask is used either as filtration equipment in combination with filters, or in combination with SR 307 compressed air regulator, which then functions as a breathing unit with continuous air flow for connection to a compressed air source. A pre-filter holder is included. Carton: 10 pcs.



<b>COLOR</b>	98 Assorted.
<b>SIZE</b>	S/M, M/L and L/XL.
<b>STANDARD</b>	EN 140:1998.
<b>MATERIAL</b>	Silicone.

**0-6-101-98 HALF MASK SR100 S/M**

Half mask SR 100 is made of silicone in three sizes, S/M, M/L and L/XL. It is equipped with two exhalation valves, which ensure very low breathing resistance. The valve covers effectively protect the exhalation membrane from dust and paint mist. The mask house's material and pigment are approved by the FDA and BGA for food, which minimizes the risk of contact allergies. The mask's easily adjustable elastic headband straps are designed as a V-shaped loop and have a large plate, which contributes to a comfortable and secure fit. The mask is used either as filtration equipment in combination with filters, or in combination with SR 307 compressed air regulator, which then functions as a breathing unit with continuous air flow for connection to a compressed air source. A pre-filter holder is included. Carton: 10 pcs.



<b>COLOR</b>	98 Assorted.
<b>SIZE</b>	S/M, M/L and L/XL.
<b>STANDARD</b>	EN 140:1998.
<b>MATERIAL</b>	Silicone.

**0-6-101-98 HALF MASK SR100 S/M**

Half mask SR 100 is made of silicone in three sizes, S/M, M/L and L/XL. It is equipped with two exhalation valves, which ensure very low breathing resistance. The valve covers effectively protect the exhalation membrane from dust and paint mist. The mask house's material and pigment are approved by the FDA and BGA for food, which minimizes the risk of contact allergies. The mask's easily adjustable elastic headband straps are designed as a V-shaped loop and have a large plate, which contributes to a comfortable and secure fit. The mask is used either as filtration equipment in combination with filters, or in combination with SR 307 compressed air regulator, which then functions as a breathing unit with continuous air flow for connection to a compressed air source. A pre-filter holder is included. Carton: 10 pcs.



<b>COLOR</b>	98 Assorted.
<b>SIZE</b>	S/M, M/L and L/XL.
<b>STANDARD</b>	EN 140:1998.
<b>MATERIAL</b>	Silicone.

**PRE FILTER SR221 80PCK**

SR 221 pre-filter that protects the main filter against premature blockage from by larger particles. Should always be used with particle, gas, and combi filters. Fits all Sundström half- and full-face masks, and fans. Package: 10 boxes containing 80 units each.

<b>COLOR</b>	98 Assorted.
<b>SIZE</b>	BOX
<b>MATERIAL</b>	Aluminium.

**0-221-0****FILTER ABE1-HG-P3 SR299-2 Å3**

Combi filter SR 299 ABE1 HG P3R that protects against organic compounds with a boiling point above 65°C, inorganic and acid gases/ vapours, ammonia, mercury vapour and all types of particles. Warning! Maximum use time 50 hours (mercury vapour). Fits on all Sundström half- and full masks. Carton: 10 boxes of 3 pcs.

<b>COLOR</b>	98 Assorted.
<b>SIZE</b>	BOX
<b>STANDARD</b>	EN 14387.
<b>MATERIAL</b>	Polyester, ABS, Coal

**0-299-0****PARTICLE FILTER P3 SR510 5PCK**

Particle filter SR 510 P3 R that protects against all types of particles (dust, smoke, fog, spray, asbestos), including bacteria, viruses and radioactive deposits. Very high efficiency. Fits on all Sundström half- and full masks, and fan system. If gas/vapors and particles are present at the same time, combine the particle filter with appropriate gas filter. Carton: 10 boxes of 5 pcs.

<b>COLOR</b>	98 Assorted.
<b>SIZE</b>	BOX
<b>STANDARD</b>	EN 143, EN 12941, EN 12942.
<b>MATERIAL</b>	PP

**0-510-3****GAS FILTER ABE1 SR315 5PCK**

Gas filter SR 315 ABE1 that protects against compounds with a boiling point above 65 °C, inorganic compounds, and acid gases/vapours. Fits all Sundström half- and full-face masks. Package: 10 boxes containing 5 units each.

<b>COLOR</b>	98 Assorted.
<b>SIZE</b>	BOX
<b>STANDARD</b>	EN 14387.
<b>MATERIAL</b>	PVC/polyester.

**0-315-0**

**0-20100-15000 GLASSES BOLLÉ RUSH+ CLEAR**

Glasses in a two-toned, sporty design with clear lens and a wide field of vision. Anti-scratch, anti-fog PLATINIUM® permanent coating on both sides. Tested for use in the pharmaceutical industry. Washable up to 70 °C. Metal-free. Flexible, ventilated temples and adjustable, non-slip nose bridge. Weight 26 g. Package containing 24 boxes with 10 units each.

<b>COLOR</b>	98 Assorted.
<b>SIZE</b>	One Size
<b>STANDARD</b>	EN 166, EN 170, Lens marking: 2C-1.2 Bollè 1 FT KN CE.
<b>MATERIAL</b>	Polycarbonate.

bollé



**0-20101-15000 GLASSES BOLLÉ RUSH+ GREY**

Glasses in a two-toned, sporty design with a grey lens and a wide field of vision. Anti-scratch, anti-fog PLATINIUM® permanent coating on both sides. Tested for use in the pharmaceutical industry. Washable up to 70 °C. Metal-free. Flexible, ventilated temples and adjustable, non-slip nose bridge. Weight 26 g. Package containing 24 boxes with 10 units each.

<b>COLOR</b>	98 Assorted.
<b>SIZE</b>	One Size
<b>STANDARD</b>	EN 166, EN 172, Lens marking: 5-3,1 Bollè 1 FT KN CE.
<b>MATERIAL</b>	Polycarbonate.

bollé



**0-20103-15000-98 GLASSES BOLLÉ RUSH+ IO**

Glasses in a two-toned sporty design with indoor/outdoor CSP lens and a wide field of vision. Slightly tinted lens for good vision in changing lighting conditions with both low and intense illumination. Anti-scratch, anti-fog PLATINIUM® permanent coating on both sides. Tested for use in the pharmaceutical industry. Washable up to 70 °C. Metal-free. Flexible, ventilated temples and adjustable, non-slip nose bridge. Ideal for working environments with changing lighting, extreme heat and extreme cold. Weight 26 g. Package containing 24 boxes with 10 units each.

<b>COLOR</b>	98 Assorted.
<b>SIZE</b>	One Size
<b>STANDARD</b>	EN 166, EN 172, Lens marking: 5-1,4 Bollè 1 FT KN CE.
<b>MATERIAL</b>	Polycarbonate.

bollé



**0-20105-15000 GLASSES BOLLÉ RUSH+ BRONZE**

Glasses in a two-toned, sporty design with bronze-coloured B-Twilight lens and a wide field of vision. The lens is ideal in early-morning and late-afternoon outdoor environments. Improves contrasts and filters away 76 % of blue light. Anti-scratch, anti-fog PLATINIUM® permanent coating on both sides. Tested for use in the pharmaceutical industry. Washable up to 70 °C. Flexible, ventilated temples and adjustable, non-slip nose bridge. Weight 26 g. Package containing 24 boxes with 10 units each.

<b>COLOR</b>	98 Assorted.
<b>SIZE</b>	One Size
<b>STANDARD</b>	EN 166, EN 172, Lens Marking: 5-2 Bollè 1 FT KN CE.
<b>MATERIAL</b>	Polycarbonate.

bollé



**0-6600-666-98 GLASSES BOLLÉ SOLIS II BLUE**

Meeting all protective requirements, non-slip nosebridge and temples for permanent wears. Norm: EN 166.

<b>COLOR</b>	98 Assorted
<b>SIZE</b>	One Size
<b>STANDARD</b>	EN 166 Lens marking: 5-3.1 Bollé 1 F CE
<b>MATERIAL</b>	Nylon, PC.

bollé

**0-6623-3 GLASSES BOLLÉ IRI-S +2,5**

Spectacle with reading area. Anti-scratch, anti-fog. Nose bridge are adjustable in 3 heights, for perfect fit of reading area. Tilting temples. Adjustable cord are included. Weight 27 gr. Carton: 24 boxes of 10 pcs.

<b>COLOR</b>	98 Assorted.
<b>SIZE</b>	One Size
<b>STANDARD</b>	EN 166, EN 170, Lens Marking: 2C-1,2 Bollé 1 FT CE.
<b>MATERIAL</b>	Polycarbonate.

bollé

**0-6623-4 GLASSES BOLLÉ IRI-S +3,0**

Spectacle with reading area. Anti-scratch, anti-fog. Nose bridge are adjustable in 3 heights, for perfect fit of reading area. Tilting temples. Adjustable cord are included. Weight 27 gr. Carton: 24 boxes of 10 pcs.

<b>COLOR</b>	98 Assorted.
<b>SIZE</b>	One Size
<b>STANDARD</b>	EN 166, EN 170, Lens Marking: 2C-1,2 Bollé 1 FT CE.
<b>MATERIAL</b>	Polycarbonate.

bollé

**GLASSES INTRUDER CLEAR 12PCK****0-6-4110**

Safety glasses with clear lens. Lightweight, anti-scratch, and good side protection. Suitable for wear with ear protection and a safety helmet. Package containing 25 packages boxes with 12 units each.

<b>COLOR</b>	98 Assorted.
<b>SIZE</b>	BOX
<b>STANDARD</b>	EN 166, EN 170, Lens Marking: 2C-1,2 P 1F CE.
<b>MATERIAL</b>	Polycarbonate.

**GLASSES INTRUDER GREY 12PCK****0-6-4120**

Bollé safety glasses with a grey lens. Lightweight, anti-scratch, and good side protection. Suitable for wear with ear protection and a safety helmet. Package containing 25 packages boxes with 12 units each.

<b>COLOR</b>	98 Assorted.
<b>SIZE</b>	BOX
<b>STANDARD</b>	EN 166, EN 172, Lens Marking: 5-2,5 P 1F CE.
<b>MATERIAL</b>	Polycarbonate.

**GLASSES INTRUDER YELLOW 12PCK****0-6-4130**

Bollé safety glasses with a yellow lens. Lightweight, anti-scratch, and good side protection. Suitable for wear with ear protection and a safety helmet. Package containing 25 packages boxes with 12 units each.

<b>COLOR</b>	98 Assorted.
<b>SIZE</b>	BOX
<b>STANDARD</b>	EN 166, EN 170, Lens Marking: 2-1,2 P 1F CE.
<b>MATERIAL</b>	Polycarbonate.

**GLASSES EVER-LITE CLEAR 12PCK****0-4-8610-98**

Ever-Lite safety glasses with clear lenses. Wide field of vision, light weight, and good side protection. Anti-scratch and anti-fog. Package containing 25 boxes with 12 units each.

<b>COLOR</b>	98 Assorted.
<b>SIZE</b>	BOX
<b>STANDARD</b>	EN 166, EN 170, Lens Marking: 2C 1,2 P 1 F N CE.
<b>MATERIAL</b>	Polycarbonate.

**GLASSES EVER-LITE GREY 12PCK****0-4-8620-98**

Ever-Lite safety glasses with grey lenses. Wide field of vision, light weight, and good side protection. Anti-scratch and anti-fog. Package containing 25 boxes with 12 units each.

<b>COLOR</b>	98 Assorted.
<b>SIZE</b>	BOX
<b>STANDARD</b>	EN 166, Linsemerkning: 2C-1,2 P 1 F N CE.
<b>MATERIAL</b>	Polycarbonate.



**0-20335-15105 SPOGGLE PYRAMEX I-FORCE CLEAR**

Glasses in a sporty design with clear lenses. Double lens with air pocket ensures very good fog resistance. Anti-scratch and anti-fog H2MAX® coating. Outer lens in polycarbonate, inner lens in acetate. Supplied with both temples and an adjustable headband; easy to switch. The soft, ventilated foam frame prevent ingress of particles. Weight 48 g. Package containing 12 boxes with 12 units each.

<b>COLOR</b>	98 Assorted.
<b>SIZE</b>	One Size
<b>STANDARD</b>	EN 166, EN 170, Lens Marking: 2C - 1.2 P 1 F N CE
<b>MATERIAL</b>	Outer lens: polycarbonate. Inner lens: Acetate.

**0-9302-245 GOGGLE UVEX ULTRASONIC CLEAR**

Goggles with headband in a modern design. Ideal for use in sanding and chemical environments. Permanent Supravision Excellent 'spread-coating, which translates into anti-scratch and chemical-resistant coating on the outside. Anti-fog coating on the inside (16 seconds). Package containing 18 boxes with 4 units each.

<b>COLOR</b>	98 Assorted.
<b>SIZE</b>	One Size
<b>STANDARD</b>	EN 166, EN 170, Lens Marking: 2-1.2 W 1 B9 KN DIN CE.
<b>MATERIAL</b>	Polycarbonate.

**0-6-704-98 GOGGLE EG704T CLEAR 12PCK**

Lightweight goggles with a headband and soft frame in a modern design. Ventilated. Anti-scratch/anti-fog coating. Protection against chemical splashing. Package containing 12 boxes with 12 units each.

<b>COLOR</b>	98 Assorted.
<b>SIZE</b>	BOX
<b>STANDARD</b>	EN 166, EN 170, Lens Marking: 2C-1.2 P 1 BT CE.
<b>MATERIAL</b>	Polycarbonate.

**GLASSES OTG PYRAMEX SOLO CLEAR 0-20320-51000**

Spectacle for wearers for of prescription spectacles, and site visitors. Ventilated temples to reduce fogging. Good side protection. Weight 46 gr. Carton: 25 boxes of 12 pcs.

<b>COLOR</b>	98 Assorted.
<b>SIZE</b>	One Size
<b>STANDARD</b>	EN 166, EN 170, Lens Marking: 2C-1.2 P 1 F CE .
<b>MATERIAL</b>	PC

**GOGGLE WELDING AMIGO**

Welding goggle with replaceable tilt glasses. Soft vinyl frame. Adjustable headband. 4 indirect ventilation holes. DIN 5. Ø 50 mm Xantos 5 welding glass. Can be worn over other glasses. Weight 125 gr. Carton: 24 pcs.

<b>COLOR</b>	98 Assorted.
<b>SIZE</b>	One Size
<b>STANDARD</b>	EN 175. Lens Marking: EN 175 F. Frame Marking: EN 166 34 F.
<b>MATERIAL</b>	PC, PVC.

**0-6-9400-98****GOGGLE BOLLÉ GLOBE SEALED 0-6640-1111**

Globe Sealed is an unventilated goggle with a durable PVC frame that provides superior protection against dust, liquids, and particles. The clear lenses with PLATINUM LITE anti-fog coating offer maximum visual comfort without glare, while the lightly transparent frame enhances environmental awareness without being blinded. The adjustable strap ensures a comfortable and secure fit, making the goggle perfect for industries such as shipping and oil & gas. Packaging: 1/5/40 pcs.

<b>COLOR</b>	98 Assorted
<b>SIZE</b>	One Size
<b>STANDARD</b>	EN 166, EN 170, UKCA, LM: 2C-1.2 1 9 BT CE,FM: 3 4 5 9 BT CE
<b>MATERIAL</b>	PC, PVC, Polyester, Spandex



**SIGMA KIT TST 10/28****0-51-108-810**

The Sigma Kit is a selected combination with attractive pricing. It includes Waistcoat and Overall with integrated Hand Protection. Ventilation is an option.

**COLOR** 810 Red/Black

**SIZE** S-XXXL

**STANDARD** EN ISO 13688

**MATERIAL** Outer material: Laminated Polyamide. Inner material: Polyester mesh. Protective material: Special fabric containing Dyneema fiber. Seams: Taped.

**COVERALL TST PROOPERATOR****0-56-40025-60**

The waterjet suit provides full protection on the front, arms, and hood. Water and dirt repellent with taped seams. Pre-bent sleeves and knees for ease of movement. Ventilation zippers on the back and side seams help keep the wearer cool. Lined for high comfort.

**COLOR** 60 Gray

**SIZE**

**STANDARD**

**MATERIAL** Polyamide, Dyneema, Mesh and polyester lining.

**0-56-101-98 GLOVES TST 500 BAR Á12**

Waterproof Gloves with protection for up to 500 bar pressure. The Gloves have a rough, sand patterned surface and the material itself provides lots of friction, all for the best grip. Separate inner gloves in nylon for good comfort. The Gloves have also been tested and classified with the highest values for cut protection and for abrasion, tear, and puncture. Outside is dipped in nitrile rubber. Shelf life up to 3 years. Certified in accordance with the CE directive. The Gloves do not withstand high pressure hydraulic fluid. Supplied in pack of 12 pairs.

**COLOR** 98 Assorted

**SIZE** 9-11

**BOOTS 3000****0-51-112-98**

Boot with aluminum gaiters for waterjet protection. The gaiters are moulded and assembled for excellent comfort and mobility. Chemical-resistant anti-penetration sole. Protection level 20/30 - Single jet at 2000 BAR/30000 PSI and Rotor jet at 3000 BAR/43500 PSI.

**COLOR** 98 Assorted

**SIZE** 42-48

**STANDARD** ISO 20345:2011

**MATERIAL** Aluminium

**0-4-800-30****JETTING BOOT PRIMO 800 S5**

Jetting Boot Primo 800, 800 bar pressure. Produced in pPlus material, a special patented compound consisting of PVC and a chemical blend. Steel toe cap, and steel penetration protection. Metatarsal protection that consist of a thick layer of patented material. Anti-slip sole, antistatic features, high resistance to oil and chemical substances, energy absorption in the heel area.

**COLOR** 810 Red/Black / 30 Yellow

**SIZE** 39-48

**STANDARD** EN 20345:2011, S5 SRC

**MATERIAL** Boot: Upper: pPlus PVC. Outsole: pPlus PVC. Lining: Textile. Protective toe: Steel. Nail tread: Steel.

**0-2202-0****GLOVE FROSTERS CRYOGENIC**

Scilabub's Frosters Cryogenic Gloves have been specially developed for the handling of very cold objects. Typically they are used for handling objects stored in the vapour phase of liquid nitrogen (ranging from -120°C to -190°C). At actual liquid nitrogen temperature there is some stiffening of the material, but it still remains flexible enough for use. The gloves should not be immersed in liquid nitrogen. They are also very useful for other cold situations such as with freezers, cold rooms, 'dry ice' and microtomes.



**COLOR** 45 Royal Blue

**SIZE** S-XL

**STANDARD** EN 388:2016\_2X2XX, EN 511:EN511:2006\_22X

**MATERIAL** Outer: Woven Polyamide. Inner: Polyolefin/Polyester micro-fibre.

**0-2203-0****APRON FROSTERS CRYOGENIC**

The outer layer, of royal blue, woven, polyamide, has a waterproof coating to resist condensed water on cold surfaces. The middle layer is of special polyolefin/polyester micro fibre, which is almost twice as effective in thermal insulation as a similar thickness of down. This minimises heat transfer without being so thick as to be cumbersome. The inner layer is of cotton for comfortable wear.



**COLOR** 45 Royal Blue

**SIZE** S-XL

**STANDARD** EN 388:2016\_2XX2X, EN 511:2006\_X22

**MATERIAL** Outer: Woven Polyamide. Inner: Polyolefin/Polyester micro fibre.

**0-2203-0****GAITERS FROSTERS CRYOGENIC**

**COLOR** 45 Royal Blue

**SIZE** One Size

**STANDARD**

**MATERIAL**

**OFFSHORE BAG WENAAS PVC****0-10160-0-10**

Offshore bag with carry handles and shoulder strap, inner ID-card holder. 60x30x30 cm.

<b>COLOR</b>	10 Black
<b>SIZE</b>	One Size
<b>MATERIAL</b>	PVC

**OFFSHORE BAG DUFFLE****0-10155-0-10**

Offshore bag with straps, water repellent, suitable for offshore flights. 60x30x30 cm.

<b>COLOR</b>	10 Black
<b>SIZE</b>	One Size
<b>MATERIAL</b>	PVC

**TRAVEL BAG****0-35873-0-10**


Practical travel bag with a two-way zipper, small handles and removable shoulder strap. The inside of the bag has a big compartment and a smaller pocket with a zipper.

<b>COLOR</b>	10 Black
<b>SIZE</b>	One Size
<b>MATERIAL</b>	45% polyester 50% polymerer, 5% other. 100% polyester, 120 g/m <sup>2</sup> .

**30L DUFFEL BAG****0-35877-0-60**

Fully lined, lightweight and water-proof duffel bag. Two solid carrier straps and removable shoulder straps for easy carrying. The bag has three outer pockets and two inner pockets. Suitable for work and leisure.

<b>COLOR</b>	60 Gray
<b>SIZE</b>	One Size
<b>MATERIAL</b>	70% nylon, 30% polyester, 550 g/m <sup>2</sup> , 100% polyester, PVC, 500g/m <sup>2</sup> , Padding: 100% polyester



**40L OFFSHOREBAG REGULAR****0-35874-0-10**

Fully padded and water-proof offshore bag. Two solid carrier straps and removable shoulder straps for easy carrying. The bag has an outer side pocket with zipper and outer ID-card pocket. A big mesh pocket can be found on the inside and two small pockets and a big padded laptop pocket. Suitable for work and leisure.

<b>COLOR</b>	10 Black
<b>SIZE</b>	One Size
<b>MATERIAL</b>	100% polyester, PVC, 500g/m <sup>2</sup> , Padding: 100% polyester

**40L OFFSHOREBAG PREMIUM****0-35876-0-10**

Fully padded and water-proof offshore bag. Two solid carrier straps and removable shoulder straps for easy carrying. The bag has three outer pockets with zipper and five inner pockets. Suitable for work and leisure.

<b>COLOR</b>	10 Black
<b>SIZE</b>	One Size
<b>MATERIAL</b>	100% polyester, PVC, 500g/m <sup>2</sup> , Padding: 100% polyester

**60L OFFSHOREBAG****0-35881-0-10**

Fully padded and water-proof offshore bag. Two solid carrier straps and removable shoulder straps for easy carrying. The bag has three outer pockets and four inner pockets. Suitable for work and leisure.

<b>COLOR</b>	10 Black
<b>SIZE</b>	One Size
<b>MATERIAL</b>	100% polyester, PVC, 500g/m <sup>2</sup> , Padding: 100% polyester

**90L TRAVEL BAG****0-35879-0-10**

Fully lined and water-proof wheeled suitcase. Wheeled suitcase, carrier pole. Removable and padded shoulder strap with clip-on function and shoulder strap. The suitcase has several practical pockets and solutions for everything you need when travelling. Suitable for work, leisure and travel.

<b>COLOR</b>	10 Black
<b>SIZE</b>	One Size
<b>MATERIAL</b>	100% polyester, PVC, 500g/m <sup>2</sup> , Padding: 100% polyester

**MAIN OFFICE AND LOCATIONS:****WENAAS WORKWEAR AS.**

Bruasetvegen 122,  
N-6386 Måndalen.  
Tlf: +47 71 22 73 00  
Email: post@wenaas.no

**Netherlands**

Wenaas Workwear NL B.V.  
Barnsteen 400, 3316 KK Dordrecht,  
Netherlands  
Email: post.nl@wenaas.com

**UK - Scotland**

Wenaas Workwear UK  
Unit 1 Hub at Hareness  
Hareness Road  
Aberdeen  
Scotland  
AB12 3LE  
Email: post@wenaas.com

**Sweden**

Wenaas Workwear AB  
Processvägen 5.  
435 33 Mölndal  
Sweden  
Email: post@wenaas.com

**Singapore**

Wenaas Workwear Singapore PTE LTD  
Tradehub 21, 18 Boon Lay Way, #02-105/106  
609966, Singapore  
Email: post@wenaas.com

**USA**

Wenaas Workwear USA, Inc.  
10401 S. Sam Houston Pkwy. W  
Houston, TX 77071  
USA  
Email: post@wenaas.com

**FOLLOW US:**

-  Wenaas Workwear AS
-  Wenaas Workwear AS
-  Wenaas Workwear AS
-  Wenaas Workwear

 [wenaas.com](http://wenaas.com)



**PROTECTING PEOPLE AT WORK**